Ontologically Faithful Generation of Non-Player Character Dialogues

Nathaniel Weir[♠]* Ryan Thomas[†] Randolph d'Amore[‡] Kellie Hill[†] Benjamin Van Durme^{♠†} Harsh Jhamtani[†]

*Johns Hopkins University †Microsoft Semantic Machines †Microsoft Gaming nweir@jhu.edu hjhamtani@microsoft.com

Abstract

We introduce a language generation task grounded in a popular video game environ-KNUDGE (KNowledge Constrained User-NPC Dialogue GEneration) requires models to produce trees of dialogue between video game characters that accurately reflect quest and entity specifications stated in natural language. KNUDGE is constructed from side quest dialogues drawn directly from game data of Obsidian Entertainment's The Outer Worlds, leading to real-world complexities in generation: (1) dialogues are branching trees as opposed to linear chains of utterances; (2) utterances must remain faithful to the game lorecharacter personas, backstories, and entity relationships; and (3) a dialogue must accurately reveal new quest details to the human player. We report results for a set of neural generation models using supervised and in-context learning techniques; we find competent performance but room for future work addressing the challenges of creating realistic, game-quality dialogues.

1 Introduction

Player interactions with non-player characters (NPCs) in role-playing games (RPGs) often serve to flesh out backstories while allowing the player to progress through engaging quest story-lines (Onuczko et al., 2007). A key challenge in authoring these NPC dialogues is maintaining enjoyable as well as *coherent* narratives: utterances must faithfully reflect quest structure and game lore—characters, histories, and entity relationships.

Figure 1 depicts a dialogue turn taken from *The Outer Worlds* (Obsidian Entertainment, 2019), ¹ an action RPG renowned for its narrative and dialogue writing. This turn demonstrates how a dialogue



Figure 1: An example non-player character (NPC) dialogue from *The Outer Worlds* (Obsidian Entertainment, 2019). NPCs must speak faithfully to a granular ontology of **quest specifications** and **game lore**.

relies on the descriptions of entities in the game world while also revealing relevant quest information. The NPC's utterance not only begins and provides backstory about a new side quest,² but also interacts according to a well-formed persona (a worried parent) and references an adversary (raptidons) that the player will face later in the quest.

NPC interactions often take the form of complex utterance trees. Creating these branching structures according to the many specifications of dialogue writing can be time-consuming for a game designer (Caropreso et al., 2012), and costs millions of dollars (see §A for discussion). This motivates the pursuit of *automatically generating* dialogue trees.

To the best of our knowledge, there does not exist a public dataset that meets our desired criteria: a set of real game-quality NPC dialogues paired with granular quest and biographical specifica-

^{*}Work done as an intern at Microsoft Semantic Machines.

** KNUDGE will be publicly available upon publication.

https://en.wikipedia.org/wiki/The_
Outer_Worlds

²RPG *side quests* are goals provided to a player in order to enrich gameplay, while not being part of the central storyline.

tions consistent with a well-formed game ontology. Recent work towards lore-conditioned dialogue (Urbanek et al., 2019; van Stegeren and Mysliwiec, 2021), story generation (Akoury et al., 2020; Chen and Gimpel, 2021), and knowledge conditioning for task-oriented dialogue agents (Choi et al., 2018; Mazaré et al., 2018; Feng et al., 2020) do not address complex dialogue trees and the interweaving narratives found in deployed RPGs.

We make the following contributions via this paper: firstly, we introduce KNUDGE: KNowledge constrained User-NPC Dialogue GEneration, a set of dialogue trees (in English) derived from an existing video game and paired with granular ontological constraints. We extract the trees directly from the game data of *The Outer Worlds*. This game's side quests share overlapping characters and locations, making it an appealing study in the development of automatic dialogue generation tools. For each side quest, we enumerate the relevant dialogues and annotate them at multiple levels of specificity (down to the individual node) with quest- and lore-related natural language (NL) support facts pulled from fan-written wikis. KNUDGE contains 159 dialogues from 45 side quests that all take place in The Outer Worlds. It contains 4.7K utterances and an average of 1.3K input constraint tokens per dialogue. The complexity of the dialogues, the annotation level, and the amount of specifications are greater than any comparable dataset.

Secondly, we introduce the challenging task of knowledge-constrained NPC dialogue generation. Given a set of ontological specifications, we want to generate fluent dialogue trees that reveal the quest objectives while staying faithful to the specified context and the game lore. These specifications make up hundreds of statements per dialogue, posing a difficult challenge for modern generation models. Additionally, we introduce a class of model, termed DialogueWriters, that leverage neural language models (LMs) such as GPT-3 (Brown et al., 2020) to generate an utterance conditioned on an existing partial dialogue tree and ontology passages. To encourage the use of game lore to produce interesting and engaging dialogue, we experiment with adding mechanisms to sub-select relevant facts before generating each utterance.

Finally, we prescribe protocols for the evaluation of models for the NPC dialogue generation task. We test for models' capacity to reflect game ontology constraints in addition to generating flu-




Figure 2: Overview of the proposed task. Quest information and biographical passages about the game lore serve as constraints on generated dialogue candidates. Completion **A** is inconsistent with the lore and **B** is uninformative; **C** is most desirable, as it provides new information to the player about quest objectives and reflects information about relevant entities.

ent and coherent dialogue. We conduct automatic and human evaluations of utterances and multi-turn trees generated from specifications for quests from the game, as well as for a pair of never-before-seen quests written by a professional game designer to target real quest writing. Our experiments reveal further room for improvement in aspects such as joint reasoning over multiple facts from ontology, and coverage of all quest objectives. We hope that KNUDGE will facilitate further progress on faithful game dialogue generation, towards tools that can assist developers with their craft.

2 Task Definition

We define the task of knowledge-constrained NPC dialogue generation as the mapping from a set of quest constraint statements Q, a set of biographical constraint statements B, and a list of participant names P to a dialogue tree D. We consider two task scenarios: **next utterance prediction** from a partial (gold) tree, and **full dialogue generation** of trees with multiple candidates at each turn.

As depicted in Figure 2 (upper), Q comprises

statements $[q_1,\ldots,q_m]$ about currently active objectives upon entering the dialogue, about what should occur during it (e.g., pieces of information the NPC should mention), and about new active objectives upon leaving it. B comprises background statements $[b_1,\ldots,b_n]$ about game entities that the dialogue must reflect (Figure 2, middle). The participant list P contains the player character and one or more NPCs who have corresponding facts in B. We design these inputs to reflect the kinds of specifications that a developer would provide to the generator during their quest writing process.

Dialogue tree D is a directed graph $\langle N, E \rangle$; each utterance node $n \in N$ has a speaker $s \in P$. Branches occur due to the multiple dialogue options at player turns (see Figure 3, right). Dialogue trees have one start node, but can have multiple exit nodes and can contain cycles.³⁴

3 Data

KNUDGE comprises NPCs dialogue trees from all 45 side quests in the *Outer Worlds* base game. Our dataset construction procedure entails gathering information about each quest (Q) and the *Outer Worlds* entities that appear or are referenced during the associated dialogues (B) (§3.1), and then extracting trees (D) from the game data semi-automatically (§3.2). We then analyze the resulting data and compare to related datasets (§3.3).

3.1 Game Ontology

We acquired dialogue files from the *Outer Worlds* creators along with permission to release them publicly; we use quest data and game lore from fan wikis, where a quest's page lists the in-game objectives and journal logs (though the framework allows for using data from official channels instead of fan-made). §B contains further source details.

Quest Information A quest in *The Outer Worlds* appears in the player's journal with a high-level **synopsis** and a sequence of **objectives**, each of which contains **game logs** providing additional details. Active objectives are often completed, and new ones are introduced, during an NPC dialogue. A detailed quest anatomy can be found in appendix Figure 6.

We associate with each objective a **walkthrough passage** which includes details on the topics, player utterance options, and quest information that the NPC needs to say by the dialogue's end. Thus, a dialogue's quest passage set Q contains:

- 1. The **synopsis** (1-2 sentences)
- 2. The **in objective(s)** active when entering the dialogue (1 sentence), the associated **game log** (1-2) and **walkthrough passage** (3-10).
- 3. The **out objective(s)** active upon leaving the dialogue, and the associated **game log**.⁵

Examples of Q can be found in $\S C$.

Biographical Information We associate with each quest, and in turn each dialogue, a set B of **biographical passages** about entities appearing or referenced during the quest. We extract passages from entities' fan wiki pages. While some are only a few sentences, others can be much longer (up to 27), posing a challenge to generation models; often only part of a long biography might be relevant to a given quest. Examples are shown in D.

3.2 Dialogue Trees

Dialogue trees in *The Outer Worlds* are complex directed graphs, containing many conditional utterance options depending on the state of the gamee.g. whether the player is of high enough level at some skill to pass a "check." To extract a more tractable, quest-related subgraph, we 1) identified the nodes that start and end the interaction using online playthrough videos as reference, and then 2) traversed the graph from the start node, following only edges without special state-related conditions. Special edges were then added manually depending on whether conditions are relevant to the quest. Example trees can be found in §E.

Annotating Utterance Nodes with Support Facts We coordinated with professional data annotators to annotate the nodes of the dialogue trees with support facts from the associated quest and lore constraints. All annotations were done by native English speakers, who were provided with a set of instructions shown in §I. We follow a heuristic based on counterfactuals: had a given fact *not* been

³Although they often contain cycles these structures are still colloquially referred to as "trees".

⁴In *The Outer Worlds*, utterance nodes are spoken once and are not repeated upon second traversal, unless they are repeat choices by the player at a given decision point.

⁵We do not associate its walkthrough passage, since the NPC should only be expected to convey new objective information that the player will actually see in game.

⁶E.g. if the Player has above 55 points of the **Persuade** conversational skill, they can convince Tucker Needham to return to his mother in the quest from Figure 1.




Figure 3: Overview of dialogue node annotation with support facts from quest and biography passages.

included in the constraining knowledge, would the utterance be much less likely to occur? An example of this procedure is depicted in Figure 3.

We compute an average exact match (EM) score of 0.52 and an average Jaccard overlap score of 0.62. These scores represent a high agreement on a subset selection problem where the total set size is often of the order of hundreds of elements.

3.3 Dataset Analysis

Table 1 describes overall statistics for the extracted dialogue trees and annotations. We note the high frequency of support fact annotations per utterance; 47% of all nodes (57% of NPC nodes) in the dataset are annotated with at least one fact. Amongst NPC nodes, for which support knowledge is more common, there is an average of 1.0 facts per utterance. Dialogues have on average 9.9 quest facts and 73.3 biographical facts that generation models must consider when producing utterances.

Comparison with Related Datasets KNUDGE is the first dataset to contain dialogue trees from an actual RPG annotated with game quest and biography specifications. Table 2 compares our dataset to contemporaries with comparable input specifications and generation targets. None contain all the components to target the complexity and granular specificity required to generate quest dialogues of

Quests	45	Dialogue trees	159
Entities	168	Facts per dialogue	83.3
Characters	81	Entity facts	73.3
Locations	40	Objective facts	9.9
Groups	21	Fact tokens per dialogue	1321.8
Items	18	Utterances per dialogue	29
Creatures	7	NPC utterances	16.7
Facts per entity	7.4	Player utterances	12.3
Entities per quest	8.0	Utt. tokens per dialogue	406.6
Quests per entity	2.0	Facts per NPC utterance	1.0
Facts per objective	7.6	Entity Facts	0.57
Objectives per quest	4.5	Objective Facts	0.42

Table 1: KNUDGE Dataset Statistics

the type found in *The Outer Worlds*. §F provides an in-depth comparison with select works.

3.4 Challenges

Writing RPG-quality dialogue trees is difficult for human developers for its many interweaving considerations. KNUDGE poses a similarily multifaceted challenge to generation models:

- The tree must serve its **quest function**, containing input-specified player utterance options, NPC responses (including possibly specified emotions), and pieces of information the player must learn by the end. These NL specifications have highly diverse semantics (see §C).
- The generated utterances must be **coherent**, **realistic**, and **engaging** to the player.
- The NPC should embody the persona described in **their biography passage**, which describes personality, history, and relationships.
- To facilitate world building, the NPC should exposit details about other entities whenever it is contextually relevant, and should never violate the ontolology through contradiction.

Generating a 30-node (or larger) NPC dialogue tree while taking into account all of these criteria at once is a very difficult task, particularly given the shape of the branching, cycle-heavy tree structure.

The average of 1321 constraining tokens and 406 utterance tokens poses a challenge to current NLP models, taking up e.g. half of the 4000-token context window of GPT-3 before factoring in other pieces of context such as few-shot examples.

4 DialogueWriter Methods

We introduce a set of neural methods for generating candidate utterances given the ontological specifications (Q, B, and P) from §2 and a partial

Dataset	Writer	Source	Structure	Tokens / Item	Constraint Toks / Item	Narrative and Bio Constraints	Annotation Level
Story Generation Datasets							
STORIUM (Akoury et al., 2020)	Crowd	Online story writing game	Sequence of scene entries	19k	1.2K	Scene intro, challenge, location, and character descriptions	Story
TVSTORYGEN (Chen and Gimpel, 2021)	Crowd	Fan wikis	TV episode recap	1.8k	25.9K	Brief episode summary and character wiki articles	Scene Entry
RPG Dialogue Datasets							
LIGHT (Urbanek et al., 2019)	Crowd	text game platform	Sequence of utterances	212 (12 utt)	276	Location description, persona statements and held objects	Dialogue
TorchLight II (van Stegeren and Theune, 2020)	Professional	RPG Data	Sequence of quest stages with 0 or 1 utterances	157 (3 utt)	24	Quest title, objectives, and details	Quest
WoW (van Stegeren and Mysliwiec, 2021)	Professional	RPG data	NPC-uttered quest description	61 (1 utt)	15	Quest title and objective	Quest
KNUDGE (Ours)	Professional	RPG data	Complex quest dialogue tree	407 (29 utt)	1.3K	Quest title, objectives, and details, walkthrough and entity wiki articles	Utterance

Table 2: Comparison of KNUDGE to knowlege-constrained generation datasets. KNUDGE contains professionally-written complex dialogue trees from an actual RPG, with more utterances, longer constraint passages, and higher-granularity annotations (of individual utterances) than other game dialogue datasets.

subtree S for a dialogue item in KNUDGE. We refer to these methods collectively as DialogueWriter models, which propose utterance nodes at a specified new location branching off the subtree. Formally, given some "most recent" node $n \in S$, a DialogueWriter maps inputs (Q, B, P, S, n) to a list of candidate utterances $[c_1, \ldots, c_n]$ such that there is a directed edge $n \to c_i$.

Tree Linearization We consider language models (LMs) that accept linear input token sequences. We thus devise a traversal mechanism that converts a dialogue subtree into a maximal coverage linear history. For "most recent" node n, we identify the longest possible path from the start node to n, including cycles but only following a given edge once. This produces utterance history $H = [u_1, \ldots, u_n]$. Exploring other tree encoding mechanisms, e.g. via graph encoders (Banerjee and Khapra, 2019; Ouyang et al., 2021) is left for future work. With this linearization mechanism, we need only train a next utterance generator that conditions on linear history H. Methods to do so are explored below.

4.1 Supervised Learning (SL) Models

We fine-tune a T5-large sequence-to-sequence model (Raffel et al., 2020) via supervised learning (SL) to generate c_i given the concatenation [B,Q,P,H]. We truncate context from the left of the when required given T5's 1024-token window, removing components of B first. We list last (and thus truncate last) the biographies of dialogue participants. §G shows example inputs.

Supervised Knowledge Selection (KS) Model

We also train a version of the SL baseline that learns to decode support knowledge facts before conditionally generating the utterance c_i . This factorizes the next utterance generation into a two-step decision process: first selecting one or more facts from the provided knowledge constraints $(Q \cup B)$, and second generating the utterance to reflect the selected facts. We thus make use of our node-level annotations to train the model to generate the concatenated sequence $[f_1^{(i)}, \ldots, f_m^{(i)}, c_i]$ s.t. $f_i^{(i)} \in Q \cup B$.

4.2 In-Context Learning (ICL) Models

As KNUDGE is relatively small, fine-tuning might not be effective at learning the difficult generation task. As such, we experiment with methods for incontext learning (ICL) with OpenAI's text-davinci-003 GPT-3 model (Brown et al., 2020). We inject B, Q, P, and H into a formatted prompt that naturally elicits the next utterance as a continuation of H. Figure 5 depicts this process; full prompts are shown in §G. This creates a zero-shot prompt. When this does not fill out GPT-3's 4000-token window, we construct a few-shot prompt by adding dialogs from training quests as exemplars, simulating a scenario in which a developer has written a partial set of quests and is working on a new one. We retrieve exemplars using Okapi-BM25 (Jones et al., 2000) with [B, Q, P] as the query string.

ICL Knowledge Selection (KS) Model As with the SL framework, we also devise a version of the ICL DialogWriter that first decodes one or more support facts before generating an utterance. We

	Gold		Bio B		Quest Q	
n = 1806	BL	BS	BL	BS	BL	BS
Gold Reference	_	_	4.9	20.8	2.2	17.8
ICL-KS	7.1	25.1	8.3	24.3	7.5	24.0
ICL-KS-One	6.8	25.2	7.1	23.9	7.6	24.5
ICL-KS-Oracle	7.2	26.8	8.4	24.7	7.2	24.3
ICL	8.6	26.4	6.8	22.8	6.6	22.2
ICL-Quest Only	7.9	26.7	3.4	21.9	6.4	22.4
Vanilla	6.8	27.0	2.2	22.4	0.9	19.1
SL-KS	2.6	21.3	24.8	26.6	9.3	21.3
SL	2.9	23.5	7.4	24.0	11.4	23.7

Table 3: NUP **BL**EU and **B**ert**S**core for models against gold utterances and statements in B and Q. Results for the latter two shown beside the gold utterance's score.

n = 100	Coherence	Violation	Using B	Using Q
Gold Reference	3.94	3.97	3.50	3.45
ICL-KS	3.78	3.85	3.29	3.45
ICL-KS-One	3.73	3.80	3.26	3.45
ICL-KS-Oracle	3.74	3.87	3.23	3.47
ICL	3.88	3.97	3.25	3.43
ICL-Quest Only	3.79	3.90	3.03	3.21
ICL-Vanilla	3.65	3.69	2.76	2.98
SL-KS	2.52	3.85	2.17	2.09
SL	2.70	3.74	2.35	2.38

Table 4: NUP human evaluation results for in-context (ICL) and supervised learning (SL) DialogWriter methods with and without knowledge selection (KS).

elicit this behavior from GPT-3 by augmenting *all* utterances in the dialogue history with support fact nodes, provided they exist (see Figure 15). Further model training details are found in §H.

5 Experiments

5.1 Baseline Models

To measure the effect of conditioning on Q and B, we compare against ablations to the ICL model: a **vanilla** model that conditions only on the participants P and utterance history H, and a **quest only** model that conditions on P, H, and Q, but not B.

To measure the effect of node-level knowledge selection (KS), we compare against an ICL model that selects only **one** statement instead of many. We randomly sample gold facts to construct its prompt. We also compare against an **oracle** KS ICL model, which conditions on the full gold knowledge annotations for the reference utterance. We maximize the number of in-context examples for all ICL ablations; e.g. the **vanilla** model's prompt can have dozens of such examples, as they are quite short. These ablations thus explore the tradeoff between the impact of the number of in-context examples and the presence of ontological statements.

5.2 Next Utterance Prediction (NUP)

We split KNUDGE into train, development, and test splits on the basis of **quests** (28/5/12), such that at test time all input components will be unseen (test set B's contain a combination of previously seen and totally novel entities). We evaluate utterances generated from a test set of 1800 partial trees.

Automatic Evaluation We use reference-based metrics BLEU-4 (Papineni et al., 2002) and rescaled BERTScore-F1 (Zhang et al., 2020). We evaluate generated next utterance against the following single- and multi-reference sets: 1) the gold utterance n_i , 2) the quest statements in Q, and 3) the biography statements in B. We evaluate the **gold** utterance to show a performance upper bound.

Human Evaluation In coordination with a data specialist, we conducted human evaluation to examine models' qualitative NUP performance. Generated utterances over 100 test items were judged on a 4-point Likert scale for each of four criteria:

- 1. **Coherence:** does the utterance follow naturally from the utterances in the history?
- 2. (Non-)Violation: does the utterance create contradictions with any of the sentences in the biographical or quest passages?
- 3. **Biography Usage**: does the utterance *make use* of the input biographical passages in *B*?
- 4. **Quest Usage**: does the utterance progress the dialogue according to the quest sentences in Q?

We provide the full set of annotator instructions with guidance for each Likert scores in §I. Results were verified via bootstrap testing.

5.3 Full Dialogue Generation Case Study

We run a case study for a full tree generation scenario. We task models with generating 10 rounds of dialogue given just the specifications B, P, Q, and one starting utterance. At each turn, we generate three candidate nodes using the writer, then randomly "commit" one to the linear history. This creates a 31-node tree (example in Figure 16) that can serve as a 'spine' of proposed content to be fleshed out by a developer into a more complicated tree. We hand-selected a set of 8 test dialogues from the game with varying quest roles, e.g. starting, continuing, and ending quests. Additionally,

⁷This serves to specify utterance format in cases of zeroshot learning, which is the case for all designer-written items.

History: > Agnes Needham: Please, you have to help me get my little Tucker back! He ran away and is going to get himself killed! Oh, I just know a raptidon is melting him with acid as we speak! > Player: Your child is missing? Where'd you last see him? > Agnes Needham: Oh, I just knew you were a good person. 'Agnes,' I said, 'this is the man to save your little Tuckie!' And I was right!

Gold: Agnes Needham: He ran out into the wilderness a few days ago. I warned him about the raptidons, mantisaurs, and marauders - the toxic sulfur pools, and poisonous plants. But he didn't listen!

KS ICL: Agnes Needham: He was always such a good boy, but lately he's been acting so strange. I just don't understand why he would want to leave Stellar y. It's the only place he's ever known.

ICL: Agnes Needham: He left a few weeks ago. Said he was going to Amber Heights to join some revolutionary group. I just know he's going to get himself killed if he's not careful!

ICL-Quest Only: Agnes Needham: He left a few weeks ago, headed for Amber Heights. He's going to get himself killed, I just know it!

ICL-Vanilla: Agnes Needham: He was playing in the street. But then he saw a sweet little kitty and chased it into the sewers! Oh, the horror!

SL-KS: Agnes Needham: If you're willing to pay handsomely, I'll even pay you handsomely if you convince him to return to me.

SL: Player: I'll do everything I can.

Figure 4: [best viewed in color] Example generations by the in-context learning (ICL) DialogueWriter and supervised learning (SL) DialogueWriter. Models that condition on both biographical and quest passages are more likely to mention relevant quest information while also referencing game entities and their backgrounds without creating inconsistency, incoherence, or incongruity. See §C and §D for full documentation of quests and entities referenced.

we had a professional game designer write specifications for 2 totally novel quests with overlapping entities from the original game; from these we constructed 8 more test items.

We generated trees using the KS, regular, quest only, and vanilla ICL DialogueWriters, then showed them to data specialists for evaluation following the ACUTE-Eval (Li et al., 2019) protocol of pairwise comparison. Annotators were asked to select which of two trees were preferred for the following criteria: coherence, nonviolation, biography and quest usage analogous to §5.2, and additionally

- 5. Content Suggestion: Do the multiple candidates at each turn propose interesting subtrees?
- 6. **Engagingness**: does the tree hold your attention and make you want to hear more from the NPC?

Results and Discussion

Next utterance prediction results under automatic and human metrics are shown in Table 3 and Table 4. We note that automatic metrics for generation that check for lexical or semantic overlap with a set of references is not directly suited for evaluating generations in KNUDGE; this can be seen from the extremely low performance of the gold utterances themselves under these metrics. We find that professionally written utterances do not always have high overlap with knowledge statements themselves. Gold utterances also do not score perfectly under utterance-level human evaluation of Q and Busage, as not every real-world utterance reflects the ontology. It might instead provide other qualities like realism and fluency. This highlights the challenge of identifying and then pursuing desiderata of RPG-quality dialogue trees.

We observe that the best-performing model under overlap metrics with B and Q are the T5-based SL models. This reflects that these models have learned to copy spans directly from the context into the generation, hence scoring highly on ngrambased overlap with it while scoring poorly on gold utterance overlap and human evaluation.

Table 3 depicts the trend that KS variants of the ICL model score a point or two higher than non-KS on overlap with B and Q, reflecting that KS effectively selects and cues the infusion of specific facts into generations. Oracle KS improves BLEU score with B but not Q, while one-fact KS has the opposite effect. The ICL ablations of B and of $\{B,Q\}$ have according drops in overlap with both fact sets. The Quest-only ICL DialogueWriter can generate coherent utterances that reflect the quest specifications; however, as illustrated by Table 4 and Figure 4, this can sacrifice lore references.

Table 4 also shows that all fully B and Qconditioned ICL models perform equivalently under all human metrics except (non)violation, which KS models perform a decimal point worse at. We can conclude that KS improves the capacity of ICL writers to directly reflect knowledge passages (i.e. by copying spans), at the expense of a slightly higher likelihood of contradictions. This characterization can be appealing to a game developer; they might prefer for the automatic writer to use their own provided wordings of various facts when generating candidates. We note that no model approaches gold performance at reflecting B.

Qualitative Analysis Figure 4 depicts example outputs by models on an NUP example. We highlight cases in which the models succeed at the desiderata that we strive for in KNUDGE: to convey quest and lore specifications naturally through the

n = 16	Coh.	Viol.	Use B	Use Q	Content	Engaging
ICL-KS	50.0	68.8	68.8	75.0	43.8	37.5
ICL	81.2	75.0	81.2	75.0	75.0	75.0
ICL-Quest	56.2	56.2	43.8	50.0	50.0	68.8
ICL-Vanilla	12.5	0.0	6.2	0.0	31.2	18.8

Table 5: Pairwise comparison (% head-to-head wins) between generated trees from ICL DialogueWriters. For example, 81.2% of the time ICL outputs were preferred over a competing approach with respect to coherence.

interaction. However, we see that SL models and ablated ICL models are less successful. We observe that the gold utterance is more infused with desirable information than any generation; it references the quest's next location and numerous adversaries that the player will run into, while effectively reflecting the NPC's overprotective parent persona. This highlights a performance gap between neural and human writers to be addressed by future work. We note that not reaching human performance does not preclude DialogueWriters from being useful to writers, as they can still be used to suggest new directions for dialogues to be verified or modified in a human/AI collaborative writing process.

Full dialogue generation case study results are found in Table 5. Model performance is measured as the rate at which annotators selected its generated tree in a pairwise comparison under the 6 criteria listed in §5.3. We find that annotators preferred the trees of the ICL writer most frequently compared to the other models under all criteria except Q usage. We also find that the ICL-KS method is more frequently preferred for the never-before-seen quests written by the professional designer, while it is less frequently preferred for dialogues from the actual game. The opposite holds for ICL-Quest only. A possible explanation is that the designer provided many biographical specifications for his quests (enough to fill out the GPT3 context window), without which there might not be a sufficient signal for the Quest only model to generate desirable utterances. Another reason might be that the few-shot learning benefits of the Quest only model not conditioning on B are lessened by the domain shift from KNUDGE to the designer's writing.

7 Related Work

Si et al. (2021) focus on the task of story continuation through dialogue between multiple characters while modeling the inter-character relations. However, such past work does not concern with the notion of grounding knowledge or quest objectives to be covered in the generated dialog. van Stegeren and Theune (2020) propose three sources for building NPC dialogue corpora. However, their proposed datasets do not contain any grounding annotation and are not accompanied by explicit descriptions of entities and characters. Callison-Burch et al. (2022) explore automatic generation of conversational turns by players of the tabletop RPG, Dungeons and Dragons, in which NPCs serve a very different role in the gameplay. Scheherazade's Tavern (Aljammaz et al., 2020) augments a patternmatching-based NPC interaction system with facts the character knows about the game world. More broadly, past work has explored applications of text generation in various gaming applications such as quest description generation (van Stegeren and Mysliwiec, 2021), dialogue generation (Si et al., 2021), persona-specific agents in text environments (Urbanek et al., 2019), and new text world generation (Fan et al., 2020; Ammanabrolu et al., 2022).

Past work has pursued dialogue systems that steer the conversation towards a topic (Wu et al., 2019) or a given NL sentence (Sevegnani et al., 2021; Gupta et al., 2022) while conversing with a user. Other work in NLG has explored generating outputs with high-level NL specifications such as string item agendas (Kiddon et al., 2016), sets of facts (Orbach and Goldberg, 2020), or author goals (Riedl, 2009). KNUDGE also comprises NL specifications, though they are comparably richer.

8 Conclusion

Humans play games to be entertained, and they pay money expecting a high-quality experience. When a game requires dialogue to advance a carefully crafted storyline, this should be both engaging as well as consistent with the larger narrative. Language models are increasingly capable of producing engaging dialogues, and researchers have been exploring how to ensure that such content is consistent with underlying knowledge specifications. To date, this research has focused on scenarios developed for the sake of experimentation, rather than actual high-quality game data.

In this paper, we introduce KNUDGE, a dataset of NPC dialogue trees coupled with a relevant game ontology, drawn from the title *The Outer Worlds*. In contrast to prior work, KNUDGE is based on content created by a triple-A game (i.e. high-budget, high-profile game) development studio, thereby ex-

emplifying real-world complexities in NPC dialogue authoring. We illustrate that LMs are indeed able to generate fluent dialogues that relate to provided game lore. However, the straightforward application of such technologies does not match the quality of professional game writers. We hope that KNUDGE aids the development and evaluation of new techniques for faithful game dialogue generation.

Limitations

One limitation of our work is that our considered models use simplifications to model the complex branching trees by linearizing the nodes. We moreover only evaluate next-utterance prediction and relatively simple end-to-end dialogue trees which do not approach the complexity of the actual trees. More can be done on this front in future work to develop methods that generate more complicated tree structures. We also leave for future work the evaluation of whether end-to-end generated dialogues "check all the boxes" of quest requirements, completing *all* user-provided specifications.

We also find that the proposed DialogueWriter models leave room for improvement on persona embodiment. Human-quality utterances more seamlessly and dynamically incorporate emotions fitting of characters and situations, while model-generated utterances can be comparatively bland. This work also focuses on *side quests* whose NPCs are generally not as fleshed out as those in main quests. Generating quests containing major NPCs with long bios and important roles in the main story of a game, e.g. companion characters, is also left for future work.

KNUDGE recasts a set of fan articles about an existing game as specifications to an automatic dialogue tree writer. It therefore assumes that game developer will write structured game lore and highlevel quest specifications in a similar manner beforehand when coming up with new content. Thus, we provide only a partial solution to the problem of automatic NPC dialogue generation, and future work can look at copilot tools for authoring such high-level quest specifications and design of new characters.

We report results with large pre-trained language models. It is difficult to know whether the game data used for experimentation is part of the training data for such models, as *The Outer Worlds* came out in 2019. As such, the results from such large

language models should be interpreted with caution. We partially mitigate the issue by having an expert game developer construct a totally new quest specification, and report results on the this previously 'unseen' test data.

Ethics Statement

We acknowledge that there maybe bias in the data used to train the neural language models considered in this paper (T5 and GPT-3) that would lead to NPC dialogues that are offensive, implicitly or explicitly discriminatory. This poses a potential risk for deployed models, as using the proposed DialogueWriters as content suggestion tools might lead to RPG content that reflects these biases. We hope that professional game developers will have the resources to moderate damaging content before it makes its way into released products.

References

Nader Akoury, Shufan Wang, Josh Whiting, Stephen Hood, Nanyun Peng, and Mohit Iyyer. 2020. STO-RIUM: A dataset and evaluation platform for machine-in-the-loop story generation. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP 2020, Online, November 16-20, 2020*, pages 6470–6484. Association for Computational Linguistics.

Rehaf Aljammaz, Elisabeth Oliver, Jim Whitehead, and Michael Mateas. 2020. Scheherazade's tavern: A prototype for deeper NPC interactions. In FDG '20: International Conference on the Foundations of Digital Games, Bugibba, Malta, September 15-18, 2020, pages 22:1–22:9. ACM.

Prithviraj Ammanabrolu, Renee Jia, and Mark O. Riedl. 2022. Situated dialogue learning through procedural environment generation. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), ACL 2022, Dublin, Ireland, May 22-27, 2022*, pages 8099–8116. Association for Computational Linguistics.

Suman Banerjee and Mitesh M. Khapra. 2019. Graph convolutional network with sequential attention for goal-oriented dialogue systems. *Transactions of the Association for Computational Linguistics*, 7:485–500.

Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, and Others. 2020. Language models are few-shot learners. In Advances in Neural Information Processing Systems 33: Annual Conference on Neural Information Processing Systems 2020, NeurIPS 2020, December 6-12, 2020, virtual.

- Chris Callison-Burch, Gaurav Singh Tomar, Lara J. Martin, Daphne Ippolito, Suma Bailis, and David Reitter. 2022. Dungeons and dragons as a dialog challenge for artificial intelligence. *CoRR*, abs/2210.07109.
- Maria Fernanda Caropreso, Diana Inkpen, Fazel Keshtkar, and Shahzad Khan. 2012. Template authoring environment for the automatic generation of narrative content. *The Journal of Interactive Learning Research*, 23:227–249.
- Mingda Chen and Kevin Gimpel. 2021. Tvstorygen: A dataset for generating stories with character descriptions. *arXiv preprint arXiv:2109.08833*.
- Eunsol Choi, He He, Mohit Iyyer, Mark Yatskar, Wentau Yih, Yejin Choi, Percy Liang, and Luke Zettlemoyer. 2018. Quac: Question answering in context. In Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, Brussels, Belgium, October 31 November 4, 2018, pages 2174–2184. Association for Computational Linguistics
- Angela Fan, Jack Urbanek, Pratik Ringshia, Emily Dinan, Emma Qian, Siddharth Karamcheti, Shrimai Prabhumoye, Douwe Kiela, Tim Rocktäschel, Arthur Szlam, and Jason Weston. 2020. Generating interactive worlds with text. In The Thirty-Fourth AAAI Conference on Artificial Intelligence, AAAI 2020, The Thirty-Second Innovative Applications of Artificial Intelligence Conference, IAAI 2020, The Tenth AAAI Symposium on Educational Advances in Artificial Intelligence, EAAI 2020, New York, NY, USA, February 7-12, 2020, pages 1693–1700. AAAI Press.
- Song Feng, Hui Wan, R. Chulaka Gunasekara, Siva Sankalp Patel, Sachindra Joshi, and Luis A. Lastras. 2020. doc2dial: A goal-oriented document-grounded dialogue dataset. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP 2020, Online, November 16-20, 2020*, pages 8118–8128. Association for Computational Linguistics.
- Prakhar Gupta, Harsh Jhamtani, and Jeffrey P. Bigham. 2022. Target-guided dialogue response generation using commonsense and data augmentation. In Findings of the Association for Computational Linguistics: NAACL 2022, Seattle, WA, United States, July 10-15, 2022, pages 1301–1317. Association for Computational Linguistics.
- Karen Sparck Jones, Steve Walker, and Stephen E. Robertson. 2000. A probabilistic model of information retrieval: development and comparative experiments - part 1. *Inf. Process. Manag.*, 36(6):779–808.
- Chloé Kiddon, Luke Zettlemoyer, and Yejin Choi. 2016. Globally coherent text generation with neural checklist models. In *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing, EMNLP 2016, Austin, Texas*,

- *USA*, *November 1-4*, 2016, pages 329–339. The Association for Computational Linguistics.
- Margaret Li, Jason Weston, and Stephen Roller. 2019. Acute-eval: Improved dialogue evaluation with optimized questions and multi-turn comparisons. *ArXiv*, abs/1909.03087.
- Pierre-Emmanuel Mazaré, Samuel Humeau, Martin Raison, and Antoine Bordes. 2018. Training millions of personalized dialogue agents. In *EMNLP*.
- Obsidian Entertainment. 2019. The Outer Worlds. Game.
- Curtis Onuczko, Duane Szafron, Jonathan Schaeffer, Maria Cutumisu, Jeff Siegel, Kevin Waugh, and Allan Schumacher. 2007. A demonstration of squege: A crpg sub-quest generator. In *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, volume 3, pages 110–111.
- Eyal Orbach and Yoav Goldberg. 2020. Facts2story: Controlling text generation by key facts. In *Proceedings of the 28th International Conference on Computational Linguistics, COLING 2020, Barcelona, Spain (Online), December 8-13, 2020,* pages 2329–2345. International Committee on Computational Linguistics.
- Siru Ouyang, Zhuosheng Zhang, and Hai Zhao. 2021. Dialogue graph modeling for conversational machine reading. In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 3158–3169, Online. Association for Computational Linguistics.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. BLEU: a method for automatic evaluation of machine translation. In *Proceedings of the* 40th annual meeting of the Association for Computational Linguistics ACL 2002.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, Peter J Liu, et al. 2020. Exploring the limits of transfer learning with a unified text-to-text transformer. *J. Mach. Learn. Res.*, 21(140):1–67.
- Mark O. Riedl. 2009. Incorporating authorial intent into generative narrative systems. In *Intelligent Narrative Technologies II, Papers from the 2009 AAAI Spring Symposium, Technical Report SS-09-06, Stanford, California, USA, March 23-25, 2009*, pages 91–94. AAAI.
- Karin Sevegnani, David M. Howcroft, Ioannis Konstas, and Verena Rieser. 2021. Otters: One-turn topic transitions for open-domain dialogue. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing, ACL/IJCNLP 2021, (Volume 1: Long Papers), Virtual Event, August 1-6, 2021*, pages 2492–2504. Association for Computational Linguistics.

Wai Man Si, Prithviraj Ammanabrolu, and Mark O. Riedl. 2021. Telling stories through multi-user dialogue by modeling character relations. In *Proceedings of the 22nd Annual Meeting of the Special Interest Group on Discourse and Dialogue, SIGdial 2021, Singapore and Online, July 29-31, 2021*, pages 269–275. Association for Computational Linguistics.

Jack Urbanek, Angela Fan, Siddharth Karamcheti, Saachi Jain, Samuel Humeau, Emily Dinan, Tim Rocktäschel, Douwe Kiela, Arthur Szlam, and Jason Weston. 2019. Learning to speak and act in a fantasy text adventure game. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing, EMNLP-IJCNLP 2019, Hong Kong, China, November 3-7, 2019*, pages 673–683. Association for Computational Linguistics.

Judith van Stegeren and Jakub Mysliwiec. 2021. Finetuning GPT-2 on annotated RPG quests for NPC dialogue generation. In FDG'21: The 16th International Conference on the Foundations of Digital Games 2021, Montreal, QC, Canada, August 3-6, 2021, pages 2:1–2:8. ACM.

Judith van Stegeren and Mariët Theune. 2020. Fantastic strings and where to find them: The quest for high-quality video game text corpora. In *Joint Proceedings of the AIIDE 2020 Workshops co-located with 16th AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment (AIIDE 2020), Worcester, MA, USA, October 19-23, 2020 (online)*, volume 2862 of CEUR Workshop Proceedings. CEUR-WS.org.

Wenquan Wu, Zhen Guo, Xiangyang Zhou, Hua Wu, Xiyuan Zhang, Rongzhong Lian, and Haifeng Wang. 2019. Proactive human-machine conversation with explicit conversation goal. In *Proceedings of the 57th Conference of the Association for Computational Linguistics, ACL 2019, Florence, Italy, July 28- August 2, 2019, Volume 1: Long Papers*, pages 3794–3804. Association for Computational Linguistics.

Tianyi Zhang, Varsha Kishore, Felix Wu, Kilian Q. Weinberger, and Yoav Artzi. 2020. BERTScore: Evaluating text generation with BERT. In 8th International Conference on Learning Representations, ICLR 2020. OpenReview.net.

Appendix

A Cost of Authoring NPC Dialogues

Outer Worlds has 10 narrative/design credits⁸, which seems to be about average (Fallout has 4-12, while Skyrim has 9). Per salary.com, that's a

position with an average salary of \$58k per year (and probably more for AAA titles). Given a 2-3 year average development time for AAA titles, that works out to a conservative ballpark estimate of \$1.2m for just this one game.

B Dataset Construction Details

B.1 Data Sources

Quest data and walkthrough passages were pulled from the *Outer Worlds* wiki of Fextralife, a gamer-focused site containing fan-made walkthroughs for many popular RPGs. Game entity biographies were collected from Fandom. The biography passage for a given entity is the same across all quests in which the entity appears in KNUDGE, and the set of entities is the same for all dialogues in a quest. Passages were segmented into individual sentences via punctuation boundaries. We identified relevant dialogues and their decision points using playthrough videos by the YouTube user, LordMatrim. All wiki articles were written in English by site users.

C Quest Anatomy and Example Items

Figure 6 provides a detailed anatomy of a KNUDGE quest, combining in-game quest data with corresponding passages from the fan walkthrough. Figure 7 shows example quest items with corresponding game data and walkthrough passages segmented into statements.

D Example Entity Biography Passages

Figure 8 shows example entities from *The Outer Worlds* with corresponding biographical passages.

E Example Dialogues Items

Figure 9 depicts a full example input item conveying quest, biographical, and participant specifications. Figure 10, Figure 11, and Figure 12 depict example dialogue trees.

F Comparison with Other Datasets

van Stegeren and Theune (2020); van Stegeren and Mysliwiec (2021) consider datasets of publicly-available side quest data from RPGs such as *World of Warcraft*. However, their datasets vary in dialogue and quest coverage; for *WoW* their input

⁸https://www.imdb.com/title/tt9417446/
fullcredits

⁹https://www.theouterworlds.wiki. fextralife.com

¹⁰https://theouterworlds.fandom.com

¹¹https://www.youtube.com/@10rdmatrim



Figure 5: Overview of our method for constructing in-context learning prompts from constraints and dialogue history.

is just a quest name and objective, and the generation target is a single-turn, few-sentence quest description spoken by an NPC. heir collect data for the game *TorchLight II* contains quest datapoints with a limited number dialog utterances per quest with no multi-turn interactions or trees. 12 Others of their collected datasets contain complex branching trees but without constraining knowledge. The dialogues of LIGHT (Urbanek et al., 2019) are more akin to NPC dialogues, though they comprise few-turn linear chains between two characters in self-contained episodes rather than quest-grounded interactions between a player and an NPC serving multiple game purposes. The size of constraining passages on the LIGHT dialogues are also a scale smaller than those of KNUDGE. The biographical constraints of KNUDGE are most similar to that of TVSTORYGEN (Chen and Gimpel, 2021), who also pull articles from fandom wiki pages. However, theirs is a story generation dataset where the target is a longform article describing a TV episode.

G Example Prompt Constructions for DialogueWriter Model

Figure 5 depicts an overview of our tree linearization and prompt construction method.

Figure 13 shows example seq2seq items used to train/evaluate the T5-based supervised learning DialogueWriters. We list the biographies of participants last so as to truncate them from the context only when all other bios have been removed. Else, biographies are listed in random order (fixed at the onset for full dialogue generation). Figure 14 depicts example prompts shown to GPT-3 based in-context-learning DialogueWriters.

H Model Training

To construct training items, we iterate through the nodes of each gold dialogue tree in a canonical order $[n_1,\ldots n_t]$, where n_1 is the tree's start node. We create a separate item with each n_i as the generation target. We construct the subtree $S^{(i)}$ comprised of all nodes $[n_1,\ldots,n_{i-1}]$ and all edges between them. We then construct the input/output pair $(Q,B,P,S^{(i)})\to n_i$.

Supervised Learning To train SL DialogueWriter models, for every target node in the training quest dialogues, we construct 5 training examples using different random paths to the node. We train the model for 3 epochs using the default arguments from Hugging Face's example summarization model training script.¹³. T5 models were trained with a batch size of 1 across 8 Quadro RTX 6000 for an average of 5 hours.

In-Context Learning Given a test item, we construct a BM25 index over the training dialogues and use it to construct an n-shot ICL prompt where n depends on the remaining space available in the context window. Few-shot examples are linearized dialogues containing the most possible nodes from the gold tree. Contexts are left-truncated and can start with partial examples.

I Human Evaluation Directions

Below, we enumerate the instructions shown to annotators during human evaluation:

Coherence: does the utterance follow naturally from the utterances in the history? (1) Utterance

¹²Table 2 describes statistics for the 82 TorchLight II quests that contain both objective annotations and dialogue lines.

¹³https://github.com/huggingface/
transformers/blob/main/examples/pytorch/
summarization/run_summarization.py




Figure 6: Anatomy of a KNUDGE quest. At any time, an *Outer Worlds* quest has currently active and previously completed objectives. To construct its KNUDGE representation, the quest's high-level synopsis, objectives, and associated log entries from the game data are annotated with corresponding walkthrough article passages.

Ouest Name: A Family Matter

Synopsis: [0] Tucker Needham ran away from Stellar Bay a few weeks ago to join the Iconoclasts in Amber Heights. [1] His mother Agnes is willing to pay handsomely if you can locate her son and convince him to return

Walkthrough: [0] You can begin this quest by talking to Agnes Needham in Stellar Bay, Monarch. [1] Agnes is by the town's south-east exit, visibly shaken and calling for help. Hear her out and offer to find her son to being the quest.

Objective 1: Look for Tucker Needham in Amber Heights

Game Log: [0] Amber Heights is the settlement that houses the Iconoclasts on Monarch. [1] If Tucker Needham survived his travels, his mother thinks he'll be there.

Walkthrough: [0] Head South from Stellar Bay and follow the east road. It will take you to Amber Heights. [1] Head up the hill and go into a residence on the left to meet Tucker Needham.

Objective 2: Convince Tucker to Return Home

Game Log: [0] Now that you've found Tucker Needham in Amber Heights, convince him to return home to his mother in Stellar Bay.

Walkthrough: [0] Introduce yourself, and then you can mention your surprise that this grown man is the "little boy" that ran away. You'll earn 7500xp [1] Explain to him that she made it sound as if he was a boy in danger, [2] and he'll say she has been overprotective all her life, [3] and he is ready to live his life without her protection. [4] You can persuade (55) or intimidate (55) to expedite things and get him to go back, [5] or you can ask him what he wants to do about it. [6] The last option will have him tell you to report that he is dead. [7] You can express your concern about what that will do to Agnes, [8] and then either ask for something that would prove a body, or reject the proposition. [9] If you persuade him to go back, you'll get 7500xp and can return $to\ Stellar\ Bay\ to\ see\ things\ play\ out.$

Objective 3: Return to Agnes Needham in Stellar Bay

Game Log: [0] You convinced Tucker Needham to return home to Stellar Bay. [1] Agnes promised a reward for bringing her son back.

Walkthrough: [0] You'll find his mother is still condescending to him, [1] and you can help him by saying he's a grown man. [2] You'll get 7500xp. [3] If you stick around and talk to them some more you'll see Tucker is standing up for himself. [4] You'll receive 625 Bit Cartridge, Monarch Stellar Industries Reputation and 15000xp.

Quest Name: The Commuter

Synopsis: [0] The Iconoclasts are due to receive a shipment of vital supplies from Carlotta, a sympathizer that resides in Stellar Bay. [1] The meeting is set to occur at the Bayside Terrace warehouse.

Walkthrough: [0] The quest can be obtained by asking Graham if there is anything that needs doing. [1] He is trying to get an old printing press running, but the replacement rollers he'd requisitioned haven't arrived yet. [2] They were supposed to be delivered by Huxley, but she is still recovering and unable to make the delivery. [3] Graham asks the player to meet the supplier in her stead, and to pick up high-capacity data cartridges with the funds left over from the previous shipment. [4] Zora will interject to ask the player to buy food and medicine instead with the leftover money.

Objective 1: Get the Printing Press Rollers from Carlotta

Game Log: [0] Travel to the warehouse at Bayside Terrace and find Graham's contact, Carlotta. [1] She should have a shipment for him. Retrieve it. [2]

Walkthrough: [0] Clear out the Sublight squad that is hunting Carlotta [1] Carlotta is behind a locked door to the east. [2] Activate the intercom next to the door to speak to her and she will unlock it. [3] Go inside and speak to her again to obtain the rollers needed to complete the quest, then choose between the high-capacity data cartridges or food and medicine.

Objective 2: Get High-Capacity Cartridges or Extra Supplies from Carlotta

Game Log: [0] Graham wants to tack on some high-capacity cartridges to his order, but Zora would prefer it they could get extra food and medical supplies. [1] You got extra supplies for Zora (or) You got High-Capacity Data Cartridges for Graham. Walkthrough:

Objective 3: Return to Graham

Game Log: [0] Bring the needed parts back to Graham at Amber Heights

Walkthrough: [0] Return to Graham and you'll find him arguing with Zora about the Van Noys, a unit of the Iconoclasts that is MIA. [1] Inform Graham that you got his rollers, and food and medicine if that was your choice. [2] You'll receive 7500xp and Zora will ask when the next drop is. [3] Inform her that Sanjar has made it illegal to trade with the Iconoclasts.

Ouest Name: Who Goes There

Synopsis: [0] The Groundbreaker's Mardets have a bounty for a criminal on the run in the Groundbreaker's Back Bays. [1] You've agreed to hunt down the unlawful Captain Gunnar MacRedd. [2] Return his lighter to Commandant Sanita to claim the bounty.

Walkthrough: [0] This quest is obtained at Groundbreaker, [1] by speaking to Comdt. Sanita or perusing the bounty board

Objective 1: Hunt Down and Kill Captain McRedd

Game Log: [0] Based on the bounty listing, Captain McRedd was last sighted in the Back Bays. [1] Head there and take him out.

Walkthrough: [0] You can find Captain MacRedd in the Back Bays area of the Groundbreaker. [1] To get there head down the elevator in the promenade, [2] and you can't miss him. [3] You can pass a Persuade (40) check to get him to put his gun down, [4] otherwise you'll have to kill him and all his guards. [5] If you kill him he drops the Unique Weapon: Montag. [6] You'll get 6000xp and MacRedd's Lighter. [7] If you persuaded him, use Perception to note it says "Sanita" on the lighter. [8] MacRedd will mention it was given to him by Sanita in remembrance of a 'carnal understanding' they had a few years

Objective 2: Claim the Bounty's Reward from Comdt. Sanita

Game Log: [0] McRedd gave you his lucky lighter to give to Sanita. [1] Go turn it in to resolve his bounty.

Walkthrough: [0] Turn the lighter in to Commandant Sanita to claim the bounty.

Entity: Agnes Needham

Appears in: A Family Matter

Bio: [0] Agnes Needham is a resident of Stellar Bay and the mother of Tucker Needham. [1] Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. [2] Despite Tucker being 42 years old, she still thinks of him as her 'little boy'. [3] You can find her by Stellar Bay's south-east exit, visibly shaken and calling for help.

Entity: Tucker Needham

Appears in: A Family Matter

Bio: [0] Tucker Needham is a former resident of Stellar Bay who left to join the Iconoclasts. [1] Before the quest A Family Matter, he can be found in Amber Heights. [2] Tucker was coddled by his mother from a very young age, [3] the latter insisting that danger lurked around every corner on Monarch. [4] His mother's overprotectiveness extended well into Tucker's adulthood, [5] leading him to seek to be free in any way possible. [6] After hearing Graham Bryant's broadcasts, Tucker left Stellar Bay to be truly free by joining the Iconoclasts at Amber Heights. [7] He is dazzled by Graham's preachings on true unfettered freedom from the corporate way of life and attributes his enthusiasm to his 'childhood trauma'. [8] He is willing to do anything to remain free, even faking his own death to prevent his mother from continuing to send people to look for him.

Entity: Raptidon

Appears in: A Family Matter, At Central, Bolt With His Name, Journey Into Smoke, Makes Space Suits Wont Travel, The Amateur Alchemist, The Distress Signal. The Doom That Came To Roseway, Vulcans Hammer

Bio: [0] Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon. [1] They are creatures native to Monarch. [2] however some corporations have illegally imported them to other planets, [3] such as Auntie Cleo who relocated a group of them to Roseway. [4] Raptidons are of corporate interest due to their potential for producing new chemical by-products which, [5] when refined, can be used to create new board approved products.

Entity: Sulfur Pits

Appears in: A Family Matter

Bio: [0] The Sulfur Pits are a point of interest on the western side of Monarch. [1] They are located southwest of Terra One Publications and directly northeast of the Gunship Crash Site. [2] The Sulfur Pits have a large variety of Raptidons and many deceased marauders. [3] The area consists largely of Sulfur Pits. [4] When an entity comes in contact with a sulfur pit, [5] they receive the acid effect for the duration of touching the pit.

Entity: Monarch

Appears in: A Cysty-Dance With Death, A Family Matter, Bolt With His Name, Little Memento, Makes Space Suits Wont Travel, Mandibles Of Doom, Slauehterhouse Clive. Space-Crime Continuum

Bio: [0] Monarch, previously known as Terra 1, is one of the many moons of the gas giant Olympus and the site of a failed colony. [1] Terra 1 was initially designated as the primary colonization target of the Halcyon system. [2] The Halcyon Holdings Corporate Board had intended to completely terraform the moon, [3] wiping out the local fauna and flora and replacing it with plants and wildlife native to Earth. [4] However, the terraforming process unexpectedly caused the native species to mutate and grow to significantly larger sizes, [5] rendering them more dangerous and severely crippling the colonization effort. [6] Due to the hostile environment which they had created, [7] the Board was forced to enact a Hazard Clause covering the entirety of Terra 1. [8] Public notice of the clause's issuance was sent to everyone operating on Terra 1 and led to the evacuation of almost all corporations from the moon. [9] However, one corporation took advantage of the chaos of the evacuation to exploit a legal loophole which allowed them to, [10] as the last corporation remaining on the planet, [11] acquire the planet from the Board. [12] This corporation, under the leadership of Sanjar Nandi and Graham Bryant subsequently rebranded itself to Monarch Stellar Industries (MSI), [13] in line with the renaming of the planet to 'Monarch'. [14] The actions of MSI earned them the ire of the Board, [15] who retaliated by effectively placing the moon under indefinite embargo, [16] refusing to allow legal transit either in or out. [17] the Board aggressively spread propaganda about Monarch to convince the rest of the population that it was both uninhabited and uninhabitable. [18] This has greatly hampered MSI's attempts to be recognized as a legitimate corporation and is a thorn in the side of its CEO, Sanjar Nandi. [19] Monarch also has an ocean which goes around the moon at the "twilight band". [20] It is where the colonists and Monarch Stellar Industries farm their saltuna.

Entity: Stellar Bay

Appears in: A Family Matter, Bolt With His Name, Canids Cradle, Flowers For Sebastian, Herricks Handiwork, Mr Picketts Biggest Game, Passion Pills, The Stainless Steel Rat

Bio: [0] Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws. [1] Stellar Bay is a company town located on the planet Monarch. It is owned and operated by Monarch Stellar Industries. [2] Stellar Bay is the largest saltuna producer on the Halcyon colony and used to be one of the most important suppliers of this resource.

Entity: Fallbrook

Appears in: A Cysty-Dance With Death, Slaughterhouse Clive, Space-Crime Continuum, Spratkings

Bio: [0] Fallbrook is a company town located on Monarch, [1] loosely run by the SubLight Salvage and Shipping Corporation. [2] Fallbrook is a small town built into the side of a mountain, [3] whose construction was masterminded by Catherine Malin. [4] Fallbrook has a lot of activities to offer to its visitors, [5] from those who search for activities of leisure to those with proclivities for vice.

Entity: Cascadia

Appears in: Space-Crime Continuum, The Chimerists Last Experiment, The Ice Palace

Bio: [0] Cascadia is an abandoned company town that was owned and operated by Rizzo's before it withdrew from Monarch. [1] It is now used as a stronghold by the Marauders. [2] The main attraction is the Cascadia Bottling Plant and, [3] for those in the know, [4] the Rizzo Secret Laboratory hidden underneath the Rizzo Sweets Shoppe.

Entity: Amber Heights

Appears in: Little Memento, Odd Jobs, Sucker Bait, The Commuter

Bio: [0] Amber Heights is a location in the Monarch Wilderness and the base of operations for the Iconoclasts. [1] The Iconoclasts run the place somewhat like a commune. [2] Amber Heights was once the place of residence of the entire executive dome of Monarch Stellar Industries. [3] It is now in ruins after a massacre in the past. [4] They lived there with their families and it was the company's operations center on Monarch. [5] Just after The Board approved the evacuation of the planet through the Hazard Clause, Amber Heights was besieged by a gang of pirates who ransacked the town and massacre all its inhabitants. [6] This tragedy was known as "The Amber Heights Massacre". [7] They were secretly assisted by MSI employee, Graham Bryant, who believed that the massacre would aid him in his quest to rid the colony of corporate influence. [8] In 2345, the same Graham Bryant formed the Iconoclasts and settled the group in the deserted town.

Figure 8: Example entity biographies that appear as constraining knowledge in KNUDGE quest dialogs

Dialog: A Family Matter 00

In Objective(s): Tucker Needham ran away from Stellar Bay a few weeks ago to join the Iconoclasts in Amber Heights. His mother Agnes is willing to pay handsomely if you can locate her son and convince him to return. You can begin this quest by talking to Agnes Needham in Stellar Bay, Monarch. Agnes is by the town's south-east exit, visibly shaken and calling for help. Hear her out and offer to find her son to being the quest.

Out Objective(s): Amber Heights is the settlement that houses the Iconoclasts on Monarch. If Tucker Needham survived his travels, his mother thinks he'll be there.

Game Lore:

Agnes Needham

[0] Agnes Needham is a resident of Stellar Bay and the mother of Tucker Needham. [1] Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. [2] Despite Tucker being 42 years old, she still thinks of him as her 'little boy'. [3] You can find her by Stellar Bay's south-east exit, visibly shaken and calling for help.

[0] The Iconoclasts are a group of survivalists living in the ruins of Amber Heights on Monarch. [1] They hope to one day tear down the corporate establishment that they believe has brought the colony to the brink of death. [2] The Iconoclasts are a group of idealistic revolutionaries that seek to overthrow the corporate establishment that runs the Halcyon Colony. [3] Based in the ruins of the Amber Heights settlement on Monarch, [4] they are a tenacious group, [5] and share some democratic ideals with Monarch Stellar Industries (MSI) against the more repressive actions of the Board. [6] However, the Iconoclast's anti-corporate nature has put them at odds with MSI, a dispute that threatens to spill into all-out warfare. [7] Given that the Iconoclasts are mostly followers of the Philosophist faith, they have been blacklisted and demonized by the Board as dissenters and anarchists. [8] The group is led by Graham Bryant, a staunch Philosophist. [9] Zora Blackwood, the Iconoclasts' chief of medicine, is also considered a de facto leader of the group, [10] as she was alongside Graham when he founded the Iconoclasts, [11] and almost every member of the Iconoclasts owes her their life in some way. [12] The Iconoclasts maintain a tense relationship with MSI. [13] Despite sharing democratic values and a common desire towards egalitarianism for the people of Monarch and the wider Halcyon colony, [14] MSI's "egalitarian corporate structure" has proven to be at odds with some of the Iconoclasts' more radical, anti-capitalist views. [15] Depending on the actions of the Stranger, this tense relationship can either be resolved, [16] or can spill into a drawn-out and bloody war. [17] The Stranger meets the Iconoclasts in Amber Heights just as the tension between them and MSI is reaching boiling point. [18] They can either side with the Iconoclasts and assist them in storming and taking over Stellar Bay, [19] "solve" the Iconoclast problem for Stellar Bay, [20] or broker peace between the two factions. [21] The Stranger can also have an impact on the leadership of the Iconoclasts - siding with either Graham Bryant or Zora Blackwood. [22] To supplant Graham with Zora, evidence of Graham's involvement in the Amber Heights massacre must be found and presented to Zora. [23] The Van Noys are the Iconoclasts' best unit. Mantisaur

[0] Mantisaurs are insectoid creatures native to Monarch. [1] They are aggressive, territorial, and very strong. [2] It is possible to deal with them one on one, but it is best to avoid groups of them for your safety. [3] The mantiqueen is the largest breed of Mantisaur.

Monarch

[0] Monarch, previously known as Terra 1, is one of the many moons of the gas giant Olympus and the site of a failed colony. [1] Terra 1 was initially designated as the primary colonization target of the Halcyon system. [2] The Halcyon Holdings Corporate Board had intended to completely terraform the moon, [3] wiping out the local fauna and flora and replacing it with plants and wildlife native to Earth. [4] However, the terraforming process unexpectedly caused the native species to mutate and grow to significantly larger sizes, [5] rendering them more dangerous and severely crippling the colonization effort. [6] Due to the hostile environment which they had created, [7] the Board was forced to enact a Hazard Clause covering the entirety of Terra 1. [8] Public notice of the clause's issuance was sent to everyone operating on Terra 1 and led to the evacuation of almost all corporations from the moon. [9] However, one corporation took advantage of the chaos of the evacuation to exploit a legal loophole which allowed them to, [10] as the last corporation remaining on the planet, [11] acquire the planet from the Board. [12] This corporation, under the leadership of Sanjar Nandi and Graham Bryant subsequently rebranded itself to Monarch Stellar Industries (MSI), [13] in line with the renaming of the planet to 'Monarch'. [14] The actions of MSI earned them the ire of the Board, [15] who retaliated by effectively placing the moon under indefinite embargo, [16] refusing to allow legal transit either in or out. [17] the Board aggressively spread propaganda about Monarch to convince the rest of the population that it was both uninhabited and uninhabitable. [18] This has greatly hampered MSI's attempts to be recognized as a legitimate corporation and is a thorn in the side of its CEO, Sanjar Nandi. [19] Monarch also has an ocean which goes around the moon at the "twilight band". [20] It is where the colonists and Monarch Stellar Industries farm their saltuna.

[0] Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon. [1] They are creatures native to Monarch. [2] however some corporations have illegally imported them to other planets, [3] such as Auntie Cleo who relocated a group of them to Roseway. [4] Raptidons are of corporate interest due to their potential for producing new chemical by-products which, [5] when refined, can be used to create new board approved products.

Stellar Bay

[0] Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws. [1] Stellar Bay is a company town located on the planet Monarch. It is owned and operated by Monarch Stellar Industries. [2] Stellar Bay is the largest saltuna producer on the Halcyon colony and used to be one of the most important suppliers of this resource.

Sulfur Pits

[0] The Sulfur Pits are a point of interest on the western side of Monarch. [1] They are located southwest of Terra One Publications and directly northeast of the Gunship Crash Site. [2] The Sulfur Pits have a large variety of Raptidons and many deceased marauders. [3] The area consists largely of Sulfur Pits. [4] When an entity comes in contact with a sulfur pit, [5] they receive the acid effect for the duration of touching the pit. Tucker Needham

[0] Tucker Needham is a former resident of Stellar Bay who left to join the Iconoclasts. [1] Before the quest A Family Matter, he can be found in Amber Heights. [2] Tucker was coddled by his mother from a very young age, [3] the latter insisting that danger lurked around every corner on Monarch. [4] His mother's overprotectiveness extended well into Tucker's adulthood, [5] leading him to seek to be free in any way possible. [6] After hearing Graham Bryant's broadcasts, Tucker left Stellar Bay to be truly free by joining the Iconoclasts at Amber Heights. [7] He is dazzled by Graham's preachings on true unfettered freedom from the corporate way of life and attributes his enthusiant to his 'childhood trauma'. [8] He is willing to do anything to remain free, even faking his own death to prevent his mother from continuing to send people to look for him.

Figure 9: Dialogue from motivating example in Figure 2 with all input constraining passages. Full dialogue tree can be found on the next page.




Figure 10: Full dialogue tree in KNUDGE for motivating example in Figure 2.



Figure 11: Example full dialogue tree for dialogue who_goes_there_01 in KNUDGE.




Figure 12: Example of longer dialogue tree in KNUDGE, containing numerous decision points, cycles and reentrances.

enurce.

the Board's authoritarianism.
Sanjar Nandi
Sanjar Nandi
Stellar Bay.
Sanjar began working for MSI at a young age and it was there where he met Graham Bryant, who would eventually become his best friend.
Sanjar was ambitious but his attention to detail at the expense of big-picture thinking hampered his efforts within MSI.
Sanjar was ambitious but his attention to detail at the expense of big-picture thinking hampered his efforts within MSI.
This led to negative performance reviews regarding his tendency to pad reports and talks with numbers and data.
Sanjar desire to move up within the company,
Seven donating a kidney to one of the executives in hopes of promotion.
So Despite his poor performance,
Sanjar always showed himself to be a loyal employee of the company.
Sespite Sanjar's best efforts, he has found it extremely challenging to continue operating MSI on Monarch without the backing of the Board through the use of a BOLT-52 form and proof of another corporate presence on Monarch.
He is simultaneously working on a plan to reorganize the Board,
He is simultaneously working on a plan to reorganize the Board,
Sanjar choosing to take over as head of MSI rather than dismantling it entirely caused a rift between him and Graham Bryant.
So The latter started the Iconoclasts,
So a group dedicated to spreading the word of Philosophism throughout the galaxy,
So and Sanjar was left in Stellar Bay to run the company and look after the employees who were left behind.
So He is an indemental behalf of the sanjar was left in Stellar Bay to run the company and look after the employees who were left behind.
So Celia Robbins
<

target:

The Board fact: The Board maintains a very tense relationship with MSI, owing to MSI's democratic ideals and their declared ownership of Monarch., The Board fact: Depending on the actions of the Stranger, MSI may be compelled to rebel against the Board's authoritarianism. > Player: Yes! Finally, the Board will get their comeuppance!</s>

courc

where to help her with a comms issue, and inform the player that they are now authorized to trade with Doctor Mfuru.
Juniei will appear on the Unreliable if the player helps to set up a date between her and Parvait. When interacted with, she thanks them for welcoming her aboard the ship.
//s> Mardets
Mardets
**No Her and Parvait.
**No

Figure 13: Example source and target items used to train and evaluate T5-based SL DialogueWriters. The first item exhibits support facts prepended to the target for the SL Knowledge Selection model.

```
FACTS:
                The Iconoclasts are a group of survivalists living in the ruins of Amber Heights on Monarch.
             The Iconoclasts are a group of survivalists living in the ruins of Amber Heights on Monarch.
They hope to one day tear down the corporate establishment that they believe has brought the colony to the brink of death.
The Iconoclasts are a group of idealistic revolutionaries that seek to overthrow the corporate establishment that runs the Halcyon Colony.
Based in the ruins of the Amber Heights settlement on Monarch,
they are a tenacious group,
and share some democratic ideals with Monarch Stellar Industries (MSI) against the more repressive actions of the Board.
However, the Iconoclasts's anti-corporate nature has put them at odds with MSI, a dispute that threatens to spill into all-out warfare.
Given that the Iconoclasts are mostly followers of the Philosophist faith, they have been blacklisted and demonized by the Board as dissent
            The Ground Strange mas put them at odds with MSI, a dispute that threatens to spill into all-out warfar as she was alongside Graham when he founded the Iconoclasts, and almost every member of the Iconoclasts owes her their life in some way.

The ground strange democratic values and a common desire towards egalitarianism for the people of Monarch and the wider Halcyon colony, MSI's "egalitarian corporate structure" has proven to be at odds with some of the Iconoclast, or a spill into a drawn-out and bloody war.

The Stranger meets the Iconoclasts in Amber Heights just as the tension between them and MSI is reaching boiling point.

They can either side with the Iconoclasts and assist them in storming and taking over Stellar Bay, "solve" the Iconoclasts problem for Stellar Bay,

The Stranger can also have an impact on the leadership of the Iconoclasts — siding with either Graham Bryant or Zora Blackwood.

To supplant Graham with Zora, evidence of Graham's involvement in the Amber Heights massacre must be found and presented to Zora.

The Van Noys are the Iconoclasts' best unit.

Monarch, previously known as Terra 1, is one of the monarch.
            Onarch Monarch, previously known as Terra 1, is one of the many moons of the gas giant Olympus and the site of a failed colony.

Terra 1 was initially designated as the primary colonization target of the Halcyon system.

The Halcyon Holdings Corporate Board had intended to completely terraform the moon, wiping out the local fauna and flora and replacing it with plants and wildlife native to Earth.

However, the terraforming process unexpectedly caused the native species to mutate and grow to significantly larger sizes, rendering them more dangerous and severely crippling the colonization effort.

Due to the hostile environment which they had created, the Board was forced to enact a Hazard Clause covering the entirety of Terra 1.

Public notice of the clause's issuance was sent to everyone operating on Terra 1 and led to the evacuation of almost all corporations from the moon. However, one corporation took advantage of the chaos of the evacuation to exploit a legal loophole which allowed them to, as the last corporation remaining on the planet, acquire the planet from the Board.

This corporation, under the leadership of Sanjar Nandi and Graham Bryant subsequently rebranded itself to Monarch Stellar Industries (MSI), in line with the renaming of the planet to 'Monarch'.

The actions of MSI earned them the ire of the Board, who retailstated by effectively placing the moon under indefinite embargo,
                who retaliated by effectively placing the moon under indefinite embargo, refusing to allow legal transit either in or out.
               The Board aggressively spread propaganda about Monarch to convince the rest of the population that it was both uninhabited and uninhabitable. This has greatly hampered MSI's attempts to be recognized as a legitimate corporation and is a thorn in the side of its CEO, Sanjar Nandi. Monarch also has an ocean which goes around the moon at the "twilight band".

It is where the colonists and Monarch Stellar Industries farm their saltuna.
                Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon.
 Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon. They are creatures native to Monarch.

however some corporations have illegally imported them to other planets,
such as Auntie Cleo who relocated a group of them to Roseway.

Raptidons are of corporate interest due to their potential for producing new chemical by-products which,
when refined, can be used to create new board approved products.

Stellar Bay

Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws.

Stellar Bay is a company town located on the planet Monarch. It is owned and operated by Monarch Stellar Industries.

Stellar Bay is the largest saltuna producer on the Halcyon colony and used to be one of the most important suppliers

Sulfur Pits
 Stellar Bay is a company town located on the planet Monarch. It is owned and operated by Monarch Stellar Industries.

Stellar Bay is the largest saltuna producer on the Halcyon colony and used to be one of the most important suppliers of this resource.

Sulfur Pits

The Sulfur Pits are a point of interest on the western side of Monarch.

They are located southwest of Terra One Publications and directly northeast of the Gunship Crash Site.

The Sulfur Pits have a large variety of Raptidons and many deceased marauders.

The area consists largely of Sulfur Pits.

When an entity comes in contact with a sulfur pit,
they receive the acid effect for the duration of touching the pit.

Tucker Needham

Tucker Needham is a former resident of Stellar Bay who left to join the Iconoclasts.

Before the quest A Family Matter, he can be found in Amber Heights.

Tucker was coddled by his mother from a very young age,
the latter insisting that danger lurked around every corner on Monarch.

His mother's overprotectiveness extended well into Tucker's adulthood,
leading him to seek to be free in any way possible.

After hearing Graham Bryant's broadcasts, Tucker left Stellar Bay to be truly free by joining the Iconoclasts at Amber Heights.

He is dazzled by Graham's preachings on true unfettered freedom from the corporate way of life and attributes his enthusiasm to his 'childhood trauma'.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            suppliers of this resource.
                He is willing to do anything to remain free, even faking his own death to prevent his mother from continuing to send people to look for him.
 Agnes Needham
Agnes Needham is a resident of Stellar Bay and the mother of Tucker Needham.
Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life.
Despite Tucker being 42 years old, she still thinks of him as her 'little boy'.
You can find her by Stellar Bay's south-east exit, visibly shaken and calling for help.
  Trucker Needham ran away from Stellar Bay a few weeks ago to join the Iconoclasts in Amber Heights.
His mother Agnes is willing to pay handsomely if you can locate her son and convince him to return
You can begin this quest by talking to Agnes Needham in Stellar Bay, Monarch.
Agnes is by the town's south-east exit, visibly shaken and calling for help. Hear her out and offer to find her son to being the quest.
  KNOW BY THE END OF THE DIALOG:
Amber Heights is the settlement that houses the Iconoclasts on Monarch.
If Tucker Needham survived his travels, his mother thinks he'll be there.
  DIALOG PARTICIPANTS:
DIALOG:

> Agnes Needham: Oh, thank you for stopping! Everyone acts like nothing's wrong. Like my little boy isn't at risk of being eaten by some vile creature!

> Agnes Needham: Please, you have to help me get my little Tucker back! He ran away and is going to get himself killed! Oh, I just know a raptidon is melting him with acid as we speak!

> Player: Calm down. Take a deep breath, then tell me what happened.

> Agnes Needham: Don't you tell me to calm down! I promised my boy I'd protect him for always. But how can I keep him safe if he's run away?

> Agnes Needham: He ran out into the wilderness a few days ago. I warned him about the raptidons, mantisaurs, and marauders - the toxic sulfur pools, and poisonous plants. But he didn't listen!

> Agnes Needham: Please! Won't you go and find my boy?

> Player: Did you say there was a reward involved with this request?

> Agnes Needham: [I.I.. I guess I can't ask you to leave the town walls for free. It is deathly dangerous out there.

> Agnes Needham: I've got some bits saved up for a rainy day. I'll give you every last one if you just bring my Tucker back to me. I won't even be mad at him running off. You tell him, I won't be mad.

> Player: Why would Tucker run away?

> Agnes Needham: He's been pining for an adventure, says he's tired of living cooped up behind the walls. But he doesn't understand how dangerous it is out there.

> Agnes Needham: I warned him. A raptidon would snap him up first chance it got. I just know one's ripped his arm off and is gnawing on his sweet little fingers!

> Agnes Needham: He should've listened to his mama. I promised I'd keep him safe here with me.

> Player: I'll help you find your son.
```

Figure 14: Example In-Context Learning (ICL) prompt for GPT-3 based DialogueWriter

```
DIALOG:
Agnes Needham fact: Agnes Needham is a resident of Stellar Bay and the mother of Tucker Needham.
Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life.
Agnes Needham fact: Despite Tucker being 42 years old, she still thinks of him as her 'little boy'.
Agnes Needham fact: You can find her by Stellar Bay's south-east exit, visibly shaken and calling for help.
Tucker Needham fact: the latter insisting that danger lurked around every corner on Monarch.
utterance: Agnes Needham: Oh, thank you for stopping! Everyone acts like nothing's wrong. Like my little boy isn't at risk of being eaten by some vile creature!
Agnes Needham fact: Agnes Needham is a resident of Stellar Bay and the mother of Tucker Needham.

Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life.

Agnes Needham fact: Despite Tucker being 42 years old, she still thinks of him as her 'little boy'.

Tucker Needham fact: the latter insisting that danger lurked around every corner on Monarch.

Raptidon fact: Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon.

utterance: > Agnes Needham: Please, you have to help me get my little Tucker back! He ran away and is going to get himself killed! Oh, I just know a raptidon is melting him with acid as we speak!
utterance: > Player: Calm down. Take a deep breath, then tell me what happened.
Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. utterance: > Agnes Needham: Don't you tell me to calm down! I promised my boy I'd protect him for always. But how can I keep him safe if he's run away?
Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. Stellar Bay fact: Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws. Raptidon fact: Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon. Monarch fact: However, the terraforming process unexpectedly caused the native species to mutate and grow to significantly larger sizes, Monarch fact: endering them more dangerous and severely crippling the colonization effort.

Mantisaur fact: new fact: matisaurs are insectoid creatures native to Monarch.

Mantisaur fact: They are aggressive, territorial, and very strong.

Sulfur Pits fact: The Sulfur Pits are a point of interest on the western side of Monarch.

utterance: > Agnes Needham: He ran out into the wilderness a few days ago. I warned him about the raptidons, mantisaurs, and marauders - the toxic sulfur pools, and poisonous plants. But he didn't listen!
Agnes Needham fact: Despite Tucker being 42 years old, she still thinks of him as her 'little boy'. utterance: > Agnes Needham: Please! Won't you go and find my boy?
 utterance: > Player: Did you say there was a reward involved with this request?
Stellar Bay fact: Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws utterance: > Agnes Needham: Well, I... I guess I can't ask you to leave the town walls for free. It is deathly dangerous
utterance: > Agnes Needham: I've got some bits saved up for a rainy day. I'll give you every last one if you just bring my Tucker back to me. I won't even be mad at him running off. You tell him, I won't be mad.
 utterance: > Player: Why would Tucker run away?
Tucker Needham fact: the latter insisting that danger lurked around every corner on Monarch.

Tucker Needham fact: leading him to seek to be free in any way possible.

Stellar Bay fact: Outside the city walls, the lands were overrun by the native wildlife, as well as marauders and outlaws.

utterance: > Agnes Needham: He's been pining for an adventure, says he's tired of living cooped up behind the walls. But he doesn't understand how dangerous it is out there.
Tucker Needham fact: the latter insisting that danger lurked around every corner on Monarch.

Raptidon fact: Raptidons are giant cat/reptile-like creatures that inhabit various planets in Halcyon.

utterance: > Agnes Needham: I warned him. A raptidon would snap him up first chance it got. I just know one's ripped his arm off and is gnawing on his sweet little fingers!
Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. utterance: > Agnes Needham: He should've listened to his mama. I promised I'd keep him safe here with me.
utterance: > Player: I'll help you find your son.
 Agnes Needham fact: Agnes' overprotective style of mothering has led her son, Tucker Needham, to run away from home so he can experience life. utterance: > Agnes Needham: Thank you! Oh, I know he'll be safe now that some
utterance: > Agnes Needham: You look for him in Amber Heights, you hear? It's down the road southwest of town. I'm sure he made it that far, I just
Agnes Needham fact: Despite Tucker being 42 years old, she still thinks of him as her 'little boy'.
Tucker Needham fact: After hearing Graham Bryant's broadcasts, Tucker left Stellar Bay to be truly free by joining the Iconoclasts at Amber Heights.
Iconoclasts fact: The Iconoclasts are a group of idealistic revolutionaries that seek to overthrow the corporate establishment that runs the Haleyon
 Iconoclasts fact: Based in the ruins of the Amber Heights settlement on Monarch
utterance: > Agnes Reedham: And if you find any of them Iconoclasts indoctrinating my boy, you punch them in the mouths! Tell them what I think of them luring little boys away from their mamas. It's immoral!
```

Figure 15: Example In-Context Learning (ICL) prompt with CoT-style support knowledge selection

is nonsensical or ill-formed. (2) Utterance is contradictory of previous utterances in the history. (4) Utterance naturally responds to the history.

Violation: does the utterance create contradictions with any of the sentences in the ontology or objective blurbs? (1) Yes, explicitly contradicts sentences (list the ids). (2-3) (gray area). (4) No, utterance is consistent with the ontology.

Using the Bio Facts: does the utterance *make use* of the bio sentences in the ontology? (1) Utterance is fully generic and/or ignores the ontology completely, could have been generated had the bio facts not been included. (2-3) Utterance shows awareness of ontology, albeit unnaturally or inconsistently. (4) Utterance naturally incorporates one or multiple pieces of ontology.

Using the Objectives: does the utterance progress the dialogue according to the objective sentences in the prompt? (1) Utterance ignores objective, could have been generated had the obj facts not been included. (2-3) Utterance shows awareness of quest objectives, albeit unnaturally or inconsistently. (4) Utterance naturally incorporates one or multiple quest objective statements.

J Full Dialogue Evaluation

Figure 16 depicts an example "spine" tree shown to evaluators during the end-to-end dialogue evaluation.

The instructions shown to annotators are as follows:

You will replace each 'null' value with either "a" or "b", depending on which tree between modela and model b performed better under the following criteria:

- 1. Coherence: do the utterances in the tree create a realistic dialogue between the player character and the NPC?
- 2. Violations: does the dialogue tree create contradictions with any of the sentences in the ontology or objective blurbs? Does it contradict itself?
- 3. Using the Game Lore: does the tree faithfully make of the bio sentences in the ontology, thereby espousing game lore about characters, groups, locations and items?
- 4. Covering the Objectives: does the dialogue tree play out according to the objective sentences in the prompt?

- 5. Content Suggestion: through generating multiple candidates at each turn, does the dialogue tree effectively propose potential dialogue subtrees that would espouse interesting content?
- 6. Engagingness: does the dialogue tree hold your attention and make you want to hear more from the NPC?




Figure 16: Example dialogue tree generated by the in-context learning knowledge selection DialogueWriter from just the input specifications and starting utterance. Human evaluators were tasked with comparing two such trees and choosing which performed better at a set of qualitative performance criteria. Dialogue follows the specification of the motivating example in Figure 2.