

Discovering Image Usage Online: A Case Study With “Flatten the Curve”

Shawn M. Jones

Diane Oyen

smjones@lanl.gov

doyen@lanl.gov

Los Alamos National Laboratory

Los Alamos, New Mexico, USA

ABSTRACT

Understanding the spread of images across the web helps us understand the reuse of scientific visualizations and their relationship with the public. The “Flatten the Curve” graphic was heavily used during the COVID-19 pandemic to convey a complex concept in a simple form. It displays two curves comparing the impact on case loads for medical facilities if the populace either adopts or fails to adopt protective measures during a pandemic. We use five variants of the “Flatten the Curve” image as a case study for viewing the spread of an image online. To evaluate its spread, we leverage three information channels: reverse image search engines, social media, and web archives. Reverse image searches give us a current view into image reuse. Social media helps us understand a variant’s popularity over time. Web archives help us see when it was preserved, highlighting a view of popularity for future researchers. Our case study leverages document URLs can be used as a proxy for images when studying the spread of images online.

CCS CONCEPTS

• Information systems → Web mining; Data extraction and integration; Information extraction; • Computing methodologies → Image processing.

KEYWORDS

image discovery, web mining, social media, web archiving

1 INTRODUCTION

Visualizations allow us to quickly convey a complex concept in a more succinct form. Discovering the spread of an image online can be useful for understanding the reuse of scientific visualizations by the public. In this paper demonstrating preliminary results from our exploration of image spread, we use the “Flatten the Curve” (FTC) visualization as a case study for analyzing how one might discover the spread and reach of a particular image.

The *New York Times* establishes a history for FTC and its association with COVID-19 [39]. Per that history, *The Economist* published in article in February 2020 [47] describing the COVID-19 pandemic and the steps countries were taking to combat the SARS-CoV-2 virus. This article contained a picture of two curves (Figure 1a) contrasting the number of disease cases in a population depending on whether or not they adopted protective measures like wearing masks or social distancing. Health analyst Drew Harris [18] read




Figure 1: The “Flatten the Curve” variants with more than 300 retweets during March 2020.

this article and was inspired to create Figure 1b, adding a horizontal line demonstrating how the capacity of the health system is exceeded when the populace fails to adopt protective measures.

The phrase describing FTC was adopted as a Twitter hashtag #FlattenTheCurve by February 28, 2020. By conducting an advanced Twitter search of the top (as opposed to latest) #FlattenTheCurve tweets from March 2020 and manually identifying variants of this image with 300 or more retweets, we discovered three more variants, shown in Figures 1c - 1e. Thus, with our five variants of this image, we want to answer the following research questions:

- RQ1 What methods exist to help us explore the spread of these image variants and what are their limitations?
- RQ2 Based on these methods, which FTC variant was reused the most and which had the most reach?

To understand the spread of these image variants, we leverage three different information channels: reverse image search engines, social media, and web archives. Through **reverse image search engines**, we submit each image variant as a **query image** and receive a set of corresponding **page URLs** for web documents that contain that image. This helps us understand the reuse of a given image. We then submit those page URLs to social media to understand when and how often they were shared online. Finally, we did the same for web archives to understand how often they were preserved, applying acts of preservation as a proxy for popularity. We find that the Harris variant (Figure 1b) has the most reuse and preservation while the Lancet variant (Figure 1c) inspired a lot of social media chatter later in the pandemic. When building a digital library of web images, metadata about the use of those images may be needed. Our main contribution is demonstrating how the page URLs for documents containing images can serve as a simple and effective proxy for understanding image spread.

2 METHODOLOGY

We examined three different channels to quantify image spread: reverse image search engines, social media, and web archives. Because *The Economist* article was published late in February 2022 and Harris created his variant on February 27, 2022, we manually conducted a Twitter Advanced Search for the top tweets that contained the hashtag *#FlattenTheCurve* posted between March 1 and 31 of 2020. We conducted this search in January 2023. We saved all images with 300 or more retweets because we are interested in the most popular variants of the FTC visualization. This gave us our base set of image variants to study.

We then submitted each of these images to scrapers that we had developed for the reverse image search engines of Baidu, Bing, and Google. Two types of results were available: those for pages containing the image, and those for images similar to our variant. We instructed our scrapers to save the results for pages containing the image. Our scrapers recorded the page URL of each page that contained the query image and saved the thumbnail image returned by the search engine for comparison. We manually reviewed all thumbnail images to ensure that they matched the corresponding query image, accepting images that were cropped or resized as the same image.

These results give us one perspective, that of search engines. We note that the reverse image search capability, while incredibly useful, does not give us a view over time, only the view of each search engine at the time of our query in January 2023. Social media can help us understand which FTC variant had the most reach. Unfortunately, social media platforms have yet to introduce reverse image search. Instead, we relied on the page URLs scraped from our search engine results as a proxy. To acquire social media results, we employed *SNScrape* [24], a tool that can conduct text searches of Twitter and Reddit posts. We supplied each page URL as a text query and recorded the data about each post or comment that returned.

There are problems with this method. Sometimes an FTC variant was used in a web document for a limited period and then removed in favor of new content, related to **content drift** [23, 28, 50, 51]. This often happens with news sites where a featured story contains




Figure 2: The number unique page URLs returned by each search engine for each query image, showing the Harris (Figure 1b) variant as the most reused.




Figure 3: The number of news articles for each query image, as returned in the search engine results.

the image on the front page of the site or a page related to a topic, which is then shared. Later a new featured story with a new image takes its place. To limit the effect of this, we restricted our results to only include social media posts after January 30, 2020; the date the the World Health Organization declared that COVID-19 was a world health emergency.

We address reuse with our search engine results. We address popularity through our social media results. Another proxy for popularity is measuring acts of preservation. Our final channel of image spread information is web archives. Searching one web archive would only give us a partial picture of the spread of an image. Memgator [1] leverages the Memento Protocol [21] to help us search multiple web archives at once. Most web archives do not support reverse image search. Thus, again we relied on page URLs as a proxy for our images. To mitigate the content drift issues noted above, we provided the same date (January 30, 2020) as a lower bound for when each page was archived. In this paper the term **memento** refers to a single archived web page. Because the same page may be archived multiple times, a single page URL may have multiple mementos.




Figure 4: The history of Tweets sharing pages containing each image, showing the Lancet (Figure 1c) variant having the most activity.




Figure 5: The history of Reddit comments sharing pages containing each image a comment on Reddit, showing the Lancet (Figure 1c) variant having the most activity.

3 RESULTS AND DISCUSSION

Figure 2 shows that the Harris variant (Figure 1b) is the most widely discovered by the search engines. We see that the Economist image (Figure 1a) while published earlier, is clearly less widely used in web documents as of January 2023. Other variants show far less use. Shown in Figure 3, we compared every page URL to the US News




Figure 6: The history of memento creation for each page containing our Flatten the Curve images, showing the Harris (Figure 1b) variant as the most preserved.

Domains list compiled by Robertson et al. [40] and discovered that the Harris version is used in more than 10 current new articles.

In Figure 4 we see each image variant along with how often an article containing them was shared on Twitter. Here we see that the Harris variant was shared early on in the pandemic while pages containing *the Lancet* variant enjoyed a lot of activity from July 2020 onward. Figure 5 shows a similar pattern. We do not have the dates of retweets and SNScrape did not return Reddit posts prior to November 2022, so we are unable to provide information about how well these images may have reached audiences through those methods. Web archives show the Harris variant again as the most popular. In Figure 6, pages containing the Harris variant were heavily archived well into July of 2021.

Based on these results, the Harris variant was reused the most, but articles with *the Lancet* variant engendered the most discussion and thus may have had more reach later in the pandemic. It is possible that both served different purposes. The Harris variant is very simple and was used to convince readers that the sacrifices they were making were worthwhile. Perhaps this is why it is more popular on social media toward the beginning of the pandemic. It is part concept visualization and part marketing. *The Lancet* variant, however, is more complex and demonstrates additional concepts related to not only initially flattening the curve, but also illustrates the risks of resurgence should the populace stop engaging in protective measures. The resurgence peak in *the Lancet* variant’s curve occurs at nine months after the pandemic starts, which may correspond to the increase in sharing on both Reddit and Twitter as users are actively discussing the benefits and risks of relaxing protective measures.

4 RELATED WORK

Choi [10] examined how college students searched for images using text queries. Pu [37] sought to understand the nature of failed image queries. Wang et al. [44] explored better methods for displaying image search results. Several studies compare the effectiveness of different reverse image search platforms [8, 22, 26, 32, 33]. Other studies seek to improve reverse image search [5, 12–14, 30]. Zampoglou et al. [48] evaluated algorithms for identifying image forgeries on the web. We are not trying to analyze or improve image search as much as we are leveraging the tools that currently exist.

We are applying reverse image search as one of our information channels. It has been used in the past to study misinformation [4, 6, 15], compare dermatology symptoms [20, 38, 42], understand political movements [11, 25], create datasets [19], create image captions [17], and analyze biological protocols [29]. We differ by applying it using scrapers at scale to acquire thousands of page URLs which we then apply to the channels of social media and web archives. Our reverse image searches are similar to the work of Thompson & Reilly [43] who suggest that reverse image search can help us understand image reuse within library collections.

Similar to Nwala et al. [35] we use acts of preservation as a proxy for document popularity. We are not, however evaluating the quality of URLs shared on social media. Many studies have evaluated images on social media [16, 27, 31, 45], as well as built models of image features to predict popularity [2, 34]. We are not analyzing the images as much as evaluating the URLs of documents that contain them. We are also trying to understand a viral image after the fact rather than trying to predict its virality.

5 FUTURE WORK

These are the results of a preliminary study into the spread of images online. For the specific search results that we analyzed, we were forced to use the page URLs as proxies because reverse image search engines do not return the image URLs in their results. Instead each search engine only provides image thumbnails. To acquire the image URLs, we would load the document behind each page URL and analyze every image using techniques such as VisHash [36], pHash [49], or SSIM [46] to find the image that corresponds to the query image. We could then supply these image URLs to web archives to see how often the images themselves were archived. We are developing tools to perform this action at scale.

Unfortunately, social media users do not often share image URLs, instead favoring page URLs, making this less useful for social media. We would acquire social media posts key to the time period and analyze their content. Using SNScrape, we could acquire all posts or comments related to a specific term or hashtag on either Twitter or Reddit. From there we could analyze the images associated with each post using the tools mentioned above. To begin, we would develop a list of search terms germane to our area of study.

As noted above with content drift, it is possible that some of these pages only contained an FTC variant for a short period of time. To mitigate this, inspired by document similarity work by SalehEldeen et al. [41] and Jones et al. [23], we attempted to leverage mementos of these pages to verify that they did contain FTC variants during the time period that they were shared on social media. We discovered additional challenges to applying this method with

images. Many pages were not preserved close enough to the date they were shared on social media, or they suffered from memento damage [9], a phenomena where web documents are preserved without some of their images or the code necessary to load them. We are exploring ways to work around this damage by analyzing the HTML for specific image URLs.

6 CONCLUSION

Visualizations can often convey complex concepts more briefly than text explanations. Understanding the spread of visualizations can be beneficial to understanding how the public consumes science. The “Flatten the Curve” (FTC) visualization was key to understanding the benefit of protective measures during the COVID-19 pandemic. It spawned several popular variants. In this paper, we use FTC as a case study to explore how one might discover the spread and reach of a particular image.

We addressed RQ1 by exploring how one might apply reverse image search to first find the web documents that currently contain an image. We found that the Harris variant was reused in the most pages based on results from Baidu, Bing, and Google. We then submitted the URLs of these pages to social media to see how often and when they were shared. We discovered that *the Lancet* variant was shared heavily on social media, potentially during a time when protective measures were waning. Through acts of preservation, we found the Harris variant to be more popular during the beginning of the pandemic.

We encountered limitations with respect to time. Using reverse image search provides us only with a current view of which pages contain a given image. Social media platforms and web archives do not typically have reverse image search capability. This leads us to use a proxy to estimate the reach of each image. Because we could search Twitter and Reddit for URLs, we used the page URL for the document containing the image as this proxy. This is potentially problematic because a web document may contain the image today, but may not have in the past, even though the document maintained the same URL. We mitigated this content drift by bounding the time period for posts and web archives in our dataset, but we are researching better solutions.

Per RQ2, our case study demonstrated that the Harris variant continues to be the most popular in terms of published work, but the Lancet variant created a lot of conversation over time. Iconic images such as Flatten the Curve have a daily impact on our lives, shaping policy and public action. While building a digital library of images, capturing metrics to understand the spread of such images may be as important as understanding the spread SARS-CoV-2 itself.

REFERENCES

- [1] Sawood Alam and Michael L. Nelson. 2016. MemGator - A Portable Concurrent Memento Aggregator: Cross-Platform CLI and Server Binaries in Go. In *Proceedings of JCDL '16*. Newark, New Jersey, USA, 243–244. <https://doi.org/10.1145/2910896.2925452>
- [2] Khaled Almgren, Jeongkyu Lee, and Minkyu Kim. 2016. Prediction of image popularity over time on social media networks. In *2016 Annual Connecticut Conference on Industrial Electronics, Technology & Automation (CT-IETA)*. 1–6. <https://doi.org/10.1109/CT-IETA.2016.7868253>
- [3] Roy M. Anderson, Hans Heesterbeek, Don Klitgenberg, and T Déirdre Hollingsworth. 2020. How will country-based mitigation measures influence the course of the COVID-19 epidemic? *The Lancet* (2020). <https://doi.org/10.1016/>

- S0140-6736(20)30567-5
- [4] Farbod Aprin, Irene-Angelica Chounta, and H. Ulrich Hoppe. 2022. “See the Image in Different Contexts”: Using Reverse Image Search to Support the Identification of Fake News in Instagram-Like Social Media. In *Intelligent Tutoring Systems*. Springer International Publishing, Cham, 264–275. https://doi.org/10.1007/978-3-031-09680-8_25
- [5] Flavio H.D. Araujo, Romuere R.V. Silva, Fatima N.S. Medeiros, Dilworth D. Parkinson, Alexander Hexemer, Claudia M. Carneiro, and Daniela M. Ushizima. 2018. Reverse image search for scientific data within and beyond the visible spectrum. *Expert Systems with Applications* 109 (2018), 35–48. <https://doi.org/10.1016/j.eswa.2018.05.015>
- [6] Alexander Askinadze. 2017. Fake war crime image detection by reverse image search. In *Datenbanksysteme für Business, Technologie und Web (BTW 2017) - Workshopband*. Gesellschaft für Informatik e.V., Bonn, 345–354. <https://dl.gi.de/handle/20.500.12116/930>
- [7] Eliza Barclay and Dylan Scott. 2020. How canceled events and self-quarantines save lives, in one chart. *Vox* (2020). <https://www.vox.com/2020/3/10/21171481/coronavirus-us-cases-quarantine-cancellation>
- [8] Yiltan Bitirim, Selin Bitirim, Duygu Celik Ertugrul, and Onsen Toygar. 2020. An Evaluation of Reverse Image Search Performance of Google. In *2020 IEEE 44th Annual Computers, Software, and Applications Conference (COMPSAC)*. 1368–1372. <https://doi.org/10.1109/COMPSAC48688.2020.00-65>
- [9] Justin F. Brunelle, Mat Kelly, H SalahEldeen, Michelle C. Weigle, and Michael L. Nelson. 2015. Not all mementos are created equal: measuring the impact of missing resources. *International Journal on Digital Libraries* 16 (2015), 283–301. <https://doi.org/10.1007/s00799-015-0150-6>
- [10] Youngok Choi. 2010. Effects of contextual factors on image searching on the Web. *Journal of the American Society for Information Science and Technology* 61, 10 (2010), 2011–2028. <https://doi.org/10.1002/asi.21386>
- [11] Ann Curran. 2022. Ordinary and Extraordinary Images: Making Visible the Operations of Stock Photography in Posters Against the Repeal of the 8th Amendment. *Feminist Encounters* 6, 1 (2022). <https://doi.org/10.20897/femenc/11746>
- [12] I Gede Sustrama Mas Diyasa, Alfath Daryl Alhajir, Amir Muhammad Hakim, and Moh. Fathur Rohman. 2020. Reverse Image Search Analysis Based on Pre-Trained Convolutional Neural Network Model. In *Proceedings of the 6th Information Technology International Seminar (ITIS)*. Surabaya, Indonesia, 1–6. <https://doi.org/10.1109/ITIS50118.2020.9321037>
- [13] Mathieu Gaillard and Előd Egyed-Zsigmond. 2017. Large scale reverse image search. *XXXVème Congrès INFORSID* (2017), 127. http://inforSID.fr/actes/2017/INFORSID_2017_paper_34.pdf
- [14] Mathieu Gaillard, Előd Egyed-Zsigmond, and Michael Granitzer. 2018. CNN features for Reverse Image Search. *Document numérique* 21, 1-2 (2018), 63–90. <https://www.cairn.info/revue-document-numerique-2018-1-page-63.htm>
- [15] Dhanvi Ganti. 2022. A Novel Method for Detecting Misinformation in Videos, Utilizing Reverse Image Search, Semantic Analysis, and Sentiment Comparison of Metadata. *SSRN* (2022). <https://ssrn.com/abstract=4128499>
- [16] Venkata Rama Kiran Garimella, Abdulrahman Alfayad, and Ingmar Weber. 2016. Social Media Image Analysis for Public Health. In *Proceedings of CHI '16*. San Jose, California, USA, 5543–5547. <https://doi.org/10.1145/2858036.2858234>
- [17] Darren Guinness, Edward Cutrell, and Meredith Ringel Morris. 2018. Caption Crawler: Enabling Reusable Alternative Text Descriptions Using Reverse Image Search. In *Proceedings of CHI '18*. Montreal QC, Canada, 1–11. <https://doi.org/10.1145/3173574.3174092>
- [18] Drew A. Harris. 2020. Important to remember that #Covid-19 epidemic control measures... <https://twitter.com/drewaharris/status/1233267475036372992>
- [19] András Horváth. 2015. Object recognition based on Google’s reverse image search and image similarity. In *Proceedings of ICGIP '15*, Vol. 9817. International Society for Optics and Photonics, SPIE, 162 – 166. <https://doi.org/10.1117/12.2228505>
- [20] Justin L. Jia, Jennifer Y. Wang, Dawson E. Mills, Andrew Shen, and Kavita Y. Sarin. 2021. Fitzpatrick phototype disparities in identification of cutaneous malignancies by Google Reverse Image. *Journal of the American Academy of Dermatology* 84, 5 (2021), 1415–1417. <https://doi.org/10.1016/j.jaad.2020.05.005>
- [21] Shawn M. Jones, Martin Klein, Herbert Van de Sompel, Michael L. Nelson, and Michele C. Weigle. 2021. *Interoperability for Accessing Versions of Web Resources with the Memento Protocol*. Springer International Publishing, Cham, 101–126. https://doi.org/10.1007/978-3-030-63291-5_9
- [22] Shawn M. Jones and Diane Oyen. 2022. Abstract Images Have Different Levels of Retrievalability Per Reverse Image Search Engine. In *Proceedings of ECCV 2022 Workshops*. Tel Aviv, Israel. <https://doi.org/10.48550/arXiv.2211.02115>
- [23] Shawn M. Jones, Herbert Van de Sompel, Harihar Shankar, Martin Klein, Richard Tobin, and Claire Grover. 2016. Scholarly Context Adrift: Three out of Four URI References Lead to Changed Content. *PLOS ONE* 11, 12 (12 2016), 1–32. <https://doi.org/10.1371/journal.pone.0167475>
- [24] JustAnotherArchivist, Ed Summers, et al. 2023. SNScrape. <https://github.com/JustAnotherArchivist/snsrape>
- [25] Záhová Kateřina. 2018. *Propaganda on Social Media: The Case of Geert Wilders*. Master’s thesis. Charles University. <http://hdl.handle.net/20.500.11956/99767>
- [26] Elizabeth Kelly. 2015. Reverse Image Lookup of a Small Academic Library Digital Collection. *Codex: The Journal of the Louisiana Chapter of the ACRL* 3, 2 (2015). <https://journal.acrla.org/index.php/codex/article/view/101>
- [27] Tamara Kharroub and Ozen Bas. 2016. Social media and protests: An examination of Twitter images of the 2011 Egyptian revolution. *New Media & Society* 18, 9 (2016), 1973–1992. <https://doi.org/10.1177/1461444815571914>
- [28] Martin Klein, Herbert Van de Sompel, Robert Sanderson, Harihar Shankar, Lyudmila Balakireva, Ke Zhou, and Richard Tobin. 2014. Scholarly Context Not Found: One in Five Articles Suffers from Reference Rot. *PLOS ONE* 9, 12 (12 2014), 1–39. <https://doi.org/10.1371/journal.pone.0115253>
- [29] Jennifer L. Mamrosh and David D. Moore. 2015. Using Google Reverse Image Search to Decipher Biological Images. *Current Protocols in Molecular Biology* 111, 1 (2015), 19.13.1–19.13.4. <https://doi.org/10.1002/0471142727.mb1913s111>
- [30] Kudzai Felix Mawoneke, Xin Luo, Youqin Shi, and Kenji Kita. 2020. Reverse Image Search for the Fashion Industry Using Convolutional Neural Networks. In *Proceedings of CSIP '20*. 483–489. <https://doi.org/10.1109/ICSIP49896.2020.9339350>
- [31] Christina Neumayer and Luca Rossi. 2018. Images of protest in social media: Struggle over visibility and visual narratives. *New Media & Society* 20, 11 (2018), 4293–4310. <https://doi.org/10.1177/1461444818770602>
- [32] Paul Nieuwenhuysen. 2013. Search by Image through the WWW: an additional tool for information retrieval. In *Proceedings of A-LIEP '13*. 38.
- [33] Paul Nieuwenhuysen. 2018. Finding copies of an image: a comparison of reverse image search systems on the WWW. In *Proceedings of 14th International Conference on Webometrics, Informetrics and Scientometrics*. Macau, China, 97–106. <https://doi.org/10.22032/dbt.39355>
- [34] Xiang Niu, Lusong Li, Tao Mei, Jialie Shen, and Ke Xu. 2012. Predicting Image Popularity in an Incomplete Social Media Community by a Weighted Bi-partite Graph. In *2012 IEEE International Conference on Multimedia and Expo*. 735–740. <https://doi.org/10.1109/ICME.2012.43>
- [35] Alexander C. Nwala, Michele C. Weigle, and Michael L. Nelson. 2021. Garbage, Glitter, or Gold: Assigning Multi-Dimensional Quality Scores to Social Media Seeds for Web Archive Collections. In *Proceedings of JCDL '21*. 80–89. <https://doi.org/10.1109/JCDL52503.2021.00020>
- [36] Diane Oyen, Michal Kucer, and Brendt Wohlberg. 2021. VisHash: visual similarity preserving image hashing for diagram retrieval. In *Applications of Machine Learning 2021*, Vol. 11843. International Society for Optics and Photonics, SPIE, 50 – 66. <https://doi.org/10.1117/12.2594720>
- [37] Hsiao-Tieh Pu. 2008. An analysis of failed queries for web image retrieval. *Journal of Information Science* 34, 3 (2008), 275–289. <https://doi.org/10.1177/016555107084140>
- [38] Julia D. Ransohoff, Shufeng Li, and Kavita Y. Sarin. 2016. Assessment of Accuracy of Patient-Initiated Differential Diagnosis Generation by Google Reverse Image Searching. *JAMA Dermatology* 152, 10 (2016), 1164–1166. <https://doi.org/10.1001/jamadermatol.2016.2096>
- [39] Siobhan Roberts. 2020. Flattening the Coronavirus Curve. *The New York Times* (2020). <https://www.nytimes.com/article/flatten-curve-coronavirus.html>
- [40] Ronald E. Robertson, Shan Jiang, Kenneth Joseph, Lisa Friedland, David Lazer, and Christo Wilson. 2018. Auditing Partisan Audience Bias within Google Search. *Proceedings of the ACM on Human-Computer Interaction* 2, CSCW, Article 148 (2018), 22 pages. <https://doi.org/10.1145/3274417>
- [41] Hany M. SalahEldeen and Michael L. Nelson. 2015. Predicting Temporal Intention in Resource Sharing. In *Proceedings of the 15th ACM/IEEE-CS Joint Conference on Digital Libraries (JCDL '15)*. Knoxville, Tennessee, USA, 205–214. <https://doi.org/10.1145/2756406.2756921>
- [42] Afsheen Sharifzadeh and Gideon P. Smith. 2021. Inaccuracy of Google reverse image search in complex dermatology cases. *Journal of the American Academy of Dermatology* 84, 1 (2021), 202–203. <https://doi.org/10.1016/j.jaad.2020.04.107>
- [43] Santi Thompson and Michele Reilly. 2017. “A picture is worth a thousand words”: Reverse image lookup and digital library assessment. *Journal of the Association for Information Science and Technology* 68, 9 (2017), 2264–2266. <https://doi.org/10.1002/asi.23847>
- [44] Shuo Wang, Feng Jing, Jibo He, Qixing Du, and Lei Zhang. 2007. IGroup: Presenting Web Image Search Results in Semantic Clusters. In *Proceedings of CHI '07*. San Jose, California, USA, 587–596. <https://doi.org/10.1145/1240624.1240718>
- [45] Yilin Wang and Baoxin Li. 2015. Sentiment Analysis for Social Media Images. In *Proceedings of ICDMW '15*. 1584–1591. <https://doi.org/10.1109/ICDMW.2015.142>
- [46] Zhou Wang, A.C. Bovik, H.R. Sheikh, and E.P. Simoncelli. 2004. Image quality assessment: from error visibility to structural similarity. *IEEE Transactions on Image Processing* 13, 4 (2004), 600–612. <https://doi.org/10.1109/TIP.2003.819861>
- [47] Staff Writers. 2020. Covid-19 is now in 50 countries, and things will get worse. *The Economist* (2020). <https://www.economist.com/briefing/2020/02/29/covid-19-is-now-in-50-countries-and-things-will-get-worse>
- [48] Markos Zampoglou, Symeon Papadopoulos, and Yiannis Kompatsiaris. 2017. Large-scale evaluation of splicing localization algorithms for web images. *Multimedia Tools and Applications* 76 (2017), 4801–4834. <https://doi.org/10.1007/s11042-016-3795-2>

- [49] Christoph Zauner. 2010. *Implementation and Benchmarking of Perceptual Image Hash Functions*. Master's thesis. Upper Austria University of Applied Sciences. http://www.phash.org/docs/pubs/thesis_zauber.pdf
- [50] Jonathan Zittrain, Kendra Albert, and Lawrence Lessig. 2014. Perma: Scoping and Addressing the Problem of Link and Reference Rot in Legal Citations. *Legal Information Management* 14, 2 (2014), 88–99. <https://doi.org/10.1017/S1472669614000255>
- [51] Jonathan Zittrain, John Bowers, and Clare Stanton. 2021. The Paper of Record Meets an Ephemeral Web: An Examination of Linkrot and Content Drift within The New York Times. *SSRN* (2021). <https://doi.org/10.2139/ssrn.3833133>