Modeling reputation-based behavioral biases in school choice

Jon Kleinberg Cornell University kleinberg@cornell.edu

Sigal Oren Ben-Gurion University sigal3@gmail.com

Emily Ryu Cornell University eryu@cs.cornell.edu

Eva Tardos ´ Cornell University eva.tardos@cornell.edu

March 8, 2024

Abstract

A fundamental component in the growing theoretical literature on school choice is the problem a student faces in deciding which schools to apply to. Recent models have considered a setting with a set of schools of different selectiveness, and a student who is unsure of their strength as an applicant and can apply to at most k schools. Such models assume that the student cares solely about maximizing the quality of the school that they will attend. However, experience suggests that students' decisions are additionally influenced by a set of crucial behavioral biases based on reputational effects: they experience a subjective reputational benefit when they are admitted to a selective school, whether or not they attend; and a subjective loss based on disappointment when they are rejected. Guided by these observations, and inspired by recent behavioral economics work on loss aversion relative to expectations, we propose a behavioral model by which a student chooses schools in a way that balances these subjective behavioral effects with the quality of the school they eventually attend.

Our main results show that a student's choices change in interesting and dramatic ways in a model where these reputation-based behavioral biases are taken into account. In particular, where a rational applicant spreads their applications evenly across the spectrum of school selectiveness at optimality, a biased student applies very sparsely to highly selective schools, such that above a certain threshold they apply to only an absolute constant number of schools even as their budget of available applications grows to infinity. Consequently, a biased student underperforms a rational student even when the rational student is restricted to a sufficiently large upper bound on applications and the biased student can apply to arbitrarily many. Our analysis shows that the reputation-based model is rich enough to cover a range of different ways that biased students cope with fear of rejection through their application decisions, including not just targeting less selective schools, but also occasionally applying to schools that are too selective, compared to rational students.

1 Introduction

In theoretical frameworks for college admissions or job search, a fundamental component is the model by which candidates choose where to apply. There are a number of distinct considerations that need to go into such a model. Focusing on the language of admissions, there is a range of colleges with different levels of selectivity, and the student applying is unsure of their exact strength as an applicant, so they need to diversify where they apply in order to optimize the best school they get into with a limited number of applications. But there is also a behavioral component, which empirical work has shown to produce large effects in this type of decision-making with uncertain accept/reject outcomes: the student wants to proactively avoid situations where they anchor their expectations on a good school that then rejects them, since this produces large disutility through the interplay of anticipation and subsequent disappointment. Although the terminology is not perfectly apt, we will think of the first of these considerations — optimizing the quality of the school you actually attend — as the rational part of the student's utility (since it is just about the admissions outcome without considering how the student experiences it) and the second of these as the *behavioral* part.

A feature of most college application or job application processes is that the applications are sent out (at least approximately) in a single batch, and later the candidate learns the outcome of all the applications and chooses among the places where they are accepted. This is in contrast to processes based on centralized matching using mechanisms like the Deferred Acceptance algorithm (such as in high school admissions in some municipalities, or medical resident matching), where candidates submit ranked lists and a global authority performs the matching.

In this paper we will consider the single-batch applications process and study the effect of behavioral bias in this process. We will use a basic model studied by Ali and Shorrer [\[AS23\]](#page-18-0): applicants have strengths $s \in [0, 1]$ indicating the quality of their application. Schools admit based on this application strength, which is known to all schools but not to the applicant. We can label schools by real numbers x in [0, 1]; higher numbers x correspond to better, more selective schools in that the school with label x only accepts students of strength at least x. A central question in this model is the following application portfolio problem: if a student can only send out k applications, and wants to maximize their expected utility, where should they apply? Ali and Shorrer $[AS23]$ show that the optimal portfolio of k applications can be computed efficiently via dynamic programming.

Throughout this paper we will use a structured version of this model that allows us to expose the basic features and surprising phenomena caused by the behavioral effects we are modeling. We assume that there is a continuum of schools labeled by the real numbers in $[0, 1]$; the school with label x (which, as before, only accepts students of strength at least x) has a utility of x to the student, and the student's uncertainty about their application is reflected in the fact that their strength is drawn uniformly at random from [0, 1]. So from the student's perspective, the probability that they will be accepted to school x is $1-x$, and these acceptance events are dependent, in that if they get into school x , they will also get into school $x' < x$. Ali and Shorrer provided a solution to this application portfolio problem in this special case for a rational agent, whose expected utility is simply the strongest school they are admitted to; roughly speaking, at optimality the student should evenly space their applications on the unit interval, applying to schools $1/(k+1), 2/(k+1), \ldots, k/(k+1)$ and thereby covering the full interval increasingly densely, and uniformly, as k increases [\[AS23\]](#page-18-0).

Our model: Incorporating behavioral considerations. In this paper, we ask how these rational strategies compare to a model in which an applicant also experiences behavioral effects. For this, we draw on a well-established approach to modeling behavioral utilities in a two-phase process such as this, where an individual seeks out valuable options in a first phase and learns their outcomes in a second phase. This approach, known as expectations-based reference-dependent preferences (EBRD) [\[KR06,](#page-18-1) [KR07,](#page-18-2) [KR09\]](#page-18-3), has been used in behavioral models for the different context of Deferred Acceptance processes [\[DHR22\]](#page-18-4), a paper that helped motivate our questions here.

In our setting, we build a model based on these principles as follows. First, as in the rational case, a student will derive a utility of x if they ultimately are accepted to, and select, school x . They will only experience this part of the utility from the school they actually end up attending, since it is based on actually consuming the opportunity they are offered, and they can only attend one school. But beyond this, a student also experiences a behavioral component in their utility from each school they apply to: the process of applying creates an anchor point based on the expected value of the school, and the student then receives either positive or negative subjective value from their outcome relative to this anchor point, because they either overperformed or underperformed their expectation. As we will see next, these behavioral considerations will generally lead to bias in the decision-making, and we refer to a student who incorporates them as a biased student.

Here is how the model of this behavioral effect works in more detail. Let's consider a school with admission probability p and utility v from attendance. (In our case, schools have $v = x$ and $p = 1 - x$ for some $x \in [0, 1]$, but it is useful to consider the definition with p and v defined arbitrarily.) We build up the behavioral component of the utility in the following steps:

- The basic "units" for this part of the utility are scaled by a coefficient τ , which gives the strength of the behavioral effect. For a school that confers consumption utility v from attending, it also has a subjective value of τv when considering the behavioral impact of being admitted or rejected.
- The behavioral effect is realized in two stages. When the applicant first applies to the school, they anchor on the expected value $p\tau v$ as a default reference point for the subjective utility they aspire to receive from this application. (This anchoring gives the general formalism its name in the literature: it is a reference-dependent preference that is based on expectations.)
- In a second stage, the applicant learns whether or not they are admitted. If they are admitted, then the realized gain relative to this reference point, which is $\tau v - p\tau v = (1 - p)\tau v$. This is the subjective benefit they experience from being accepted. If they are rejected, then they experience a corresponding subjective loss of $p\tau v$ relative to the value they anchored on.
- If this were the entire process, then an applicant would break even in expected utility on all the schools they apply to — anchoring on the expected value $p\tau v$ in advance, and then either realizing the additional part of the full subjective value τv if accepted, or paying back what they anchored on if they are rejected. But a line of empirical work establishes that the ubiquitous behavioral mechanism of loss aversion is at work in this process, and the loss in the case of rejection is magnified [\[ACH17,](#page-17-0) [HRS21\]](#page-18-5). Thus, we say that when the applicant is rejected, they experience a disutility that is not $-p\tau v$ but instead $-\lambda p \tau v$ for a value $\lambda > 1$ — an intuitively familiar experience in which the disappointment from rejection is amplified relative to the amounts involved.

So this gives the full form of the student's expected behavioral utility from applying to a given school with acceptance probability p and value v: relative to the reference point of $p\tau v$ they set at the time they apply, they gain $(1-p)\tau v$ with probability p, and they lose $\lambda p\tau v$ with probability $1-p$, for a total of

$$
p(1-p)\tau v - (1-p)\lambda p\tau v = (1-\lambda)\tau(1-p)pv = -\gamma(1-p)pv,
$$

where in the last equality we have defined a new coefficient $\gamma = (\lambda - 1)\tau > 0$ to write the expected behavioral utility more compactly. Note that this expression is negative for $\lambda > 1$, and this creates an aversion for applicants to apply based on the fear of rejection. We will refer to γ as the student's bias parameter and say that a student with $\gamma > 0$ is a γ -biased student; we expect students with small values of γ to behave more similarly to a rational student, since $\gamma = 0$ corresponds to the case in which the behavioral effects do not shift the utility calculations. In our subsequent discussion of related work, we go into more detail on how this formalism relates to other uses of the EBRD framework for problems in which agents anchor on expected gains with the possibility of rejection.

We'll assume that the biased student still chooses to attend the highest-quality school among the ones where they are admitted. If we define the *admissions outcome* for a student as the quality of this school that they ultimately attend, then for a biased student, we have a gap between their expected admissions α outcome — which is based entirely on the quality of the school they attend — and their expected utility, which consists of the admissions outcome plus the behavioral terms as well. In contrast, for our notion of a rational student, who does not experience the behavioral effects, the admissions outcome and the utility are the same.

Our results: The effect of behavioral biases. We therefore come to the basic question that motivates the paper: how does a biased student solve the application portfolio problem, and how does their expected admissions outcome — the quality of the school they eventually attend — compare to the corresponding outcome for a rational student as a function of their bias parameter?

We find that the biased student's solution to the application portfolio problem is dramatically different from the rational student's, for every positive bias parameter γ . In contrast to the rational student's strategy of using their k applications to apply uniformly across the range of all schools, the biased applicant applies very sparsely to more selective schools, and focuses their applications increasingly densely on less selective schools (see Section [5\)](#page-8-0). This effect becomes extreme in the limit as k grows — even as k goes to infinity (when the rational agent's applications produce a dense cover of the unit interval), we show that the number of schools that the biased agent applies to above any constant $c \in [0,1]$ remains bounded by an absolute constant independent of k. (As an example of this effect instantiated with concrete parameters, see Figure [1,](#page-3-0) which shows the portfolio of schools chosen by a student with bias parameter $\gamma = 0.1$ who sends out $k = 100$ applications.) We prove other versions of this as well; for example, for every $\gamma > 0$ there is a number $h(\gamma) < 1$ such that a student with bias γ applies to at most one school above $h(\gamma)$ even as k goes to infinity.

Figure 1: As shown here, a biased student in our model concentrates most of their applications on less selective schools, and applies very sparsely to the more selective end of the range. The plot shows the positions (on the interval [0, 1]) of $k = 100$ applications sent out by a student with bias parameter $\gamma = 0.1$.

A consequence of this sparsity at the top end of the school selectivity range is the following result: a biased student sending an unbounded number of applications will have a lower expected admissions outcome than a rational student who sends a sufficiently large constant number of applications. More precisely (as we also show in Section [5\)](#page-8-0), for every $\gamma > 0$, there is a constant $k(\gamma)$ such that a student with bias γ and any number of applications has a lower expected admissions outcome than a rational student who sends $k(\gamma)$ applications. This is a very strong type of gap between rational and biased behavior; it is not the case that in order to match the outcome of a rational student with k applications, a biased student needs some $f(k)$ applications, but instead that there are some values of k where the biased student simply won't be able to match the expected outcome — given their strategy — no matter how many schools they are allowed to apply to.

Finally, we prove a further set of results establishing that our model of behavioral biases is rich enough to cover qualitatively different ways in which a biased student can cope with the possibility of rejection (Section [7\)](#page-13-0). In particular, if an applicant is concerned about rejection, there are two ways of reducing the anticipated value they anchor on — either by applying to a school that is less selective (thereby reducing the realized benefit if admitted) or by applying to a school that is too selective (thereby reducing the expectation by making admission more unlikely). For different parameter ranges, our model produces both behaviors: not only do biased students over-concentrate on less selective schools, but for small values of γ they also engage in a surprising type of "overshooting" behavior, in which the top schools they apply to are too selective, allowing them to reduce the expectation they anchor on because the school's admission probability is so low. This range of different behaviors illustrates the richness of the model, and the ways in which it captures phenomena that are familiar from our everyday experience of applying and experiencing rejection.

2 Background & motivation

2.1 Simultaneous applications and short lists

The school choice literature of decentralized and/or simultaneous applications (such as the US college admissions system) has often been used the canonical framework of simultaneous search due to Chade and Smith [\[CS06\]](#page-18-6), in which a decision-maker must choose a portfolio of gambles on stochastically independent lotteries. In the language of school choice, the student considers applying to a small subset of k out of n schools, where each school has an exogenously fixed acceptance probability, and admissions decisions are mutually independent. In this setting, the optimal k-portfolio can be computed efficiently using a greedy algorithm or dynamic programming, and expands upwards (to include increasingly competitive schools) as k increases.

Despite the elegance of the simultaneous search framework, one criticism it has received is that it does not predict the empirically observed strategy of safety schools (i.e. downwards expansion to include less competitive schools as a "safety net"); this is due to the fact that admissions decisions are generally *correlated* rather than independent. To address this, Ali and Shorrer propose to model correlation via a threshold model [\[AS23\]](#page-18-0). Here, the student has a single "common score" that is known to each school (but not to the student herself), there is a finite set of schools, each school has an exogenously fixed acceptance threshold, and students have varying utilities from attending each school. The student now attempts to choose a subset of k schools to apply to, based on her distribution of beliefs over her score. Ali and Shorrer [\[AS23\]](#page-18-0) show that the optimal k-portfolio can be computed efficiently via dynamic programming, and demonstrates both upwards and downwards expansion (reflecting the notion of a reach/match/safety strategy). [\[AS23\]](#page-18-0) also attempt to expand their findings to an admissions process with partially correlated decisions (i.e. interpolating between their model and that of [\[CS06\]](#page-18-6)).

Other works such as [\[HK09\]](#page-18-7) and [\[GMM21\]](#page-18-8) have studied school choice with short lists and portfolio size constraints under various other mechanisms and sources of uncertainty, but their results primarily focus on the existence and structure of equilibria in multiple-student settings, rather than characterizing student strategies or outcomes.

This line of work has focused primarily on studying the behavior of rational students faced with application costs or size constraints; to the best of our knowledge, none has attempted to incorporate a model of behavioral bias or loss aversion into its analysis, as we now propose to do.

2.2 Behavioral bias in matching markets

Theoretical work on school choice has traditionally focused on modeling the behavior of rational students, but empirical research has actually found evidence of behavioral biases in how students apply to schools. Despite the fact that Deferred Acceptance (DA) is strategyproof, numerous studies have repeatedly found empirical evidence of participants misreporting their true preferences, both in field and lab settings. These misreports include "obvious flippings," such as ranking a smaller amount of money higher than a larger amount of money [\[HK21\]](#page-18-9), and "obvious droppings," such as ranking an unfunded spot in a program but completely excluding a spot in the same program funded by a fellowship [\[HRS21,](#page-18-5) [SS18,](#page-18-10) [ACH17\]](#page-17-0). To explain these seemingly obviously dominated misreports, one theory that has been proposed is behavioral bias, in which agents appear to play suboptimally (with respect to the classical utility function) because they are actually optimizing for an alternate utility function which incorporates behavioral preferences and/or biases.

Within this realm, one potential explanation that has received attention is the fear of rejection or disappointment. Dreyfuss et al. [\[DHR22\]](#page-18-4) proposed to model this by applying a simplified version of the expectations-based reference-dependent preferences (EBRD) model of Kőszegi and Rabin [\[KR06,](#page-18-1) [KR07,](#page-18-2) [KR09\]](#page-18-3) to school choice. In the EBRD model, the agent separately derives two forms of utility: the standard "consumption utility" and an additional "gain-loss utility"(or "news utility") relative to a reference point determined by her expectations about her environment. An agent with EBRD preferences will take into account how her strategy affects her expected outcome, and thus her reference point and gain-loss utility.

The model of Dreyfuss et al. [\[DHR22\]](#page-18-4) only considers the utility of a multiple-school application portfolio within the context of DA. While variants of DA are often the mechanism of choice in systems with centralized clearinghouses, many other real-world scenarios (e.g. college applications in the United States) use decentralized systems in which participants choose a set (rather than a rank-order list) of schools to apply to; this construction thus cannot be applied to understand the effect of loss aversion on students' behavior in such systems. Further, in the model used by [\[DHR22\]](#page-18-4), the student experiences negative gain-loss utility with respect to the reference point for *every* school she does not attend; as a result, she must pay back her "borrowed anticipation" with a penalty of $\lambda > 1$ even for those schools she ranks *lower* than the one she ends up attending. We propose a new model of reputation-based behavioral bias in school choice, aiming to model fear of rejections (rather than just not attending a school). In our model, the student still evaluates her utility in terms of gain/loss with respect to an anticipated reference point for each school, but we model gaining positive utility from being admitted to schools, even when not attending, and only experiencing negative utility from schools that reject her.

3 A model of students with reputation-based utility

In our model, students obtain both consumption utility and subjective value (potentially either a benefit or a loss) from schools. Suppose school i is parameterized by its acceptance probability and value to the student: (p_i, v_i) . Let τ be a parameter measuring the strength of the student's behavioral bias, so that a school that confers consumption utility v has a subjective value of τv that the student considers when weighing the possibility of admission or rejection. At the time the student applies to school i, she forms a reference point at the expected subjective value of that school, $p_i \tau v_i$, around which she will compare her realized outcome. If the student is accepted, she receives the additional utility (say, due to a boost in reputation or morale) of the school's full subjective value relative to her anticipated reference point; that is, she gains a subjective benefit of $\tau v_i - p_i \tau v_i = (1 - p_i) \tau v_i$. On the other hand, if the student is rejected, she receives disutility from the loss of her anticipation; to model the well-established phenomenon of loss aversion, this disutility is magnified by a coefficient $\lambda > 1$ to give a subjective loss of $-\lambda p_i \tau v_i$.

In summary, for each school i , the student obtains

- 1. Subjective benefit: $(1 p_i)\tau v_i$ if accepted to *i*.
- 2. Subjective loss: $-\lambda p_i \tau v_i$ if rejected from *i*.
- 3. Consumption utility: v_i if the student attends i, 0 otherwise (in other words, v_i if and only if i is the highest ranked school where the student is accepted).

For notational simplicity, we define a new coefficient $\gamma = (\lambda - 1)\tau$. Then, for an application portfolio P, a γ -biased student has perceived expected utility

$$
U_{\gamma}(P) := \sum_{i \in P} [p_i(1 - p_i)\tau v_i - (1 - p_i)\lambda p_i \tau v_i + v_i \mathbb{P}(\text{student attends } i)]
$$

=
$$
\sum_{i \in P} (1 - \lambda)\tau p_i(1 - p_i)v_i + \sum_{i \in P} v_i \mathbb{P}(\text{student attends } i)
$$

=
$$
-\sum_{i \in P} \gamma p_i(1 - p_i)v_i + \sum_{i \in P} v_i \mathbb{P}(\text{student attends } i).
$$

In the third line, we have separated the utility into a *biased* term combining the subjective benefit and loss (analogous to the EBRD news utility) and an *unbiased* consumption utility term.

Lastly, note that we are most interested in the case of $\gamma > 0$ (again analogous to the EBRD model, in that due to loss aversion, the effect of bad news is more significant than the effect of good news), but also attempt to prove statements in the fullest generality possible; each of our results will clearly distinguish the appropriate regime of γ for which it holds.

Throughout this paper we will use a simple model that allows us to expose the basic features and surprising phenomena caused by the bias of the loss aversion we are modeling.

We will assume that schools lie on a continuum $S = [0, 1]$, such that for every $x \in [0, 1]$, there exists a school which has both value and acceptance threshold x . Further, we will suppose that the student's score is distributed uniformly on [0, 1] (so that she is accepted to school x with probability $1-x$).

4 Preliminaries and Basic Observations

4.1 Warm-up: Applying to a single school

When the student can only apply to a single school, the expected payoff of a student with bias γ who applies to school x is

$$
U_{\gamma}(x) = -\gamma (1 - x)x^{2} + x(1 - x) = x(1 - x)(1 - \gamma x),
$$

which is a cubic with roots at 0, 1, and $\frac{1}{\gamma}$. If $0 < \gamma \leq 1$, then $\frac{1}{\gamma} \geq 1$, so the graph of the cubic resembles Figure [2a.](#page-6-0) Observe that every school $x \in [0,1]$ gives the student non-negative expected payoff, and there exists a unique optimal school $x^* \in (0,1)$.

On the other hand, if $\gamma > 1$, then $0 < \frac{1}{\gamma} < 1$ and the cubic resembles Figure [2b.](#page-6-0) Now, in addition to the unique optimal school $x^* \in (0,1)$, there also exists a unique worst school $\underline{x} \in (0,1)$. In particular, note that $x < 1$ with strict inequality, so the worst school is *not* necessarily the most competitive school (because the student assigns a low probability of acceptance to such a school, thus forming a low reference point and experiencing less disappointment upon rejection). Further, all schools with $x > \frac{1}{\gamma}$ give the student negative utility, so the student will only ever apply to schools with $x < \frac{1}{\gamma}$. That is, as γ increases, the student places more importance on disappointment utility than reputational utility, and becomes increasingly unwilling to apply to competitive schools for fear of rejection.

In either case, additionally observe that $U'_{\gamma}(\frac{1}{2}) = -\frac{\gamma}{4} < 0$, meaning that $x^* < \frac{1}{2}$. That is, a student with any bias $\gamma > 0$ will shade downwards from the optimum of $\frac{1}{2}$ (the maximizer of $U(x) = x(1-x)$, the unbiased/true expected payoff), indicating that the fear of rejection causes her to undershoot her true potential.

Figure 2: Expected (biased) utility $U_{\gamma}(x)$ for a student applying to a single school x.

4.2 Multi-school setting and the optimal portfolio

Now, suppose that the student can simultaneously apply to a subset of schools of size k . For notational convenience denoting $x_0 = 1$, a student with bias γ perceives a portfolio $x_1 > x_2 > ... x_k$ to have expected value

$$
U_{\gamma}(x_1,\ldots,x_k) = \sum_{i=1}^k \left[-\gamma(1-x_i)x_i^2 + x_i(x_{i-1} - x_i) \right],
$$

which follows from the fact that the student is accepted to the school of value x_i if her score is in $[x_i,1]$ (which occurs with probability $1 - x_i$), and attends this school if her score is in $[x_i, x_{i-1})$ (which occurs with probability $x_{i-1} - x_i$).

Proposition 4.1. For a portfolio to maximize this perceived expected value, the first order optimality conditions are

$$
x_{i+1} = 2x_i - x_{i-1} + \gamma(2x_i - 3x_i^2) \tag{1}
$$

For an unbiased student (with $\gamma = 0$), the resulting optimal set of k schools in [0,1] is $\frac{i}{k+1}$ for $i \in [k]$.

Proof. The first order condition for optimality is:

$$
\frac{\partial U_{\gamma}}{\partial x_{i}} = -\gamma (2x_{i} - 3x_{i}^{2}) + x_{i-1} - 2x_{i} + x_{i+1} = 0
$$

as claimed.

For an unbiased agent we get $x_{i+1} = 2x_i - x_{i-1}$. The solution to this system is an arithmetic progression with endpoints at 0 and 1. That is, $x_i = \frac{i}{k+1}$ for $i \in [k]$, corresponding to an equally spaced set of schools between 0 and 1.

Corollary 4.2. As $k \to \infty$, the optimal unbiased expected payoff converges to $\frac{1}{2}$.

Proof. By Proposition [4.1,](#page-6-1) the optimal set of k schools in [0, 1] is $\frac{i}{k+1}$ for $i \in [k]$, which results in an unbiased expected payoff of

$$
\sum_{i=1}^{k} \frac{i}{k+1} \cdot \frac{1}{k+1} = \frac{k(k+1)}{2(k+1)^2} = \frac{k}{2(k+1)}.
$$

As k grows large, this expression converges to $\frac{1}{2}$.

4.3 Observations on the behavior of a γ -biased student

Define $\Delta_i \coloneqq x_{i-1} - x_i$, then observe that [\(1\)](#page-6-2) rearranges to

$$
x_{i-1} - x_i - \gamma (2x_i - 3x_i^2) = x_i - x_{i+1}
$$

$$
\implies \Delta_{i+1} = \Delta_i - \gamma (2x_i - 3x_i^2).
$$
 (2)

From the observation that $2x_i - 3x_i^2 < 0$ for $x_i > \frac{2}{3}$ and $2x_i - 3x_i^2 \ge 0$ for $x_i \le \frac{2}{3}$, we obtain our first characterization of the biased student's behavior, in contrast to the rational student's equally-spaced portfolio:

Observation 4.3. Above a threshold of $\frac{2}{3}$, $\Delta_{i+1} > \Delta_i$, so the gaps in competitiveness between successive schools increase in size. Below the threshold of $\frac{2}{3}$, $\Delta_{i+1} < \Delta_i$, so the gaps in competitiveness are decreasing in size. (See Figure [3](#page-7-0) for an example)

Figure 3: A plot of Δ_i for $\leq i \leq 25$ in an optimal biased portfolio for $k = 25$ and $\gamma = 0.1$.

Next, we observe that the perceived expected utility strictly increases with k . Thus, without application costs, a γ -biased student would apply to infinitely many schools.

Proposition 4.4. For any fixed γ , the perceived expected utility is strictly increasing in k.

Proof. Let $OPT(k)$ denote the perceived expected payoff of the optimal k-portfolio. To prove the proposition, we need to argue that there exists a $k + 1$ -portfolio with higher payoff than $OPT(k)$. To see this, consider the lowest school x_k in the optimal k-portfolio. Consider the marginal utility from applying to an additional school $y < x_k$: the negative bias term is $\gamma y^2(1-y)$ while the gain in expected consumption utility is $y(x_k-y)$. For a small enough y , the gain is linear in y while the loss is quadratic in y . Hence, there exists an extremely low ranked school y that applying to increases the expected utility. \Box

 \Box

5 Limited applications to top schools and its consequences

5.1 Number of applications to top schools

One way to quantify a precise sense in which a γ -biased student "under-applies" is to show that there is an absolute upper bound on the selectiveness of (most of) their applications. That is, even when she is allowed an infinite number of applications, the second highest school in her portfolio remains strictly below 1 (in contrast, the second highest rational school is $\frac{k-1}{k+1}$, which converges to 1 as k grows large).

Proposition 5.1. For any portfolio size k, $x_2 \leq h(\gamma)$:

$$
h(\gamma) = \begin{cases} 1 - \gamma & \gamma \in [0, \frac{1}{2})\\ \frac{1 - \gamma + \gamma^2}{3\gamma} & \gamma \in [\frac{1}{2}, 2) \\ \frac{1 + 2\gamma + \sqrt{(1 - 2\gamma)^2 - 4\gamma}}{6\gamma} & \gamma \ge 2 \end{cases}
$$
(3)

The function $h(\gamma)$ is illustrated in Figure [4.](#page-8-1)

Proof. By rearranging Equation [\(1\)](#page-6-2) we get that the following holds for x_2 :

$$
x_2 = 2x_1 - 1 + \gamma(2x_1 - 3x_1^2) = (-3\gamma)x_1^2 + (2+2\gamma)x_1 - 1.
$$

We need to find the maximum of this over $x_1 \in [0,1]$ under the constraint that $x_2 \leq x_1$. By taking a derivative we get that the unconstrained maximum of the function $(-3\gamma)x_1^2 + (2+2\gamma)x_1 - 1$ is $\frac{\gamma}{3} + \frac{1}{3\gamma} - \frac{1}{3}$, which is achieved at $x_1 = \frac{1+\gamma}{3\gamma}$. For $\gamma \leq \frac{1}{2}$, $\frac{1+\gamma}{3\gamma} \geq 1$, so the maximum over $x_1 \in [0,1]$ occurs at $x_1 = 1$, which gives the bound of $x_2 \leq 1 - \gamma$.

For $1/2 < \gamma < 2$ we have $\frac{1+\gamma}{3\gamma} < 1$, and additionally that: $x_2 = \frac{1-\gamma+\gamma^2}{3\gamma} \le \frac{1+\gamma}{3\gamma}$, and hence the unconstrained maximal value of x_2 is indeed achieved respecting the constraint $x_1 \in [x_2, 1]$, giving the bound $x_2 \leq \frac{1-\gamma+\gamma^2}{3\gamma}$ $\frac{\gamma+\gamma^-}{3\gamma}$.

For $\gamma > 2$, the maximum computed above is invalid as it gives $x_1 < x_2$. Instead, we look for the maximal value of $(-3\gamma)x_1^2 + (2+2\gamma)x_1 - 1$ over the interval in which $(-3\gamma)x_1^2 + (2+2\gamma)x_1 - 1 < x_1$. This holds for $x_1 \in$ value of $\left(-\frac{3\gamma}{\lambda_1}+\frac{2}{\lambda_2}\right)$ 6γ $\left[\frac{1+2\gamma+\sqrt{(1-2\gamma)^2-4\gamma}}{6\gamma}\right]$ E the meet val in which $(-3)^{j}x_1 + (2+2)^{j}x_1 - 1 \le x_1$. This holds for $x_1 \in \frac{(1-2\gamma)^2 - 4\gamma}{6\gamma}$, 1, with the maximum occurring at $x_1 = \frac{1+2\gamma+\sqrt{(1-2\gamma)^2-4\gamma}}{6\gamma}$ $\frac{(1-2\gamma)^{-1}}{6\gamma}$. Here, $x_2 = x_1$, and we obtain the bound of $x_2 \n\leq \frac{1+2\gamma+\sqrt{(1-2\gamma)^2-4\gamma}}{6\gamma}$ $\frac{(1-2\gamma)^{-1}+4\gamma}{6\gamma}.$

Recall that for an unbiased agent with a portfolio of k schools, we have that $x_2 = 1 - \frac{2}{k+1}$ and in general $x_i = 1 - \frac{i}{k+1}$. This implies that as k increases the unbiased agent would apply to more schools in each interval (a sort of "uniform densification"). This is not the case for the biased agent. The bound of $x_2 \leq h(\gamma)$ implies the following corollary:

Corollary 5.2. For any $\gamma > 0$ and $k > 0$, the agent will not apply to more than one school above $h(\gamma)$.

Figure 4: A plot of the function $h(\gamma)$ such that for any $k, x_2 \leq h(\gamma)$.

That is, the way in which reputation-based bias and the fear of rejection hurt a student is not by simply causing her to stop applying altogether. Instead, a more subtle effect is at play: even given an infinite number of applications, a biased student fails to use them effectively; she applies to too few competitive schools and too many weak schools.

Proposition 5.3. In a k schools portfolio, the number of schools that the student applies to above $2/3$ is at most 1 for $\gamma > \frac{1}{3}$, and at most $1 + \frac{1}{3\gamma}$ for $0 < \gamma < \frac{1}{3}$.

Proof. Suppose $x_1 \geq \frac{2}{3}$ (otherwise we are trivially done). From Equation [\(2\)](#page-7-1) we have

$$
\Delta_2 = \Delta_1 - \gamma(2x - 3x^2) = 1 - x_1 - \gamma(2x - 3x^2).
$$

Further, since by Observation [4.3](#page-7-2) the Δ_i 's are increasing while $x_i \geq \frac{2}{3}$, we can bound the number of such x_i by the following

$$
c(\gamma) \le 1 + \frac{x_1 - \frac{2}{3}}{\Delta_2} = 1 + \frac{x_1 - \frac{2}{3}}{1 - x_1 - \gamma(2x - 3x^2)}
$$

The derivative with respect to x_1 of the RHS is $\frac{1-\gamma(2-3x_1)^2}{3(3\gamma x_1^2-(2\gamma+1)x_1)}$ $\frac{1-\gamma(2-3x_1)}{3(3\gamma x_1^2-(2\gamma+1)x_1+1)^2}$. For $0<\gamma<1$, the derivative is always positive on $[\frac{2}{3}, 1]$, so we can take $x_1 = 1$ to get $c(\gamma) \leq 1 + \frac{1}{3\gamma}$. Moreover, for any $\frac{1}{3} < \gamma < 1$, we have that $\frac{1}{3\gamma}$ < 1 and hence the student applies to at most a single school above 2/3. For $\gamma > 1$, the maximum on the right handside is obtained when the derivative is 0: $1 - \gamma(2 - 3x_1)^2 = 0$. By solving for x_1 we get:

$$
x_1 = \frac{12\gamma \pm \sqrt{144\gamma^2 + 36\gamma(1 - 4\gamma)}}{18\gamma} = \frac{12\gamma \pm \sqrt{36\gamma}}{18\gamma} = \frac{2\gamma \pm \sqrt{\gamma}}{3\gamma}
$$

Thus, $x_1 = \frac{2}{3} \pm \frac{1}{3\sqrt{\gamma}}$. Note that $\frac{2}{3} - \frac{1}{3\sqrt{\gamma}} < 0$ for $\gamma > 1$. The only root in the range $[2/3, 1]$ is the positive one, so $x_1 = \frac{2}{3} + \frac{1}{3\sqrt{\gamma}}$. Note that it is indeed the case that the second derivative is negative for this value. Hence, we conclude that the maximum is obtained at $\frac{2}{3} + \frac{1}{3\sqrt{\gamma}}$ and:

$$
c(\gamma) \leq 1 + \frac{\frac{1}{3\sqrt{\gamma}}}{1-\frac{2}{3}-\frac{1}{3\sqrt{\gamma}}-\gamma(2(\frac{2}{3}+\frac{1}{3\sqrt{\gamma}})-3(\frac{2}{3}+\frac{1}{3\sqrt{\gamma}})^2)} = \frac{2\gamma + 2\sqrt{\gamma}}{2\gamma + 2\sqrt{\gamma} - 1}
$$

Finally, we note that for $\gamma > 1$, $\frac{2\gamma + 2\sqrt{\gamma}}{2\gamma + 2\sqrt{\gamma - 1}} < 2$, so the agent applies to at most one school above 2/3. \Box

5.2 Application to bounded number of schools above every constant

In fact, for any constant c, the number of schools that a γ -biased student applies above c is bounded by a constant. To get this result we compare the potential benefit from applying to a school with the fixed subjective cost of the application and conclude that the number of schools that the student applies to in $[c, \frac{2}{3}]$ is bounded by a constant.

Proposition 5.4. For any
$$
k > 0
$$
 the student applies to at most $\frac{2/3-c}{\sqrt{\gamma c^2(1-c)}} + 1$ schools in $[c, 2/3]$.

Proof. Let $n(c, k)$ denote the number of schools that an agent, who is applying to k schools applies to in the interval [c, 2/3]. We would like to show a limit on $n(c, k)$. Consider a portfolio of k schools x_1, \ldots, x_k with $n(c, k)$ schools in the interval $[c, 2/3]$. Assuming $n(c, k) \geq 3$, there must be a school $x_i \in [c, 2/3]$ such that

$$
x_{i+1} - x_{i-1} = (x_{i+1} - x_i) + (x_i - x_{i-1}) \le \frac{2(2/3 - c)}{n(c, k) - 1}.
$$

Consider the marginal contribution loss when dropping this school x_i from the portfolio. The lost consumption utility is

$$
(x_{i-1}-x_i)x_i - (x_{i-1}-x_i)(x_{i+1}) = (x_{i-1}-x_i)(x_i - x_{i+1}) \le \frac{(2/3-c)^2}{(n(c,k)-1)^2}.
$$

Now consider the subjective cost $\gamma(x^2(1-x))$ of applying to a school x. Notice that $\gamma(x^2(1-x))$ is increasing in [c, 2/3]. Thus, the subjective cost for applying to a school in [c, 2/3] is at least $\gamma(c^2(1-c))$. This implies that if $\gamma(c^2(1-c)) > \frac{(2/3-c)^2}{(n(c,k)-1)^2}$ then dropping school x_i improves the portfolio. This is impossible according to Proposition [4.4,](#page-7-3) implying $n(c, k) \leq \frac{2/3-c}{\sqrt{2}}$ $\frac{2/3-c}{\gamma c^2(1-c)}+1.$ \Box

Putting this together with Proposition [5.3](#page-9-0) that provides a bound on the number of schools that the student applies to above $2/3$, we conclude that:

Corollary 5.5. A γ -biased student applies to at most $m(\gamma, c) = 2 + \frac{1}{3\gamma} + \frac{2/3 - c}{\sqrt{\gamma c^2(1-\gamma)}}$ $\frac{2/3-c}{\gamma c^2(1-c)}$ schools above c for $0 < \gamma < \frac{1}{3}$, and at most $m(\gamma, c) = 2 + \frac{2/3 - c}{\sqrt{\gamma c^2 (1 - c)}}$ $\frac{2/3-c}{\gamma c^2(1-c)}$ schools for $\gamma \geq \frac{1}{3}$.

To get a better sense of this bound, in Figure [5](#page-10-0) we plot this bound on the number of schools above c as a function of c for several values of γ .

Figure 5: A bound on the number of schools above c that a student applies to as a function of c.

5.3 Limited utility of biased students

Theorem 5.6. For every $\gamma > 0$, the true expected payoff of a student with bias γ is bounded above by a constant $p(\gamma) < \frac{1}{2}$. Consequently, for every $\gamma > 0$, there exists $k = k(\gamma)$ such that a rational student limited to k applications achieves strictly higher expected payoff than a student with bias γ with an unlimited number of applications.

Proof. First, recall from Corollary [4.2](#page-7-4) that as k increases, the expected payoff of an unbiased agent converges to $\frac{1}{2}$. This can also be seen by considering the continuous analogue of an infinitely large equally spaced portfolio, and integrating with uniform density over $[0, 1]$. By conditioning on the student's score x and splitting the integral at any constant c , we observe:

$$
\mathbb{E}[U_{OPT}] = \mathbb{E}[U_{OPT} \mid x \le c] \cdot \mathbb{P}(x \le c) + \mathbb{E}[U_{OPT} \mid x > c] \cdot \mathbb{P}(x > c)
$$

= $\mathbb{E}[U_{OPT} \cdot \mathbb{1}_{\{x \le c\}}] + \mathbb{E}[U_{OPT} \cdot \mathbb{1}_{\{x > c\}}]$
= $\int_0^c x dx + \int_c^1 x dx = \frac{c^2}{2} + \frac{1 - c^2}{2} = \frac{1}{2}.$

Now, consider a student with bias $\gamma > 0$ applying to an infinitely large portfolio of schools $(k \to \infty)$, by Corollary [5.5](#page-10-1) all but a finite number of which is below c. If the student's score is below c, her true expected payoff can be no better than the unbiased optimal utility from a uniform continuum on c (and in fact may be worse, since her bias causes her to apply suboptimally). That is,

$$
\mathbb{E}\left[U \cdot \mathbb{1}_{\{x \le c\}}\right] \le \mathbb{E}\left[U_{OPT} \cdot \mathbb{1}_{\{x \le c\}}\right] = \frac{c^2}{2}.
$$

In the case where the student's score is above c , she only has a finite, constant number of chances $m = m(\gamma, c)$ to apply to and attend a school better than c. If she were to apply optimally, by extending the equal spacing part of Proposition [4.1](#page-6-1) to intervals, we can conclude that she would choose the equally spaced set $c + \frac{i(1-c)}{m+1}$ for $i \in [m]$. However, the student is not necessarily applying optimally, so this set of schools

provides an upper bound on her expected payoff. That is,

$$
\mathbb{E}\left[U \cdot \mathbb{1}_{\{x > c\}}\right] \le \sum_{i=0}^{m} \left(c + \frac{i(1-c)}{m+1}\right) \frac{1-c}{m+1} = \frac{c(1-c)}{m+1}(m+1) + \frac{(1-c)^2}{(m+1)^2} \frac{m(m+1)}{2}
$$

$$
= c(1-c) + \frac{n(1-c)^2}{2(m+1)}
$$

$$
= \frac{1-c}{2} \left[2c + 1 - c - \frac{1-c}{m+1}\right]
$$

$$
= \frac{1-c^2}{2} - \frac{(1-c)^2}{2(m+1)}.
$$

In total,

$$
\mathbb{E}[U] = \mathbb{E}[U \cdot \mathbb{1}_{\{x \le c\}}] + \mathbb{E}[U \cdot \mathbb{1}_{\{x > c\}}]
$$

\n
$$
\le \frac{c^2}{2} + \frac{1 - c^2}{2} - \frac{(1 - c)^2}{2(m(\gamma, c) + 1)} = \frac{1}{2} - \frac{(1 - c)^2}{2(m(\gamma, c) + 1)} =: p(\gamma)
$$

\n
$$
< \frac{1}{2} = \mathbb{E}[U_{OPT}],
$$

where the inequality is strict because $m(\gamma, c)$ is finite (by Corollary [5.5\)](#page-10-1).

Finally, observe that a rational student with k applications obtains expected payoff $\frac{k}{2(k+1)}$. For $k >$ $k(\gamma) = \frac{2p(\gamma)}{1-2p(\gamma)}$, this value is larger than $p(\gamma)$, meaning that even with an unlimited number of applications, the biased student has a lower expected payoff compared to a rational student with a portfolio size constraint. \Box

5.4 Computational results

Finally, we highlight further interesting computational results that complement our theoretical analysis of the biased student's strategy across varying values of k and γ (detailed numerical results are provided in Appendix [B\)](#page-19-0). In line with Propositions [5.3](#page-9-0) and [5.4,](#page-9-1) we observe *downwards expansion*: given an increasing number of applications, the biased student only sends more applications to schools increasingly close to 0.

Observation 5.7. (computational) For fixed $\gamma > 0$, as k increases, the values x_i of the highest schools in the portfolio (and consequently, the gaps Δ_i between them) approximately "freeze" in place. That is, a student with bias $\gamma > 0$ only expands her portfolio downwards, by sending out an increasing number of "trivial" applications close to 0.

This downwards expansion phenomenon stands in sharp contrast with the uniform densification of the rational student's portfolio (analogous to the reach/match/safety strategy described by [\[AS23\]](#page-18-0)). As a result, increasing the number of applications k is less helpful to the payoff of a γ -biased student than of a rational student; this effect becomes more pronounced as γ increases.

Observation 5.8. (computational) A student with bias $\gamma > 0$ quickly obtains most of her true expected utility within a small number of applications.

6 Approximately solving for the γ -biased student's portfolio

In this section, we establish upper and lower bounds on each school in the portfolio of a γ-biased student. Then, as we take γ to 0, we see that the biased portfolio smoothly converges to the optimal rational portfolio. These results will also be useful in analyzing a student's overshooting behavior in the next section. As a first step, in [A](#page-18-11)ppendix A we use induction to bound each school x_i relative to its neighbor x_{i-1} :

Lemma 6.1. For every $1 \leq i \leq k$, let $\bar{\delta}_i$ and $\underline{\delta}_i$ be such that: $\underline{\delta}_i \leq -(2x_i - 3x_i^2) \leq \bar{\delta}_i$:

$$
\frac{k+1-i}{k+2-i}x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \underline{\delta}_{k+1-j} \leq x_i \leq \frac{k+1-i}{k+2-i} \cdot x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \overline{\delta}_{k+1-j}.
$$

Using Lemma [6.1,](#page-11-0) we now establish the following bounds on each x_i solely as a general function of i, k, and γ :

Theorem 6.2. For every x_i , let $\bar{\delta}_i$ and $\underline{\delta}_i$ be such that: $\underline{\delta}_i \leq -(2x_i - 3x_i^2) \leq \bar{\delta}_i$. Then, the following holds for any $1 \leq i \leq k$:

$$
\begin{aligned} x_i &\geq \frac{k+1-i}{k+1} + \gamma \cdot \frac{k+1-i}{k+1} \sum_{j=1}^{i-1} j \cdot \underline{\delta}_j + \gamma \cdot \frac{i}{k+1} \sum_{j=1}^{k+1-i} j \cdot \underline{\delta}_{k+1-j}, \\ x_i &\leq \frac{k+1-i}{k+1} + \gamma \cdot \frac{k+1-i}{k+1} \sum_{j=1}^{i-1} j \cdot \overline{\delta}_j + \gamma \cdot \frac{i}{k+1} \sum_{j=1}^{k+1-i} j \cdot \overline{\delta}_{k+1-j}. \end{aligned}
$$

Proof. We use Lemma [6.1](#page-11-0) to solve for x_i and prove by induction that the theorem holds. As the proof is the same for the upper and lower bounds, we will only write the proof for the upper bound. The base case is $i = 1$. We have by Lemma [6.1:](#page-11-0)

$$
x_1 \leq \frac{k}{k+1} + \gamma \cdot \frac{1}{k+1} \sum_{j=1}^k j \cdot \overline{\delta}_{k+1-j}.
$$

Next, we assume the induction hypothesis holds for $i - 1$ and prove for i. By Lemma [6.1:](#page-11-0)

$$
x_i \le \frac{k+1-i}{k+2-i} \cdot x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \bar{\delta}_{k+1-j}.
$$

By using the induction hypothesis for x_{i-1} we get:

$$
x_{i} \leq \frac{k+1-i}{k+2-i} \left(\frac{k+2-i}{k+1} + \gamma \cdot \frac{k+2-i}{k+1} \sum_{j=1}^{i-2} j \cdot \bar{\delta}_{j} + \gamma \cdot \frac{i-1}{k+1} \sum_{j=1}^{k+2-i} j \cdot \bar{\delta}_{k+1-j} \right) + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \bar{\delta}_{k+1-j}
$$

$$
\leq \frac{k+1-i}{k+1} + \gamma \frac{k+1-i}{k+1} \sum_{j=1}^{i-2} j \cdot \bar{\delta}_{j} + \gamma \frac{k+1-i}{k+2-i} \cdot \frac{i-1}{k+1} \sum_{j=1}^{k+2-i} j \cdot \bar{\delta}_{k+1-j} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \bar{\delta}_{k+1-j}.
$$

Note that $\bar{\delta}_{i-1}$ only appears in the second sum with a coefficient of:

$$
\gamma \frac{k+1-i}{k+2-i} \cdot \frac{i-1}{k+1} \cdot (k+2-i) = \gamma \frac{k+1-i}{k+1} \cdot (i-1).
$$

Also, for every $j \geq i$ the coefficient of $\overline{\delta}_j$ is (from the second and third summations):

$$
\gamma \cdot j \cdot \left(\frac{k+1-i}{k+2-i} \cdot \frac{i-1}{k+1} + \frac{1}{k+2-i}\right) = \gamma \cdot j \cdot \frac{i}{k+1}.
$$

Thus, we have that:

$$
x_i \le \frac{k+1-i}{k+1} + \gamma \cdot \frac{k+1-i}{k+1} \sum_{j=1}^{i-1} j \cdot \bar{\delta}_j + \gamma \cdot \frac{i}{k+1} \sum_{j=1}^{k+1-i} j \cdot \bar{\delta}_{k+1-j}.
$$

 \Box

Now, as a first application of Theorem [6.2](#page-12-0) we observe that for every x_i we have that the required bounds hold with $\bar{\delta}_i = 1$ and $\delta_i = 1/3$, which establishes the following bounds on each x_i .

Theorem 6.3. For every k and every $\gamma > 0$ we have that, for every $1 \leq i \leq k$:

$$
\frac{k+1-i}{k+1} - \frac{\gamma}{3} \cdot \frac{i(k+1-i)}{2} \le x_i \le \frac{k+1-i}{k+1} + \gamma \cdot \frac{i(k+1-i)}{2}.
$$

Proof. Note that for any x_i , we have that $-1/3 \leq -(2x_i - 3x_i^2) \leq 1$. Thus, we can apply Theorem [6.2](#page-12-0) with $\delta_i = 1$ and $\delta_i = -1/3$ and get that:

$$
x_i \le \frac{k+1-i}{k+1} + \gamma \cdot \frac{k+1-i}{k+1} \sum_{j=1}^{i-1} j + \gamma \cdot \frac{i}{k+1} \sum_{j=1}^{k+1-i} j
$$

= $\frac{k+1-i}{k+1} + \gamma \cdot \frac{k+1-i}{k+1} \cdot \frac{(i-1)(i)}{2} + \gamma \cdot \frac{(2+k-i)(k+1-i)}{2}$
= $\frac{k+1-i}{k+1} + \gamma \frac{k+1-i}{k+1} \left(\frac{(i-1)(i)}{2} + \frac{i(2+k-i)}{2} \right)$
= $\frac{k+1-i}{k+1} + \gamma \frac{k+1-i}{k+1} \cdot \frac{i(k+1)}{2}$
= $\frac{k+1-i}{k+1} + \gamma \frac{i(k+1-i)}{2}$.

The proof for the lower bound follows identically.

By observing that $\frac{i(k+1-i)}{2} \leq \frac{(k+1)^2}{8}$ $\frac{(-1)}{8}$, we obtain this crude bound on the x_i 's:

$$
\frac{k+1-i}{k+1} - \frac{(k+1)^2}{8} \cdot \frac{\gamma}{3} \le x_i \le \frac{k+1-i}{k+1} + \frac{(k+1)^2}{8} \gamma.
$$

These bounds imply the following convergence:

Corollary 6.4. For a fixed k, as γ goes to 0 then x_i converges to $\frac{k+1-i}{k+1}$.

Interestingly, as we will see in Section [7,](#page-13-0) this convergence is not monotone for values of *i* such that $\frac{k+1-i}{k+1} > \frac{2}{3}$.

7 Fear of rejection can also cause overshooting

Intuitively, one might expect that as γ increases, the biased student becomes increasingly sensitive to the fear of rejection and undershoots the optimal portfolio more and more. However, we find that this is not always the case. In this section, we show that there exist instances where, although the biased portfolio does indeed converge to the optimal portfolio as γ shrinks to 0, this convergence is not monotone – decreasing γ first causes an increase in competitiveness of some choices, then a decrease. Perhaps even more surprisingly, in some cases the biased agent actually applies to a school that is higher than optimal – indicating that a biased student may underperform not only by undershooting the optimal portfolio, but also sometimes by overshooting. Such a student may be reacting to fear of rejection, by applying to schools where she is very unlikely to be accepted, and hence with small expectation, limiting her disappointment when rejected.

7.1 Local overshooting

The following proposition illustrates some of the required conditions for a biased student to apply higher than an unbiased student.

Proposition 7.1. Let $\gamma < 2$ – √ 3. Consider a biased agent that applies to schools a and b and doesn't apply to any school in between. Let x be the optimal school for this biased agent to apply to in (a, b) . Then, $x > \frac{a+b}{2}$ if $a+b > 4/3$ and $x < \frac{a+b}{2}$ if $a+b \le 4/3$, while an unbiased agent applies to $x = \frac{a+b}{2}$.

Proof. Let $z = a + b$. By Equation [\(1\)](#page-6-2) we have that: $2x - z + \gamma(2x - 3x^2) = 0$. If $\gamma = 0$ then we get $x = \frac{z}{2} = \frac{a+b}{2}$, extending the equal spacing of Proposition [4.1.](#page-6-1) If $\gamma > 0$ this is a quadratic equation for x, and $x = \frac{z}{2}$ is not a solution. For $\gamma < 2 - \sqrt{3}$ we have that:

$$
x = \frac{1 + \gamma - \sqrt{(1 + \gamma)^2 - 3\gamma z}}{3\gamma}
$$

 \Box

Figure 6: Illustration of $\frac{1}{2(1+\gamma)} < \theta < \frac{1+\gamma-1}{2}$ 6γ

We would like to find the condition under which $x \leq \frac{z}{2}$

$$
x = \frac{1 + \gamma - \sqrt{(1 + \gamma)^2 - 3\gamma z}}{3\gamma} \le \frac{z}{2} \implies 1 + \gamma - \sqrt{(1 + \gamma)^2 - 3\gamma z} \le \frac{3\gamma z}{2}
$$

$$
\implies 1 + \gamma - \frac{3\gamma z}{2} \le \sqrt{(1 + \gamma)^2 - 3\gamma z}
$$

Note that since $z < 2$ and $\gamma < 1/2$ both sides of the inequality are positive and hence it implies that:

$$
(1+\gamma-\frac{3\gamma z}{2})^2 \le (1+\gamma)^2 - 3\gamma z
$$

By rearranging we get that:

$$
(1+\gamma)^2 - 2(1+\gamma)\frac{3\gamma z}{2} + \frac{9\gamma^2 z^2}{4} \le (1+\gamma)^2 - 3\gamma z \implies -2(1+\gamma)\frac{3}{2} + \frac{9\gamma z}{4} \le -3
$$

$$
\implies z \le 4/3
$$

This concludes the proof.

The above proof also holds for $\gamma < 1/2$ if we take into account that by Proposition [5.1](#page-8-2) for any two schools a and b that are part of an optimal portfolio we have that $z < 2 - \gamma$. Furthermore, the previous proof can be extended to achieve a more general result:

Proposition 7.2. Let $\gamma < 2-$ √ 3. Consider a biased agent that applies to schools a and b and doesn't apply to any school in between. Let x be the optimal school for this biased agent to apply to in (a, b) . Then for every

$$
\frac{1}{2(1+\gamma)} < \theta < \frac{1+\gamma-\sqrt{(1+\gamma)^2-6\gamma}}{6\gamma}
$$

there exists $z(\theta)$ such that if $a + b > z(\theta)$ then $x > \theta(a + b)$ and else $x < \theta(a + b)$.

Proof. This bounds are illustrated in Figure [6.](#page-14-0) The proof is the same as the proof of Proposition [7.1](#page-13-1) except that we solve for:

$$
x = \frac{1 + \gamma - \sqrt{(1 + \gamma)^2 - 3\gamma z}}{3\gamma} \le \theta z.
$$

By the same steps as the previous proof this gets us that $x \le \theta z$ if and only if z satisfies $z \le \frac{6\theta(1+\gamma)-3}{9\theta^2}$ $\frac{1+\gamma-3}{9\theta^2\gamma}$. To compute which values of θ are feasible, we observe $0 \le z \le 2$. Since $z > 0$ we get:

$$
6\theta(1+\gamma) - 3 > 0 \implies \theta > \frac{1}{2(1+\gamma)}
$$

.

Now requiring that $z < 2$ gets us that $6\theta(1+\gamma)-3 < 9\theta^2\gamma$. After rearranging we get $6\gamma\theta^2-2\theta(1+\gamma)+1 > 0$. we conclude that $\theta < \frac{1+\gamma-\sqrt{(1+\gamma)^2-6\gamma}}{6\gamma}$ $\frac{(1+\gamma)^2-6\gamma}{6\gamma}$ since $\frac{1+\gamma+\sqrt{(1+\gamma)^2-6\gamma}}{6\gamma} > 1$. \Box

7.2 Global overshooting

In the following theorem, we strengthen the bounds on the x_i 's we proved in Theorem [6.3](#page-12-1) to show that there are portfolio sizes for which there exists γ such that the biased student simultaneously overshoots at the top school she applies to *and* undershoots in the minimal school she applies to. We conjecture that this is a part of a more general phenomenon in which for large enough k, there exists γ' such that for any $\gamma < \gamma'$ the student overshoots (essentially) all schools i such that $\frac{k+i-1}{k+1} > 2/3$ and undershoots (essentially) all schools such that $\frac{k+i-1}{k+1} < 2/3$.

Figure 7: Overshooting top schools as a function of γ for a portfolio of $k = 60$ schools.

Theorem 7.3. There exist values of k for which there exists $\gamma > 0$ such that for any $\gamma' < \gamma$ we have that $x_1 > \frac{k}{k+1}$ and $x_k < \frac{1}{k+1}$.

Proof. Theorem [6.3](#page-12-1) establishes that:

$$
\frac{k+1-i}{k+1} - \frac{\gamma}{3} \cdot \frac{i(k+1-i)}{2} \le x_i \le \frac{k+1-i}{k+1} + \gamma \cdot \frac{i(k+1-i)}{2}.
$$
 (*)

When γ is sufficiently small we can use these bounds on the x_i 's to apply Theorem [6.2](#page-12-0) with tighter bounds on $f(x_i) = -(2x_i - 3x_i^2)$. To get the right bounds we should carefully consider where the function $f(x_i)$ $-(2x_i - 3x_i^2)$ attains its minimum and maximum in an interval $[a, b]$:

- 1. If $a \geq \frac{1}{3}$, then $f(x_i)$ is increasing in the interval and hence the minimum is attained at a and the maximum at b.
- 2. If $b \leq \frac{1}{3}$, then $f(x_i)$ is decreasing in the interval and hence the minimum is attained at b and the maximum at a .
- 3. If $a < \frac{1}{3} < b$, then the minimum is attained at $\frac{1}{3}$ and the maximum is attained at a if $a + b > \frac{2}{3}$ and at b otherwise.

To begin this proof we compute a bound on γ such for every x_i the interval defined by (*) is sufficiently small and for any x_i such that $\frac{k+1-i}{k+1} \neq 1/3$, the interval x_i is in is either of type 1 or of type 2. For this reason, it is simpler to assume that $k + 1$ is divisible by 3. This implies that if we choose γ such that $\gamma \cdot \frac{i(k+1-i)}{2} \leq \frac{1}{k+1}$ we are guaranteed that the only x_i which is in an interval of type 3 is $x_{\frac{2(k+1)}{3}}$. By observing that $\frac{i(k+1-i)}{2} > \frac{(k+1)^2}{8}$ $\frac{(8+1)^2}{8}$, we get that to satisfy this constraint we can pick any $\gamma \leq \frac{8}{(k+1)^3}$.

Next, we assume that $\gamma \leq \frac{8}{(k+1)^3}$ and apply Theorem [6.2](#page-12-0) with $\bar{\delta}_i(\gamma)$ and $\underline{\delta}_i(\gamma)$ defined as follows:

• For *i* such that $\frac{k+1-i}{k+1} < 1/3$, we set $\bar{\delta}_i(\gamma) = f(\frac{k+1-i}{k+1} - \frac{\gamma}{3} \cdot \frac{i(k+1-i)}{2})$ $\frac{(n-1-i)}{2}$) and $\underline{\delta}_i(\gamma) = f(\frac{k+1-i}{k+1} + \gamma \cdot \frac{i(k+1-i)}{2})$ $\frac{(-1-i)}{2}$

- For *i* such that $\frac{k+1-i}{k+1} > 1/3$, we set $\bar{\delta}_i(\gamma) = f(\frac{k+1-i}{k+1} + \gamma \cdot \frac{i(k+1-i)}{2})$ $\frac{(n-1-i)}{2}$ and $\underline{\delta}_i(\gamma) = f(\frac{k+1-i}{k+1} - \frac{\gamma}{3} \cdot \frac{i(k+1-i)}{2})$ $\frac{(-1-i)}{2}$).
- For *i* such that $\frac{k+1-i}{k+1} = 1/3$, we set $\bar{\delta}_i(\gamma) = f(\frac{k+1-i}{k+1} \frac{\gamma}{3} \cdot \frac{i(k+1-i)}{2})$ $\frac{(n-1-i)}{2}$ and $\underline{\delta}_i(\gamma) = 1/3$.

By applying Theorem [6.2](#page-12-0) for x_1 using the $\underline{\delta}_i(\gamma)$'s we get:

$$
x_{1} \geq \frac{k}{k+1} + \gamma \cdot \frac{1}{k+1} \sum_{j=1}^{k} j \cdot \underline{\delta}_{k+1-j}
$$

\n
$$
\geq \frac{k}{k+1} + \gamma \cdot \frac{1}{k+1} \sum_{\{j \mid \frac{k+1-j}{k+1} < \frac{1}{3}\}} (k+1-j) \cdot f(\frac{k+1-j}{k+1} + \gamma \cdot \frac{j(k+1-j)}{2})
$$

\n
$$
+ \gamma \cdot \frac{1}{k+1} \frac{(k+1)}{3} \cdot f(1/3) + \gamma \cdot \frac{1}{k+1} \sum_{\{j \mid \frac{k+1-j}{k+1} > \frac{1}{3}\}} (k+1-j) \cdot f(\frac{k+1-j}{k+1} - \frac{\gamma}{3} \cdot \frac{j(k+1-j)}{2})
$$

To show that there exists a threshold γ' such that for every $\gamma < \gamma'$ we have that $x_1 > \frac{k-1}{k}$, we need to show that there exists γ' such that for every $\gamma < \gamma'$:

$$
\sum_{\{j \mid \frac{k+1-j}{k+1} < \frac{1}{3}\}} (k+1-j) \cdot f\left(\frac{k+1-j}{k+1} + \gamma \cdot \frac{j(k+1-j)}{2}\right) + \frac{(k+1)}{3} \cdot f(1/3) + \sum_{\{j \mid \frac{k+1-j}{k+1} > \frac{1}{3}\}} (k+1-j) \cdot f\left(\frac{k+1-j}{k+1} - \frac{\gamma}{3} \cdot \frac{j(k+1-j)}{2}\right) > 0.
$$

Consider this expression for $k = 5$. We need to show that:

$$
f(1/6 + 5/2\gamma) + 2f(1/3) + 3f(1/2 - 3/2\gamma) + 4f(2/3 - 4/3\gamma) + 5f(5/6 - 5/6\gamma)
$$

= 1/12(5 - 362\gamma + 849\gamma²) > 0.

The above expression is greater than 0 for any $\gamma < \frac{1}{849} (181 - 2)$ $\sqrt{7129}$ = 0.0142912. Recall that this argument is only valid for $\gamma \leq \frac{8}{(k+1)^3}$, hence, we get that for $\gamma \leq \min\{0.0142912, \frac{8}{6^3}\}=0.0142912$ the top school that the biased student applies to will always be higher than $\frac{k}{k+1}$.

In Figure [8](#page-17-1) we plot our lower bound and x_1 as a function of γ . Next to it we plot x_1 to show that in fact the overshooting appears for substantially greater values of γ . To analytically improve our bound, we should repeatedly plug in bounds we have on the x_i 's to Theorem [6.2](#page-12-0) to get increasingly finer bounds.

Note that similar techniques can also be used to obtain an upper bound on x_k . By Theorem [6.2:](#page-12-0)

$$
x_k \le \frac{1}{k+1} + \gamma \cdot \frac{1}{k+1} \sum_{j=1}^k j \cdot \bar{\delta}_j.
$$

By applying Theorem [6.2](#page-12-0) for x_k using the $\bar{\delta}_i(\gamma)$'s we get:

$$
x_k \le \frac{1}{k+1} + \gamma \cdot \frac{1}{k+1} \sum_{\{j \mid \frac{k+1-j}{k+1} \le \frac{1}{3}\}} j \cdot f\left(\frac{k+1-j}{k+1} - \frac{\gamma}{3} \cdot \frac{j(k+1-j)}{2}\right)
$$

$$
+ \gamma \cdot \frac{1}{k+1} \sum_{\{j \mid \frac{k+1-j}{k+1} > \frac{1}{3}\}} j \cdot f\left(\frac{k+1-j}{k+1} + \gamma \cdot \frac{j(k+1-j)}{2}\right)
$$

To show that $x_k < \frac{1}{k+1}$, we need to show that:

$$
\sum_{\{j \mid \frac{k+1-j}{k+1} \leq \frac{1}{3} \}} j \cdot f\big(\frac{k+1-j}{k+1} - \frac{\gamma}{3} \cdot \frac{j(k+1-j)}{2}\big) + \sum_{\{j \mid \frac{k+1-j}{k+1} > \frac{1}{3} \}} j \cdot f\big(\frac{k+1-j}{k+1} + \gamma \cdot \frac{j(k+1-j)}{2}\big) < 0
$$

For $k = 5$, showing that $x_5 < \frac{1}{6}$ boils down to showing that:

$$
5f(1/6 - 5/6\gamma) + 4f(1/3 - 4/3\gamma) + 3f(1/2 + 9/2\gamma) + 2f(2/3 + 4\gamma) + f(5/6 + 5/2\gamma)
$$

= 1/12(-35 + 494\gamma + 3945\gamma²) < 0

This holds for $\gamma < \frac{2\sqrt{49771}-247}{3945} = 0.0504913$. Putting this together with the bound of $\gamma < \frac{1}{6^3}$, we required at the beginning of the argument, we get that his bound holds for $\gamma < \frac{1}{6^3}$. \Box

Figure 8: In both plots, the blue line is the value of x_1 in a 5-school portfolio. The red dashed line at $5/6$ marks the top school an unbiased agent applies to. (a) focuses on the range in which our analytical bound holds and plots the lower bound in orange. (b) zooms out and shows the value of x_1 for a larger interval.

8 Conclusion

In this paper we study a behavioral model based on reference points and loss aversion for the school application decisions made by students. We find that even a small amount of this bias leads to significant changes in how a student chooses where to apply, relative to the baseline of a student who does not experience these biases. In particular, biased students in our model apply very sparsely to the most selective schools and devote an increasingly large fraction of their applications to less selective ones; but for small levels of bias, they also avoid the prospect of disappointing rejections by overshooting and apply to schools that are too selective.

There are a number of interesting directions for further work. First, while we have used a standard and well-motivated model of the application process, with schools totally ordered by selectivity, it would be interesting to consider models where the outcomes at different schools are less strongly dependent, such as one finds in certain models of simultaneous search [\[CS06\]](#page-18-6). It would also be interesting to expand the functional form of the loss aversion used here; while manifesting the bias as an increased linear cost is standard, one could also ask how nonlinear costs might affect the outcome.

Acknowledgments

We thank Kenny Peng and Nikhil Garg for useful discussions of modeling school choice and strategic application behavior. This work was supported in part by BSF grant 2018206, ISF grant 2167/19, the NSF Graduate Research Fellowship Program under Grant No. DGE-2139899, AFOSR grant FA9550-23-1-0410, AFOSR grant FA9550-231-0068, a Vannevar Bush Faculty Fellowship, a Simons Collaboration grant, and a grant from the MacArthur Foundation.

References

[ACH17] Georgy Artemov, Yeon-Koo Che, and Yinghua He. Strategic 'mistakes': Implications for market design research. NBER Working Paper, 2017.

- [AS23] S Nageeb Ali and Ran I Shorrer. Hedging in the college application problem. Technical report, Working Paper, 2023. URL: [http://rshorrer.weebly.com/uploads/2/4/4/5/24450164/](http://rshorrer.weebly.com/uploads/2/4/4/5/24450164/alishorrerweb.pdf) [alishorrerweb.pdf](http://rshorrer.weebly.com/uploads/2/4/4/5/24450164/alishorrerweb.pdf).
- [CS06] Hector Chade and Lones Smith. Simultaneous search. Econometrica, 74(5):1293–1307, 2006.
- [DHR22] Bnaya Dreyfuss, Ori Heffetz, and Matthew Rabin. Expectations-based loss aversion may help explain seemingly dominated choices in strategy-proof mechanisms. American Economic Journal: Microeconomics, 14(4):515–55, November 2022. URL: [https://www.aeaweb.org/articles?id=](https://www.aeaweb.org/articles?id=10.1257/mic.20200259) [10.1257/mic.20200259](https://www.aeaweb.org/articles?id=10.1257/mic.20200259), [doi:10.1257/mic.20200259](https://doi.org/10.1257/mic.20200259).
- [GMM21] Hugo Gimbert, Claire Mathieu, and Simon Mauras. Constrained school choice with incomplete information, 2021. [arXiv:2109.09089](https://arxiv.org/abs/2109.09089).
- [HK09] Guillaume Haeringer and Flip Klijn. Constrained school choice. Journal of Economic theory, 144(5):1921–1947, 2009. [doi:10.1016/j.jet.2009.05.002](https://doi.org/10.1016/j.jet.2009.05.002).
- [HK21] Rustamdjan Hakimov and Dorothea Kübler. Experiments on centralized school choice and college admissions: a survey. Experimental Economics, 24(2):434–488, 2021. URL: [https://EconPapers.](https://EconPapers.repec.org/RePEc:kap:expeco:v:24:y:2021:i:2:d:10.1007_s10683-020-09667-7) [repec.org/RePEc:kap:expeco:v:24:y:2021:i:2:d:10.1007_s10683-020-09667-7](https://EconPapers.repec.org/RePEc:kap:expeco:v:24:y:2021:i:2:d:10.1007_s10683-020-09667-7).
- [HRS21] Avinatan Hassidim, Assaf Romm, and Ran I Shorrer. The limits of incentives in economic matching procedures. Management Science, 67(2):951–963, 2021.
- [KR06] Botond Kőszegi and Matthew Rabin. A model of reference-dependent preferences. The Quarterly Journal of Economics, 121(4):1133-1165, 2006. URL: <http://www.jstor.org/stable/25098823>.
- [KR07] Botond Kőszegi and Matthew Rabin. Reference-dependent risk attitudes. American Economic Review, 97(4):1047–1073, September 2007. URL: [https://www.aeaweb.org/articles?id=10.](https://www.aeaweb.org/articles?id=10.1257/aer.97.4.1047) [1257/aer.97.4.1047](https://www.aeaweb.org/articles?id=10.1257/aer.97.4.1047), [doi:10.1257/aer.97.4.1047](https://doi.org/10.1257/aer.97.4.1047).
- [KR09] Botond Kőszegi and Matthew Rabin. Reference-dependent consumption plans. American Economic Review, 99(3):909-36, June 2009. URL: [https://www.aeaweb.org/articles?id=10.](https://www.aeaweb.org/articles?id=10.1257/aer.99.3.909) [1257/aer.99.3.909](https://www.aeaweb.org/articles?id=10.1257/aer.99.3.909), [doi:10.1257/aer.99.3.909](https://doi.org/10.1257/aer.99.3.909).
- [SS18] Ran I Shorrer and Sándor Sóvágó. Obvious mistakes in a strategically simple college admissions environment: Causes and consequences. Available at SSRN 2993538, 2018.

A Missing Proofs from Section [6](#page-11-1)

In this Section we prove:

Lemma A.1. For every $1 \le i \le k$, let $\bar{\delta}_i$ and $\underline{\delta}_i$ be such that: $\underline{\delta}_i \le -(2x_i - 3x_i^2) \le \bar{\delta}_i$. The following holds:

$$
\frac{k+1-i}{k+2-i}x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \underline{\delta}_{k+1-j} \leq x_i \leq \frac{k+1-i}{k+2-i} \cdot x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \overline{\delta}_{k+1-j}.
$$

Proof. Consider Equation [\(1\)](#page-6-2):

$$
x_{i+1} = 2x_i - x_{i-1} + \gamma(2x_i - 3x_i^2) \implies x_i = \frac{x_{i-1} + x_{i+1}}{2} - \frac{\gamma(2x_i - 3x_i^2)}{2}.
$$

Using our assumptions we have that:

$$
\frac{x_{i-1} + x_{i+1}}{2} - \gamma \cdot \frac{\delta_i}{2} \le x_i \le \frac{x_{i-1} + x_{i+1}}{2} + \gamma \cdot \frac{\bar{\delta}_i}{2}.
$$
 (*)

We now use this to prove the lemma by backward induction. As the proofs of the upper bound and lower bound are the same, here we will only include the proof of the upper bound. So the base case is $i = k$. In this case, from (∗) we have that:

$$
x_k \le \frac{x_{k-1}}{2} + \gamma \frac{\bar{\delta}_k}{2}.
$$

We now assume that the induction hypothesis holds for $i + 1$ and prove it holds for i. Substituting the induction hypothesis into (∗), we get that:

$$
x_i \le \frac{x_{i-1} + \frac{k-i}{k+1-i} \cdot x_i + \frac{\gamma}{k+1-i} \sum_{j=1}^{k-i} j \cdot \overline{\delta}_{k+1-j}}{2} + \gamma \frac{\delta_i}{2}.
$$

After rearranging, we get that:

$$
x_i \le \frac{x_{i-1}}{2} + \frac{k-i}{2(k+1-i)} \cdot x_i + \frac{\gamma}{2(k+1-i)} \sum_{j=1}^{k-i} j \cdot \bar{\delta}_{k+1-j} + \gamma \frac{\delta_i}{2}.
$$

This implies that:

$$
\frac{k+2-i}{2(k+1-i)}x_i \le \frac{x_{i-1}}{2} + \frac{\gamma}{2(k+1-i)}\sum_{j=1}^{k-i} j \cdot \bar{\delta}_{k+1-j} + \gamma \frac{\delta_i}{2}.
$$

Hence,

$$
x_i \le \frac{k+1-i}{k+2-i} x_i + \frac{\gamma}{k+2-i} \sum_{j=1}^{k-i} j \cdot \bar{\delta}_{k+1-j} + \gamma \frac{k+1-i}{k+2-i} \bar{\delta}_i
$$

$$
\le \frac{k+1-i}{k+2-i} \cdot x_{i-1} + \frac{\gamma}{k+2-i} \sum_{j=1}^{k+1-i} j \cdot \bar{\delta}_{k+1-j}.
$$

 \Box

B Numerical computations of the biased student's strategy

Here, we include numerical values for the computational observations of the biased student's strategy from Section [5.4.](#page-11-2)

Table 1: Stabilization of expanding optimal portfolio for $\gamma = 1, 0.5, 0.1$.

$\gamma=1$							
\boldsymbol{k}	Schools						
1	0.333						
$\boldsymbol{2}$	0.391, 0.106						
$\overline{3}$	0.398, 0.117, 0.030						
$\overline{4}$	0.398, 0.118, 0.032, 0.008						
$\bf 5$	0.399, 0.118, 0.032, 0.008, 0.002						
6	0.399, 0.118, 0.032, 0.008, 0.002, 0.005						
$\gamma=0.5$							
\boldsymbol{k}	Schools						
1	0.422						
$\overline{2}$	0.588, 0.207						
$\sqrt{3}$	0.610, 0.272, 0.095						
$\overline{4}$	0.624, 0.288, 0.116, 0.039						
5	0.626, 0.291, 0.119, 0.046, 0.015						
66	$0.627, 0.291, 0.120, 0.047, 0.017, 0.005$						
$\overline{7}$	$0.627, 0.291, 0.120, 0.047, 0.018, 0.006, 0.002$						
8	0.627, 0.291, 0.120, 0.047, 0.018, 0.006, 0.002, 0.0008						
	$\gamma=0.1$						
\boldsymbol{k}	Schools						
$\mathbf{1}$	0.486						
$\overline{2}$	0.653, 0.310						
3	0.741, 0.465, 0.218						
$\overline{4}$	0.795, 0.560, 0.343, 0.159						
$\bf 5$	0.833, 0.626, 0.425, 0.256, 0.118						
$\,6$	0.862, 0.673, 0.483, 0.320, 0.190, 0.087						
7	0.883, 0.708, 0.525, 0.364, 0.236, 0.139, 0.063						
$8\,$	0.898, 0.734, 0.555, 0.394, 0.266, 0.170, 0.099, 0.045						
9	0.908, 0.751, 0.574, 0.414, 0.285, 0.188, 0.119, 0.069, 0.031						
10	0.915, 0.761, 0.587, 0.426, 0.296, 0.198, 0.129, 0.081, 0.046, 0.021						
11	0.918, 0.767, 0.593, 0.432, 0.301, 0.204, 0.134, 0.086, 0.053, 0.031, 0.014						
12	$0.920, 0.770, 0.596, 0.435, 0.304, 0.206, 0.137, 0.089, 0.057, 0.035, 0.020, 0.009$						
13	$0.920, 0.771, 0.598, 0.436, 0.305, 0.207, 0.138, 0.090, 0.058, 0.037, 0.023, 0.013, 0.006$						
14	$0.921, 0.772, 0.598, 0.437, 0.306, 0.208, 0.138, 0.090, 0.059, 0.038, 0.024, 0.014, 0.008, 0.003$						

κ	Unbiased $\left(\frac{k}{2(k+1)}\right)$	$\gamma = 0.01$	$\gamma = 0.05$	$\gamma=0.1$	$\gamma = 0.2$	$\gamma=0.5$
1	0.25	0.249998	0.249958	0.249827	0.249242	0.244016
$\overline{2}$	0.333333	0.333329	0.333237	0.332936	0.331625	0.319467
3	0.375	0.374991	0.374787	0.374121	0.371246	0.346748
4	0.4°	0.399984	0.399586	0.398285	0.392758	0.354428
5	0.416666	0.416638	0.415945	0.413675	0.404421	0.356059
6	0.428571	0.428527	0.427412	0.423796	0.410208	0.356349
7	0.4375	0.437433	0.435752	0.430424	0.412700	0.356400
8	0.444444	0.444349	0.441937	0.434621	0.413637	0.356407
9	0.45	0.449868	0.446553	0.437132	0.413961	0.356407
10	0.454545	0.454370	0.449979	0.438526	0.414065	0.356409
25	0.480769	0.478386	0.457684	0.439903	0.414113	0.356409
50	0.490196	0.481122	0.457685	0.439903	0.414113	0.356409
75	0.493421	0.481131	0.457685	0.439903	0.414113	0.356409
100	0.495049	0.481131	0.457685	0.439903	0.414113	0.356409

Table 2: Convergence of true expected payoff from $k=1$ to 100, for selected values of γ .