

Demystifying Tacit Knowledge in Graphic Design: Characteristics, Instances, Approaches, and Guidelines

Kihoon Son

kihoon.son@kaist.ac.kr
School of Computing, KAIST
Daejeon, Republic of Korea

Tae Soo Kim

taesoo.kim@kaist.ac.kr
School of Computing, KAIST
Daejeon, Republic of Korea

DaEun Choi

daeun.choi@kaist.ac.kr
School of Computing, KAIST
Daejeon, Republic of Korea

Juho Kim

juhokim@kaist.ac.kr
School of Computing, KAIST
Daejeon, Republic of Korea

ABSTRACT

Despite the growing demand for professional graphic design knowledge, the tacit nature of design inhibits knowledge sharing. However, there is a limited understanding on the characteristics and instances of tacit knowledge in graphic design. In this work, we build a comprehensive set of tacit knowledge characteristics through a literature review. Through interviews with 10 professional graphic designers, we collected 123 tacit knowledge instances and labeled their characteristics. By qualitatively coding the instances, we identified the prominent elements, actions, and purposes of tacit knowledge. To identify which instances have been addressed the least, we conducted a systematic literature review of prior system support to graphic design. By understanding the reasons for the lack of support on these instances based on their characteristics, we propose design guidelines for capturing and applying tacit knowledge in design tools. This work takes a step towards understanding tacit knowledge, and how this knowledge can be communicated.

CCS CONCEPTS

• **Human-centered computing** → **Empirical studies in HCI**.

KEYWORDS

Tacit Knowledge; Design Guideline; Graphic Design; Knowledge Capturing; Knowledge Sharing

ACM Reference Format:

Kihoon Son, DaEun Choi, Tae Soo Kim, and Juho Kim. 2024. Demystifying Tacit Knowledge in Graphic Design: Characteristics, Instances, Approaches, and Guidelines. In *Proceedings of the CHI Conference on Human Factors in Computing Systems (CHI '24)*, May 11–16, 2024, Honolulu, HI, USA. ACM, New York, NY, USA, 18 pages. <https://doi.org/10.1145/3613904.3642886>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI '24, May 11–16, 2024, Honolulu, HI, USA

© 2024 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-0330-0/24/05.

<https://doi.org/10.1145/3613904.3642886>

1 INTRODUCTION

There is a substantial demand for professional graphic design knowledge, which is essential for graphic designers to create effective graphic design. Graphic designers actively share their design knowledge with others through how-to videos [27], design livestreams [26, 74, 110], or design discussion forums [76]. Also, as most graphic design work is performed through digital design tools nowadays (e.g., Adobe Photoshop¹, Adobe Illustrator², Figma³, etc.), it is possible to track the designer's actions performed within a design tool and the corresponding output. This implies that professional designers can share their work in detail with novices to enable them to learn from their detailed processes.

However, since design knowledge is inherently *tacit*, it is challenging to capture and share with others a designer's knowledge fully exhibited within a design tool [4]. Knowledge exists on a continuous spectrum, ranging from tacit to explicit, with tacit knowledge and explicit knowledge possessing precisely opposite characteristics [65]. Unlike explicit knowledge, tacit knowledge is knowledge that is difficult to communicate verbally or through text and, at the same time, it can only be shared by the person who possesses that knowledge. Examples of explicit knowledge include design theories and widely adopted design rules. Examples of tacit knowledge, on the other hand, encompass skills like “sensing that the composition of design elements is unnatural given the design context” or “conducting sufficient reference research before starting a design.” Since design knowledge is synthesized through personal traits, practical expertise, and experiences with various project tasks [4], design knowledge inherently contains diverse tacit knowledge.

To enhance the sharing of design knowledge from individuals who possess tacit knowledge to those without it, it is crucial to comprehensively understand and investigate the presence of tacit knowledge in graphic design. In other words, it is crucial to understand the types of tacit knowledge, the characteristics associated with each type, and how existing design tools support this tacit knowledge. Such an understanding will not only shed light on how tacit knowledge is defined in graphic design but will also aid in developing strategies to capture this knowledge from its owners and disseminate it to those without this expertise.

¹<https://www.adobe.com/products/photoshop.html>

²<https://www.adobe.com/products/illustrator.html>

³<https://www.figma.com/>

With this goal, this work aims to 1) preferentially construct a comprehensive set of **characteristics** (Table 1-Characteristic) that tacit knowledge can possess based on prior work; 2) gather 123 actual examples of tacit knowledge (referred to as **instance** in this work; Table 1-Instance) and their characteristics through interviews and annotation studies with graphic design experts; and 3) extract *element*, *action*, and *purpose* from one tacit knowledge instance (Table 1-Element, Action, and Purpose) and categorize them to thoroughly understand how tacit knowledge is used in the graphic design field. This analysis shows how the tacit knowledge instance of graphic design is being used through what elements, through what actions of designers, and for what purposes. Subsequently, we systematically reviewed existing graphic design support tools or systems (referred to as **approach**; Table 1-Approach) to analyze instances of tacit knowledge that are not adequately supported by these tools and the reasons behind such limitations. Our findings revealed that tacit knowledge in graphic design is most commonly applied to *elements* within designs through *actions* related to cognition and manipulation, with the *purposes* of producing visually appealing designs that consider the audience. Overall, tacit knowledge is highly dependent on personal intuition and expertise, but our findings also showed that it is characterized as shareable with others through non-verbal channels in the design process. Still, existing approaches to support graphic design cannot adequately support tacit knowledge conducted by the designer's actions related to sensing and defining, or the knowledge is used for targeting audiences and visuals.

Following our investigation, we propose that tacit knowledge of graphic design can be effectively passed on to others. To facilitate this, we propose two types of design guidelines: 1) guidelines to capture tacit knowledge from designers who possess it and 2) guidelines to support designers who lack this knowledge in applying tacit knowledge in graphic design tools. The capture guidelines describe what type of designer's actions and information the tool should track within and outside a design tool. These guidelines also suggest how the knowledge can be captured by supporting tools that enable designers to annotate their rationale behind specific design actions and patterns. The application guidelines consist of suggestions related to the design of interactions in tools that support designers in *learning-by-doing* by leveraging captured tacit knowledge. Further, we discuss the designers' personal viewpoints in understanding and interpreting the overall tacit knowledge and design creativity. We also discuss the generalizability of our investigation methods to other domains such as coding, writing, or research.

Our contribution is three-fold:

- We analyzed tacit knowledge instances in graphic design according to their element, action, and purpose, deeply understanding how this knowledge exists with its characteristics.
- We identified types of tacit knowledge inadequately addressed by existing graphic design support approaches and explained the reasons based on their characteristics.
- We demonstrated that tacit knowledge of graphic design could be shared beyond verbal channels and proposed design guidelines for design tools capable of capturing and applying this knowledge.

2 RELATED WORK

2.1 Knowledge Sharing Methods in Design Field

Design knowledge sharing is a critical process for developing the design profession. In the design field, there are various ways to share design knowledge. Traditionally, designers have shared their design knowledge through design studios [90, 115], critiques [22, 113], and feedback [57, 118]. In design communities, designers actively share their knowledge or project experiences through discourse [76] that also helps experts build knowledge [31], and the set of design principles shared by experts in this way also helps novice's knowledge-sharing process [123]. Recently, various online channels have been formed, allowing designers to share their design knowledge with larger audiences through design live streaming [26, 74, 110, 120] or self-disclosure [58].

However, it is hard to share design knowledge because it includes much tacit knowledge in nature [116]. Visual materials are often utilized to convey clearer design knowledge, but even designers often do not know exactly which part of their knowledge is tacit, why, and how to share the knowledge with others [15]. In this respect, before considering how to share or communicate professional design knowledge in the graphic domain, this study aims to identify the instances and characteristics of tacit graphical design knowledge first.

2.2 Tacit Nature of Design Knowledge

Polanyi [92] proposed the concept of tacit knowledge as one of the natures of human knowledge, which has the opposite characteristics of explicit knowledge. Explicit knowledge can be straightforwardly represented and communicated between people [13]. On the contrary, tacit knowledge has the following features: gained through experiential learning and reflection [13, 99, 102], difficult to sufficiently express through verbal means [93], accessible only through the knowing subject [62], deeply embedded in action patterns and external representation [100, 106], and expressed differently depending on the context [86]. Tacit knowledge is crucial, as it significantly enhances the excellence of knowledge and its application to tasks. [29, 52, 101]. Since this knowledge is also an essential part of human knowledge, the HCI community has investigated tacit knowledge to unpack and utilize it [50, 94].

Design knowledge has many aspects that are tacit in nature [4]. For example, the design principle is one of explicit knowledge, but knowing the right time to apply the theory is an example of tacit knowledge. In a design process, designers usually make design decisions at the cognitive level [21, 51]. Due to decisions being derived from intuition [21] or experience [82], there are frequent situations in which designers cannot clearly explain what they did [15]. This aspect of design knowledge makes sharing or communicating knowledge more challenging in the learning context.

However, although various tacit knowledge was investigated by prior work, there is a limited understanding of what instances of tacit knowledge exist or what characteristics cause the communication process to be difficult. Also, there is no comprehensive investigation of how the prior work on graphic design support approaches covered what instances of tacit knowledge. Therefore, this work focuses on specifying what characteristics and instances of tacit knowledge exist in graphic design.

Table 1: The definition and examples of each term used in this paper.

Terms	Definition	Example
Characteristic	Features that tacit knowledge may possess	The knowledge that is difficult to articulate verbally
Instance	Specific examples of tacit knowledge found in graphic design	Harmoniously arranging images to match the background
Analytics Schemes	<i>Element</i>	Where tacit knowledge is revealed or manifested in graphic design
	<i>Action</i>	Actions performed by the subject to reveal their tacit knowledge
	<i>Purpose</i>	Purposes for the subject of using their tacit knowledge
Approach	Methods from prior work supporting the use of tacit knowledge	Vinci: an intelligent graphic design system for generating advertising posters [32]

3 METHOD OVERVIEW AND RESEARCH QUESTIONS

3.1 Goals and Research Questions

Our study aims to investigate tacit knowledge in graphic design deeply by identifying the characteristics and instances of tacit knowledge, as well as by reviewing prior approaches for supporting the usage of design knowledge. The ultimate goal is to propose design guidelines for systems that support the capture and application of tacit knowledge. Based on these research goals, we defined three research questions:

- RQ1. What types of tacit knowledge **instances** exist in graphic design, and what are the differences between these types regarding their **characteristics**?
- RQ2: How do prior **approaches** in graphic design support the usage of tacit knowledge **instances**, and what parts lack support?
- RQ3. How should tools that support the sharing, communicating, and using tacit knowledge be designed?

3.2 Definition of Terms

This research employs various terms to analyze tacit knowledge. For clarity, we first provide definitions and examples of these terms in this section. First, the term **Characteristic** refers to features that tacit knowledge may possess (e.g., knowledge that is “*difficult to articulate verbally*”). Next, the term **Instance** used in this work refers to specific examples of tacit knowledge found in graphic design, like “*harmoniously arranging images to match the background*”. *Elements*, *actions*, and *purposes* serve as schemes to analyse **instances** in detail; in the previous example, the *element* is “*image*”, *action* is “*arrange*”, and the *purpose* is “*harmony*”. Utilizing these schemes, we analyzed instances collected from graphic design experts. Finally, the term “**Approach**” signifies methods from prior work that support the use of tacit knowledge. As these terms are frequently used, we have compiled definitions and examples for each term in Table 1.

3.3 Research Procedure Overview

Our research consisted of five main steps, which are illustrated in Figure 1. First, we examined the **characteristics** that are widely used in prior literature to describe tacit knowledge and created an integrative set of these characteristics (Figure 1-a). Subsequently, we

conducted an interview study with graphic design experts, where we asked them to recollect **instances** of tacit knowledge and to annotate the characteristics of these instances (Figure 1-b). To analyze the collected data in-depth, we also extracted the *elements*, *actions*, and *purposes* from each instance and conducted qualitative coding (Figure 1-c). As a result, we analyzed the **characteristics**, *elements*, *actions*, and *purposes* associated with the instances. Next, we conducted a systematic literature review to understand why prior **approaches** may or may not support certain **instances** due to their specific **characteristics** (Figure 1-d). Through this series of research processes, we ultimately propose **design guidelines** for supporting the capture and application of tacit knowledge in the graphic design process (Figure 1-e).

4 COMPILING CHARACTERISTICS OF TACIT KNOWLEDGE THROUGH A LITERATURE REVIEW

4.1 Tacit Knowledge Characteristics

According to Leonard and Sensiper [65], knowledge exists on a spectrum from tacit and unconscious knowledge to explicit and codified knowledge. The majority of knowledge falls somewhere in this knowledge spectrum. This can be interpreted as having varying degrees of tacitness [38, 87] depending on how difficult it is to share and communicate. Hence, identifying the characteristics of each tacit knowledge has to be the first step to understanding it deeply.

For example, “*sensing that the composition of design elements is unnatural*” could have more intuition-related characteristics than “*conducting sufficient reference research before starting a design*”. In addition, if the former instance is more challenging to share with others than the latter, we can say that the former instance has a higher tacitness than the latter. Therefore, it is crucial to understand these characteristics and how they manifest in different pieces of tacit knowledge to understand the knowledge. While prior work has described some of these characteristics, to the best of our knowledge, no study has provided a comprehensive list with the described characteristics from prior work. In this background, we first assembled and organized the characteristics defined in prior work through a literature survey.




Figure 1: Research overview. The diagram illustrates the overall research process of this work. Each research step is depicted, with specific sections marked corresponding to the description of each stage.

4.2 Search Keywords and Exclusion Criteria

To define a comprehensive set of tacit knowledge characteristics within the vast literature, we narrowed our survey by setting limited search keywords. Specifically, we used the search keywords “*Tacit knowledge*” and “*Definition of tacit knowledge*” to identify literature in Google Scholar⁴ and the ACM Digital Library⁵. Then, to construct a set based on the most widely used characteristics of tacit knowledge, we only included literature with more than 300 citations with no restrictions on the publication year. Second, we filtered out papers that had no specific sections or parts describing the characteristics of tacit knowledge. Based on this procedure, we first collected 398 papers through the search keywords, and filtered out 321 and 49 papers with the first and second constraints, respectively. As a result, we landed on a set of 28 research papers. We found 13 papers with the first keyword and 15 papers with the second keyword.

⁴<https://scholar.google.com/>

⁵<https://dl.acm.org/>

4.3 Coding Process of Tacit Knowledge Characteristics

From the sections or fragments in the 28 papers that described the characteristics of tacit knowledge, we collected 102 data points related to these characteristics. Specifically, we collected data from a paper in the following situations: 1) when a particular section name includes “characteristics”, “features”, or “definitions” of tacit knowledge, and 2) when those are explained like “Tacit knowledge characteristics are A or B”. Two authors conducted an iterative coding process on the data points to merge overlapping characteristics into one code and build a category for similar codes. The authors classified each data point by merging and dividing it into groups. Next, three authors, including another author, met and reviewed the groups and finalized the categorization of code groups. All steps were repeated until the participating authors reached a consensus.

Through this process, we created a list of 14 characteristics with 4 categories in tacit knowledge (Table 2). The categories include

Table 2: A comprehensive list of the characteristics of tacit knowledge and their categories.

Category	Characteristic Code	Prior work
Possession	Individuals are able to recognize the existence of their tacit knowledge	[28, 41, 62]
	Individuals possess knowledge that is personal, such as personal skills or routines	[1, 2, 5, 18–20, 62, 65, 79, 91, 101]
	Individuals possess knowledge that is practical, such as rules or conventions in practice (e.g., specific to a certain industry or domain)	[1, 38, 56, 79]
Expression	Knowledge is expressed in human actions	[13, 55, 87, 101]
	Knowledge is hard to articulate but can be inferred via non-verbal channels	[2, 5, 13, 30, 42, 56, 79]
	Knowledge is not codified and difficult to write down or formalize	[1, 5, 18, 20, 25, 28, 37, 38, 41, 79, 83, 101]
	Knowledge is difficult to explain in terms of the decision rules that were used to reason their application	[1, 13, 19, 79]
	Knowledge is difficult to share or communicate	[5, 18, 28, 30, 34, 40–42, 56, 91, 104]
Acquisition	Knowledge is implicitly learned by doing and using	[5, 25, 28, 34, 38, 40–42, 55, 77, 79, 83]
	The process of acquiring knowledge is affected by personal traits, including mental models, values, beliefs, perceptions, and insights	[18, 25, 37, 42, 55, 56, 65, 79, 101]
Manifestation	Knowledge is specific to the context in which it is used	[1, 5, 37, 40, 42, 55, 79]
	Knowledge is specific to professionals and their experiences	[5, 19, 37, 55, 65, 77]
	Knowledge is related to an individual’s personal intuition, gut feelings, or experience	[2, 18, 20, 34, 37, 42, 56, 91, 104]
	Knowledge is conventional knowledge that is affected by societal values, tradition, or culture	[13]

“Possession”, “Expression”, “Acquisition”, and “Manifestation”. “Possession” is related to how to possess tacit knowledge; “Expression” is about how to express tacit knowledge; “Acquisition” is related to acquiring tacit knowledge one does not have; and “Manifestation” is about in what context and situations tacit knowledge is used.

5 INTERVIEW STUDY WITH PROFESSIONAL GRAPHIC DESIGNERS

To identify concrete instances of tacit knowledge in the graphic design domain and understand what characteristics these instances possess, we conducted an interview study with 10 graphic design experts (Section 5.1). Through the study, we collected 123 instances of tacit knowledge. Then, we analyzed how tacit knowledge is manifested in graphic design by performing a qualitative coding of the collected instances according to the element where the tacit knowledge is revealed, the action taken by the knowledge subject to use the tacit knowledge, and the purpose of using that knowledge. This study and analysis aim to address the first RQ of our work through a set of more detailed RQs:

- RQ1. What types of tacit knowledge **instances** exist in graphic design, and how do they differ regarding tacit knowledge characteristics?
 - RQ1-1. Through what *elements*, *actions*, and *purposes* is tacit knowledge in graphic design used?
 - RQ1-2. In terms of the *element*, what characteristics do instances have where tacit knowledge is revealed?
 - RQ1-3. In terms of the *action* performed to use the tacit knowledge, what characteristics do instances have?

- RQ1-4. What characteristics do instances have regarding the *purpose* of using tacit knowledge?

5.1 Interview Study

5.1.1 Interviewees and Recruitment. Since one of the characteristics of tacit knowledge is “professional” [5, 55] and “experienced” [38, 55, 79] knowledge, we recruited graphic design experts with at least five years of experience. A total of 10 participants (Table 3) were recruited through the online communities and social media (Kakao⁶ open group chat room or Facebook⁷ group for graphic designers). Specifically, we recruited graphic design experts in BX⁸, UI/UX, product, and editorial⁹ design. The participants consisted of 3 male and 7 female designers, and their average length of experience was 8.1 years (Min=5, Max=13, and SD=2.96).

5.1.2 Protocol. Two authors led the study (90 minutes). First, the study started by explaining the definition of tacit knowledge (5 minutes). Next, based on the pre-defined questions in a semi-structured interview format, we asked participants to think of and explain instances of tacit knowledge in the domain they work in (35 minutes). In their work process, we asked whether tacit knowledge exists in their domain, how professional and novice designers differ in using tacit knowledge, and what the specific experience related to tacit knowledge would be. What is needed to capture and apply tacit knowledge in the design process was also asked. During the

⁶<https://www.kakaocorp.com>

⁷<https://www.facebook.com/>

⁸Brand experience design.

⁹Closely related to physical printing design like posters, packaging, or magazines.

Table 3: Information regarding the domain, experience, and type of design work performed by the 10 designers interviewed.

ID	Gender	Age	Domain	Experience	Current work (Examples of work)
P1	Male	31	Product	7 years	B2B service design project manager (from planning to actual service design)
P2	Female	30	Product	5 years	IT product services project manager (planning, designing, prototype testing, and validation of service)
P3	Male	39	BX	13 years	Branding design work related to broadcast media-focused (TV, news, and internet)
P4	Female	34	BX	8 years	Branding design focusing on e-commerce (from packaging to design promotion)
P5	Female	35	UI/UX	10 years	E-commerce service UI/UX design (data analysis-based design or seller side UI/UX design)
P6	Male	34	UI/UX	7 years	In-house UI/UX design (landing page, detailed description page, or company web page design)
P7	Male	31	UI/UX	5 years	UI/UX design in coding education start-up (UI/UX design of the actual page design through communication with developers)
P8	Female	33	Editorial	7 years	Editorial design of various channels (advertisement, signboard, poster, pamphlet, card news, logo, etc.)
P9	Female	32	Editorial	6 years	Kids related editorial design (product packaging, poster, advertisement, including character design)
P10	Female	36	Editorial	13 years	Editorial design of various channels (museum or cosmetics catalog, mobility poster, proposal design for large companies)

interview, another author listed the explained instances of tacit knowledge.

After the interview, participants were asked to look through the instances they mentioned and merge similar ones or divide some mixed instances. For example, P10 explained “A sense of judging strange balance, symmetry, ratio, or color of elements” as tacit knowledge in graphic design. However, P10 again divided it into “A sense of judging strange balance, symmetry, ratio of elements” and “Defining a good color scheme for a design” because P10 thought the color was a distinct element compared to others. After that, we asked them to check the proper characteristics for each instance by looking at the characteristics set (Table 2) we built (50 minutes). Participants were compensated with 105,000 KRW (Approx. 80 USD). The studies were conducted remotely through Zoom¹⁰, and the sessions were recorded.

5.2 Analysis Method and Goal on Tacit Knowledge Instances

To investigate the collected instances thoroughly, we conducted open coding on each instance and analyzed the characteristics annotated by experts. This section describes the analysis scheme and process of open coding, as well as the annotation result analysis method.

5.2.1 Analysis Scheme: Element, Action, and Purpose of Tacit Knowledge. We defined three perspectives of tacit knowledge: the *element* where tacit knowledge is revealed or manifested in graphic design, the *action* performed by the subject to reveal their tacit knowledge, and the *purpose* of using the knowledge. In prior work on the tacit knowledge of design, Bernal et al. [4] investigated whether tacit knowledge could be supported by mapping the actions of design experts (i.e., Generation, Evaluation, Selection, and Integration) to a computational approach that can support these actions. However, in order to define tacit knowledge as knowledge that can be captured and reused, we need to 1) concretize abstract actions, such as *Integration* [4], into low-level actions, and 2) specify the target or element in which this action is performed. Furthermore, the context in which the knowledge is used, including the background and purpose of the knowledge, needs to be specified when the designer applies this knowledge. Therefore, we defined not only the

specific *actions* of the designer, but also the *element* and *purpose* in which these actions are performed as a scheme to code and analyze instances.

5.2.2 Open Coding Process. Two authors conducted an open coding [14, 45] on the collected tacit knowledge instances from the participants (Total: 123; Mean: 12.3; SD: 1.49). Before starting the coding process, the authors excluded instances where two or more schemes did not emerge. For example, the instance “Design an appropriate action to achieve a certain purpose” (P2) was excluded. A total of 10 instances were excluded, and coding was carried out for 123 instances as follows. For example, in the “Adjusting the right font size, boldness, line spacing, and margin according to the hierarchy of the content” (P10), the element would be *Font*, the action is *Adjust*, and the purpose is *Considering the importance of information*. The two authors assigned codes only when these were specifically stated in the instance for element, action, and purpose.

There were instances without a specified purpose (n=10) and instances that could be revealed through all elements (n=22) in the collected data points. For example, “The ability to find the right amount of blank space in design” (P7) doesn’t indicate the purpose of this knowledge. Here, the authors did not make additional interpretations but only performed coding for the scheme specified in the instance (in this case, element and action). As another example, the “The ability to design well by blending in, rather than just following the trend” (P2) includes a purpose to *In line with design trend*, but since it does not specifically state through which element it is, the authors have assigned the element of this instance as an *Overall* code. The meaning of the *Overall* code implies that this knowledge spans all elements.

As a result of iterative qualitative coding for each of the *element*, *action*, and *purpose* of the collected 123 tacit knowledge instances, we defined 4 categories and 13 codes (exclude *Overall*) in the element, 3 categories and 11 codes in action, and 5 categories and 16 codes in purpose (Table 4).

5.2.3 Analysis on Characteristics of Instances. To specify the characteristics of the different elements, actions, and purposes of tacit knowledge from the category level of instance, we analyzed the interviewees’ annotations from the study. We calculated how often each characteristic was annotated as present in each tacit knowledge instance. Through this analysis, we report how the distribution

¹⁰<https://zoom.us/>

Table 4: Tacit knowledge in graphic design. The results of the open coding process are in Section 5.2.2. The table shows the defined code and category. The relatively lowest/highest count of the category (in each coding scheme) is highlighted in red/green.

Coding scheme	Category	Code (example of instance)	Code count	Category count (%)	
Element	Inner design element	Color (e.g., Pairing colors based on what the target demographic favors by P9)	15		
		Font (e.g., Combining aesthetically pleasing fonts by P2)	12		
		Image (e.g., Harmoniously arranging images to match the background by P2)	3		
		Layout (e.g., Creating a layout that guides the audience's actions by P4)	6	64 (56.64%)	
		Size/ratio (e.g., A sense knowledge of proper size and proportion for balanced design by P1)	8		
		Space (e.g., Judging visually comfortable margin space by P6)	7		
	Design work pattern		User experience (e.g., Predicting the mental model of the target audience by P5)	13	
			Design tool (e.g., Knowing how to use various tools according to the design situation by P8)	2	
	Contents		Work style (e.g., A work pattern conducting sufficient design research by P10)	6	8 (7.08%)
			Information hierarchy (e.g., Judging the importance of information based on the content by P9)	3	
	Outer design source		Writing (e.g., Understanding subtle differences in nuance in text phrases by P5)	2	5 (4.42%)
			Design theory (e.g., Arranging the layout based on the golden ratio rule by P6)	6	
	Overall		Reference (e.g., Feeling inspired by unrelated sources by P6)	5	11 (9.73%)
			Overall (e.g., Adapting styles that are in line with the current trends by P5 -> "Various elements affect the style")	25	25 (22.12%)
Action	Cognition	Possess (e.g., Possessing knowledge about the usage of easily readable fonts by P10)	10		
		Feel (e.g., Feeling inspired by unrelated sources by P1)	8		
		Predict (e.g., Predicting design error cases that others may not consider by P6)	9	37 (32.74%)	
		Judge (e.g., Judging the harmony between text and image by P8)	10		
	Utilization		Find (e.g., Finding fonts that fit well with the style/mood by P8)	3	
			Adapt (e.g., Appropriately adapting basic design principles according to the design situation by P7)	12	15 (13.27%)
	Manipulation		Create (e.g., Creating a layout that guides the user's actions by P4)	23	
			Arrange (e.g., Arranging objects so that the space doesn't look empty by P9)	6	
			Adjust (e.g., Adjusting the intensity of visualization to balance the design elements by P2)	17	61 (53.98%)
			Combine (e.g., Combining aesthetically pleasing colors by P2)	8	
	Purpose	Environment	Define (e.g., Defining the proper size of an element by P1)	7	
			External constraint (e.g., Possessing the knowledge of creating designs at a low cost by P5)	14	
			Design requirement (e.g., Adapting design elements to conform to the brand's identity by P7).	7	24 (21.24%)
		Audience		In line with trends (e.g., Adapting the design style to match a trend by P5)	3
Favored by the public (e.g., Creating designs with a focus on mainstream appeal by P3)				2	
User-friendly (e.g., Predicting the design from the user's perspective by P7)				7	
Reducing errors (e.g., Predicting design error cases that others may not consider by P6)				7	32 (28.32%)
Considering the target audience (e.g., Pairing colors based on what the target demographic favors by P9)				7	
Visual			Guiding the audience (e.g., Determining the proper size of an element to guide the user's attention by P9)	9	
			Enhancing readability (e.g., Increasing readability by adjusting the attributes of the font by P2)	7	
			Balanced (e.g., Arranging objects so that the space doesn't look empty by P9)	5	
			Aesthetically pleasing (e.g., Combining aesthetically pleasing colors by P2)	13	34 (30.09%)
			Unexpected (e.g., Finding unexpected color palette from completely different domains by P7)	4	
			Harmonious (e.g., Judging the harmony between text and images by P8)	5	
Individual design style		Preference (e.g., Possessing a personal style preference by P8)	3	3 (2.65%)	
Design contents		Considering the importance of information (e.g., Adjusting the font's emphasis according to the information importance by P2)	7		
		In line with the design theme (e.g., Defining what part of the topic to focus on when setting a design concept by P10)	5	12 10.62%	
Empty		Empty (e.g., Defining an element's size by P1 -> "There is no explicitly described purpose")	8	8 (7.08%)	

of tacit knowledge characteristics exists and what differences exist in each category.

5.3 Findings

5.3.1 RQ1-1: Elements, Actions, and Purpose of Tacit Knowledge in Graphic Design. Our analysis results show that graphic designers




Figure 2: Annotation analysis results of tacit knowledge characteristics. The chart shows how many annotations are obtained from the 10 graphic designers in each category of element, action, and purpose as a ratio (the calculation method is in Section 5.2.3. The legend of (a) to (d) indicates each category of Table 2.

use tacit knowledge in elements related to *inner-design elements*, through actions centered on *manipulation*, and to create *visually pleasing* designs at the category level (Table 4-Category).

The most salient elements where tacit knowledge is evident are the *color*, *font*, and *user experience* at the code level (Table 4-Code). Among the actions, graphic designers primarily engage in *creation* and *manipulation*-related actions. With respect to *purpose*, their tacit knowledge is used to satisfy *external design constraints* (e.g., a limited budget or time) while striving to create *visually appealing*

designs. Additionally, a significant portion of tacit knowledge’s purpose is to consider the actual *audience* who will face the design.

5.3.2 RQ1-2: Element, Where Tacit Knowledge is Revealed or Manifested. The coding results show that the categories of *elements* include those *inner design elements*, *design work pattern*, *contents*, and *outer design sources* (Table 4-Element’s Category). Regarding the characteristics of tacit knowledge, the instances revealed through

inner design elements require the most intuition and simultaneously have characteristics of professional knowledge (Figure 2-d).

On the other hand, the *work pattern*-related element's instances are the least intuitive and show the easiest characteristics in reasoning and communication. “*The ability to design various design proposals quickly and in large quantities*” mentioned by P7 is one of the instances revealed from the work pattern. Regarding acquiring tacit knowledge, graphic designers mostly learn while doing design work, regardless of the type of element (Figure 2-c). Tacit knowledge instances appearing as *inner design elements* are somewhat expressible through actions, but they show the most difficult characteristics in terms of codification and communication (Figure 2-b). P1, P3, and P9 have stated that fine adjustments of design elements can lead to a good design. They also mentioned that while this can be discovered during the design modification process, they often explain the rationale of modification to others using abstract terms.

5.3.3 RQ1-3: Action, Designer's Actions to Practice Tacit Knowledge. Graphic designers' actions to use tacit knowledge can be largely categorized into *cognition*, *utilization*, and *manipulation* aspects (Table 4-Action's Category). *Cognition* includes actions such as possess or feel. The *utilization* contains tacit knowledge that can be performed through finding and adapting. The *manipulation* category has tacit knowledge that can be represented through actions such as creating or arranging.

From the perspective of characteristics, it is difficult to know that the *cognitive-related actions* of tacit knowledge are owned compared to other action categories (Figure 2-a). It also shows that it is the most difficult to codify and communicate. Instances of tacit knowledge that can fall into *cognitive-related actions* category include “*Possessing knowledge about the usage of easily readable fonts*” (P10). In the interview, several designers (P3-P5, P7, and P10) explained that making judgments or predictions about certain design problems or situations is difficult to explain verbally and appears differently among experts. They also mentioned that tacit knowledge used by performing such actions highly depends on personal intuition. The most dominant actions to use tacit knowledge are in the *manipulation* category Table 4. Specifically, *creation-related action* shows the characteristics of being most influenced by personal intuition and being conventional (Figure 2-c and d).

Relatively, the smallest actions are the *utilization-related actions*, which include find and adapt (Table 4). Instances associated with these actions are “*Finding fonts that fit well with the style/mood*” (P8) and “*Appropriately adapting basic design principles according to the design situation*” (P7). In Figure 2, *utilization* shows the characteristics of difficulty in communication and reasoning.

5.3.4 RQ1-4: Purpose, Goal of Tacit Knowledge. Tacit knowledge in graphic design is used for five main purposes: *Individual design style*, *environment*, *visual*, *design content*, and *audience-related purpose* (Table 4-Purpose's Category). Tacit knowledge is mostly used for *visual purposes*, with the least associated with *individual design style*. Also, *audience-* and *environment-related purposes* were shown as one of the main purposes of tacit knowledge in graphic design.

The tacit knowledge instances with the most difficult codifying characteristic are those performed for a visual-related purpose (Figure 2-b). The instances aim to be aesthetically pleasing, like

“*Combining aesthetically pleasing colors*” (P2), or “*Creating visually comfortable margins*” (P6). P4 and P7 said that a visually attractive graphic design is hard to explain, but a designer with this knowledge reveals it through their editing or creating actions. The most intuitive tacit knowledge instances are included here, and reasoning is also rather hard (Figure 2-b and d).

Audience is a group that graphic designers always consider essential (P1-P10), and tacit knowledge with a related purpose has the most conventional characteristics and requires relatively high intuition (Figure 2). This includes the instances of “*Creating a layout that guides the audience's action*” (P4). Tacit knowledge instances with an environment-related purpose include instances of “*Possessing the knowledge of creating designs at a low cost*” (P5). The instances with this purpose show relatively high context-specific characteristics, but it has the characteristic least influenced by personal traits and intuition (Figure 2-c and d).

Instances with a purpose related to *individual style* are the least frequent (Table 4). However, among all categories of tacit knowledge (Table 4), instances are the most difficult to reason and communicate, and they can be expressed through non-verbal channels (Figure 2-b). An example of an instance including this category is “*Possessing a personal style preference*” (P8). P3 and P8 commented that personal style or preference could make the design communication difficult, but this is not tacit knowledge only for the professional.

6 SYSTEMATIC LITERATURE REVIEW: EXPLORING GRAPHIC DESIGN APPROACHES

To investigate gaps between the investigated instances and the prior approaches that support the graphic design process (e.g., design creation, knowledge sharing, etc.), we conduct a systematic literature review (SLR) on approaches, encompassing systems, techniques, and methodologies related to graphic design. By annotating the elements, actions, and purposes of instances supported explicitly by the approach, we investigate how existing approaches address different types of tacit knowledge in graphic design. This SLR aims to uncover what categories or codes of tacit knowledge instances remain unsupported or under-supported and to analyze the reasons through the characteristics of tacit knowledge in section 4.1, answering these research questions:

- RQ2: How do prior **approaches** in graphic design support the usage of tacit knowledge, and what parts lack support?
 - RQ2-1: Which *elements* of tacit knowledge get adequate or insufficient coverage by prior approaches?
 - RQ2-2: Which *actions* of tacit knowledge get adequate or insufficient coverage by prior approaches?
 - RQ2-3: Which *purposes* of tacit knowledge get adequate or insufficient coverage by prior approaches?

6.1 Sampling and Annotation

6.1.1 Search Keyword and Exclusion Criteria. We first searched for literature with broader keywords in the ACM Digital Library to identify existing approaches without constraint for publication year. The keywords were “design communication”, “design knowledge”, “design expression”, “design rationale”, and “graphic design”. Then,

we narrowed our search to papers suggesting artifact contributions (e.g., interfaces, algorithms) or those presenting frameworks or methods, that could be implemented as tools, to support graphic designers. Accordingly, empirical studies (e.g., [36]) found in the sampling process were excluded from the review.

With this exclusion criterion, we collected 108 papers using the keywords. Then, we filtered these papers based on their relatedness to the graphic design domain. For example, we included the papers if they clearly explain their focus on the graphic design domain. However, we excluded papers that focused on domains unrelated to graphic design, such as architecture, fine art, or painting. We filtered out 65 papers and arrived at a final set of 43 papers. To explore diverse approaches, we performed an exploratory search of papers (19 papers) meeting the criteria but not identified in the initial search, as well as papers citing the previously discovered papers. Consequently, we examined a total of 62 papers.

6.1.2 Annotation Process. Two authors conducted the annotation process. An approach was considered to cover a knowledge instance if it explicitly detailed the specific elements, actions, and purpose of instances in their approach. Both authors primarily reviewed the introduction and methodology sections of a sampled paper, discussing and annotating the covered elements, actions, and purpose (Table 4). In the case of conflicts during the annotation, the authors engaged in iterative discussions, establishing rules for conflicting annotations to prevent further conflicts in subsequent annotations. Discussions continued until the authors reached a consensus and completed the entire annotation process.

The annotation process is illustrated with the following example: In the methodology section, if the approach mentions element codes and indicates system support for manipulation within those elements, the paper is marked as addressing them. As an example, Vinci [32], a design system supporting the process of creating advertisement posters, takes reference images and the desired concept of the poster to adjust elements such as color, font, image, and layout, ultimately providing a completed poster. In this case, we annotated Vinci's handled elements as *color*, *font*, *image*, *layout*, and *reference*. The annotation was also performed for the actions explicitly mentioned in the paper. Returning to the example of Vinci, this approach automatically generates designs on behalf of the designer, and the designer also arranges and adjusts the generated design. We annotated Vinci's supported actions as *create*, *arrange*, and *adjust*. Regarding the purpose of an approach, we found their aims primarily in the introduction section. Vinci aims to create visually appealing and readable posters within the given design requirements, so we annotated the purpose as *aesthetically pleasing*, *enhancing readability*, and *satisfying design requirements* codes in Table 4.

6.2 Analysis Method

To analyze the annotation result, the total amount of **O** marks was counted in each element, action, and purpose code level (Table 4-Code). We divided this by the total number of reviewed papers to calculate the percentage of coverage within the sampled papers in each code level. Then, we averaged each code's coverage value in a category to get the average coverage values in each category (*Approach avg ratio* in Table 5). We compared this ratio with Table 4's

category ratio to see which types of categories are relatively less covered from prior approaches. This method reveals the differences between the distribution of tacit knowledge instances and those covered by the approaches. Additionally, drawing from the findings in Sections 5.3.2 to 5.3.4, we examine the reasons behind the limited coverage of specific instances by describing the characteristics of categories.

6.3 Findings

6.3.1 RQ2-1: Which Elements of Tacit Knowledge Receive Adequate or Insufficient Coverage? Among the elements, the one least addressed by approaches is related to *design content*, while the most is associated with *work patterns* (Table 5). Specifically, *design content* category shows low occupancies in both of tacit knowledge instances (Table 4-Element's Contents) and coverage within existing approaches (Table 5-Element's Contents). In contrast, the *inner design element*, which reveals a significant amount of tacit knowledge instances (Table 4-Element's Inner design elements), demonstrates relatively low coverage (Table 5-Element's Inner design elements). Among the reviewed papers, only an average of 22% of approaches address *inner design elements* such as font, color, and layout. Notably, instances that can be expressed through user experience exhibit a mere 5% coverage. Tacit knowledge revealed through *inner design element* is characterized by its close connection to intuition (Figure 2-d), and among the four elements, it represents the most challenging tacit knowledge to communicate (Figure 2-b). In this regard, P3 and P5 mentioned that while knowledge related to inner design elements can be adequately demonstrated through a designer's actions, organizing and reusing such knowledge might be difficult for those who do not possess it firsthand.

6.3.2 RQ2-2: Which Actions of Tacit Knowledge Receive Adequate or Insufficient Coverage? In prior approaches, the well-supported action is linked to *utilization*, while the least-supported action pertains to *cognition* (Table 5-Action's Utilization and Cognition). The *cognition* category includes actions such as possess, feel, predict, and judge. Tacit knowledge that can be performed through these actions accounts for 33% of the explored instances (Table 4-Action's Cognition), yet it exhibits the lowest coverage within the approaches (Table 5-Action's Cognition). Particularly, the feel action is only supported by one of the surveyed papers. This means that tacit knowledge instances such as "*Feeling good inspiration from unrelated sources*" (P1), related to experiencing something in a sense, are not sufficiently supported yet. P1 further explained that sensing design issues, design inspiration, or possessing design sensibility is difficult to acquire. Communicating such knowledge with others is even more challenging. In terms of characteristics, this action showcases the most challenging aspect in terms of expression (Figure 2-b). In contrast, the *utilization* action is highly supported by prior approaches (Table 5-Action's Utilization). Notably, these approaches usually provide support for finding design references [39] or adapting external resources [63].

Tacit knowledge that can be utilized in *manipulation*-related actions exhibits a high coverage in prior approaches (Table 5-Action's Manipulation). Specifically, this action occupies a significant portion of the instances (Table 4-Action's Manipulation). Actions like create, adjust, and combine are encompassed, and many approaches

Table 5: Systematic literature review result. This table shows the SLR results. We annotated 62 prior approaches for graphic design to the code of Table 4 and calculated the ratio of coverage in each code. This table shows the average ratio of each code at the category level. The relatively lowest/highest coverage ratio of the category (in each coding scheme) is highlighted in red/green. The rightmost side shows the annotated approaches.

Coding scheme	Category	Code	Approach avg ratio (%)	Approaches
Element	Inner design element	Color		[9–11, 32, 47, 60, 84, 96, 109, 114, 117, 119, 124, 126]
		Font		[11, 12, 32, 47, 60, 66, 72, 84, 96, 97, 109, 117, 119, 124]
		Image		[10, 11, 32, 60, 96, 97, 114, 117, 119, 124, 126]
		Layout	21.66%	[9, 17, 32, 46, 49, 60, 66, 71, 75, 78, 88, 96, 98, 107, 112, 114, 117, 119, 125, 127]
		Size/ratio		[9, 10, 17, 32, 46, 47, 49, 60, 66, 71, 75, 78, 88, 96, 97, 107, 109, 112, 114, 117, 119, 124, 127]
	Design work pattern	Space		[32, 47, 49, 60, 107, 109, 112, 117, 127]
		User experience		[61, 84, 108]
	Design work pattern	Design tool	44.35%	[8, 9, 23, 35, 47, 49, 53, 63, 67, 80, 84, 89, 98, 107, 109]
		Work style		[6, 9, 11, 16, 17, 23, 24, 32, 33, 39, 43, 44, 48, 49, 53, 54, 60, 63, 64, 68, 71, 73, 75, 78, 81, 84, 85, 88, 89, 95, 96, 98, 103, 105, 107, 108, 112, 114, 122, 128]
	Contents	Information hierarchy	2.42%	[60, 66, 117]
Writing			[]	
Outer design source	Design theory	25.00%	[43, 49, 73, 78, 105]	
	Reference		[6, 8, 11, 23, 32, 33, 39, 43, 44, 47, 54, 60, 63, 68, 70, 75, 78, 81, 96, 97, 105, 112, 114, 117, 119, 125]	
Overall element	Overall	N/A	N/A	
Action	Cognition	Possess		[24, 33, 43, 53, 63, 67, 89, 95, 96, 103, 108, 128]
		Feel	13.71%	[61]
		Predict		[7, 9, 16, 24, 43, 63, 64, 84, 108, 122, 124]
		Judge		[16, 24, 43, 48, 63, 64, 73, 89, 122, 128]
	Utilization	Find	31.45%	[6, 8, 12, 23, 33, 39, 43, 44, 47, 49, 53, 54, 63, 81, 85, 95–97, 103, 105, 108, 109, 117, 122, 128]
		Adapt		[9, 11, 43, 49, 60, 68, 78, 85, 98, 109, 114, 119, 125, 127]
	Manipulation	Create		[10, 11, 17, 32, 35, 46, 49, 61, 66, 71, 72, 75, 78, 81, 97, 107, 112, 114, 117, 119, 127]
		Arrange	23.23%	[11, 17, 32, 46, 49, 66, 71, 75, 107, 119, 127]
		Adjust		[9–12, 17, 32, 47, 49, 60, 61, 66, 68, 71, 75, 78, 84, 88, 97, 107, 109, 112, 114, 119, 124, 126, 127]
		Combine		[10, 11, 60, 97, 114, 119, 125]
purpose	Environment	Define		[23, 49, 54, 70, 78, 88, 108]
		Outer constraint	29.03%	[6, 8, 10, 11, 16, 17, 32, 33, 35, 39, 44, 46–48, 54, 60, 61, 68, 71, 75, 78, 84, 85, 88, 89, 95, 96, 98, 107, 109, 112, 114, 119, 125, 128]
		Design requirement In line with trends		[8, 9, 12, 17, 32, 46, 60, 72, 73, 88, 89, 96, 98, 107, 108, 114, 127, 128] [63]
	Audience	Favored by the public		[24, 43, 63, 64, 122]
		User-friendly	8.71%	[43, 61, 64, 73, 105, 122]
		Reducing errors Considering the target audience		[32, 43, 64, 73, 122] [7, 24, 63, 78, 89, 105, 122, 124, 127]
	Visual	Guiding the audience		[7, 63]
		Enhancing readability		[32, 66, 97, 127]
		Balanced	11.29%	[17, 49, 63, 66, 127]
		Unexpected Harmonious		[17, 44, 72, 81, 88, 107] [12, 32, 63, 66, 114, 119, 126]
Individual design style	Preference	8.06%	[32, 46, 47, 49, 70]	
Design contents	Considering the importance of information	14.52%	[32, 66, 84, 127]	
	In line with the design theme		[8, 23, 32, 44, 54, 85, 97, 105, 109, 112, 114, 124, 125, 127]	
Empty	Empty	N/A	N/A	

use rule-based or generative methods to manipulate designs directly. Instances applicable to these actions are relatively easy to express and showcase a conventional characteristic (Figure 2-b and d). Designers (P2, P4, and P7-P10) explained that the knowledge to create better designs through manipulation actions is relatively easier to obtain since it can be explained to others relatively easily, and somewhat established methods are available.

6.3.3 RQ2-3: What Purpose of Tacit Knowledge Receive Adequate or Insufficient Coverage? Instances have an amount of *visual-* and *audience-*related purposes (Table 4-Purpose's Visual and Audience), while prior approaches predominantly support *environment-*related purposes (Table 5-Purpose's Environment). Despite a significant focus on goals for design requirements or external constraints, *in line with trends* within the environment had notably low coverage (Table 5-Purpose's Environment). P5 emphasized that aligning with rapidly changing graphic design trends is a crucial but challenging aspect of tacit knowledge in graphic design.

On the other hand, *audience-*related and *individual design style-*related purposes exhibit the lowest coverage within the approaches (Table 5-Purpose's Audience and Individual design style). P1 and P2 explained that understanding the public's choices or anticipating audience behavior can be acquired through only previous design experiences. Furthermore, they also stated such knowledge is challenging to perceive even with related data, and individuals with an innate sense of this aspect exist. From a characteristic perspective (Figure 2-d), instances linked to *audience-*related purpose often demand substantial personal intuition and are simultaneously possessed by professionals. Instances having a purpose of *individual design styles* are relatively scarce in the graphic design domain and existing approaches (Table 4- and Table 5-Individual design style). Although instances that reflect personal preferences and styles exist, expressing this knowledge itself is exceedingly difficult (Figure 2-b), hence its limited coverage within approaches.

7 DESIGN GUIDELINES FOR CAPTURING AND APPLYING TACIT DESIGN KNOWLEDGE

In this section, we propose two sets of design guidelines: 1) to capture tacit knowledge from experienced designers, and 2) to support those that lack the knowledge in applying it in their own design processes. Specifically, we aim to provide guidelines aligned with contemporary graphic design practices, predominantly conducted on web and app-based design tools or systems. The main findings from our work can be summarized as three-fold:

- Graphic designers primarily use tacit knowledge by doing manipulation- and cognition-related *actions* on inner design *elements* with the *purposes* of creating visually pleasing artifacts and satisfying the potential audience (Table 4)
- Graphic design tacit knowledge is acquired through experience and practice (learning-by-doing) and is influenced by personal traits, intuition, and context (Table 4-c and d). However, it can be adequately reasoned about, communicated, and expressed through non-verbal channels like design actions (Table 4-b).
- Prior approaches have shown low coverage for the *elements* (contents/inner-design elements), *actions* (cognition/manipulation),

and *purposes* (visual/audience) of tacit knowledge (Table 5) because this knowledge is more associated with personal intuition and is more specific to the context.

Based on these findings, we aim to answer the following research questions:

- RQ3. What are the **design guidelines** for graphic design tools to share, communicate, and use tacit knowledge?
 - RQ3-1. What are the design guidelines for *capturing the tacit knowledge* from the designer who possesses the tacit knowledge?
 - RQ3-2. What are the design guidelines for supporting designers without *tacit knowledge to apply others' tacit knowledge* in their design process?

7.1 RQ3-1: Guidelines for Capturing Tacit Knowledge of Graphic Design

The tacit knowledge of graphic designers is primarily revealed through design elements and actions in the design process (P1-P3, P5, and P7-P10), such as creating, arranging, adjusting, combining, or defining (Table 4-Action). We have confirmed that graphic design knowledge is manifested through inner design elements, outer design sources, and design work patterns (Table 4-Element). Also, tacit knowledge related to visual purposes is relatively difficult to reason about (Table 4-Purpose and Figure 2-b). Related to this, participants (P1, P3, and P8) mentioned that designers often intuitively modify designs based on high-level goals, making it difficult to reason about their intentions at the time.

However, prior work [121] and P3 emphasized how reasoning is possible through reflection. Specifically, P3 stated that reflecting on the process along with the final result makes it possible to reason about their decisions after the fact. Furthermore, we found that tacit knowledge can be sufficiently explained through various elements (e.g., fine-grained design editing action, references, prototypes, or design process) beyond only verbal channels (Figure 2-b). Based on these findings, we propose the following system design guidelines for capturing tacit knowledge from professional designers who possess it.

DG1: Action and Element Tracking

- **Capture:** Continuously record the designer's low-level actions (e.g., adding/modifying elements, adjusting properties, undo/redo) and corresponding design elements (e.g., shapes, images, text) within and beyond the design tool. This includes actions related to importing/adjusting external resources.
- **Data Integration:** Seamlessly integrate tracking across the design tool and external activities to create a unified action and element sequence.

DG2: Pattern Detection

- **Uncover Hidden Patterns:** Analyze the collected action data to identify recurring patterns in actions or command sequences, revealing the designer's implicit design process.
- **Focus on Sequences:** Identify and analyze frequent action sequences as they are likely to indicate significant design decisions or strategies.

DG3: Intent Interpretation

- **Metadata Leveraging:** Utilize relevant metadata associated with the designer's workflow to interpret the intent behind the identified patterns.
- **Contextual Understanding:** Consider the design context (e.g., project goals, target audience, design brief) during interpretations of patterns to gain deeper insights into the designer's thinking process.

DG4: Intent Delivery

- **Real-time Assistance:** When similar action patterns are detected in a designer's workflow, provide the designer with the interpreted intent along with the associated elements.
- **Adaptive Delivery:** Tailor the delivery of intent information based on the designer's preferences and current context.

DG5: Intent Refinement

- **Prompt for Annotations:** Prompt the designer to annotate their own interpretations or actual intents on automatically detected action patterns or intents.
- **Multiple Channels:** Allow diverse channels for annotating the intent, including text, visuals, and elements in Table 4, to cater to various aspects of tacit knowledge.

DG6: Tacit Knowledge Storage

- **Structured Representation:** Store captured tacit knowledge instances as structured data, which includes action patterns, corresponding elements, and the final intent (based on both automatic interpretations and designer annotations).
- **Categorization and Labeling:** Organize and categorize the stored knowledge based on design principles, project types, or other relevant criteria to facilitate retrieval and reuse.

7.2 RQ3-2: Guidelines for Applying Tacit Knowledge in Graphic Design

Learning-by-doing is the most noticeable characteristic of tacit knowledge in graphic design (Figure 2-c). Much tacit knowledge becomes evident when designers perceive and manipulate inner design elements. Therefore, to acquire this knowledge, it is essential to closely observe design patterns (i.g., editing or creating action) and reasons (i.g., intent or design rationale) for using tacit knowledge within the actual design process. According to P5, providing design feedback is a natural and effective form to support these processes. Prior work [57, 59, 121] also explains that tacit knowledge can be conveyed through design feedback. Based on this, we propose guidelines that specify the format, timing, and content of feedback in the design process to help novice designers acquire and apply tacit knowledge more concretely:

DG1: Predictive Design Assistance

- **Predicting the Designer's Next Action:** Employ accumulated tacit knowledge from professional designers to predict the designer's next action.
- **Explain Reasoning:** Provide a rationale for suggested actions, drawing upon relevant design principles and previously captured knowledge.

- **Offer Diverse Suggestions:** Recommend actions beyond simple manipulation, such as suggesting relevant design trends and references.

DG2: Design Knowledge Acquisition

- **Prompt for Intent Reflection:** Ask novice designers to express their intent or rationale behind specific design actions.
- **Showcase Alternative Perspectives:** Present professional designers' potential actions and intents based on captured knowledge, fostering inspiration, and acquiring professional knowledge.

DG3: Self-Evaluation and Critical Reflection

- **Prompt Design Evaluation:** Encourage designers to critically assess their own work-in-progress, considering its visual impact and potential response from the audience.
- **Focus on Specific Aspects:** Pose targeted questions to stimulate reflection on key design elements like readability, contrast, and visual hierarchy.

DG4: Personalized Design Feedback

- **Analyze Current Design Elements:** Leverage captured knowledge to offer insightful feedback on the designer's current design choices.
- **Identify Patterns and Trends:** Analyze design work patterns to identify areas for improvement and suggest alternative approaches.
- **Encourage Exploration and Experimentation:** Motivate designers to explore various design possibilities and generate diverse alternatives.

8 DISCUSSION

Our work probes the characteristics, instances, and prior approaches of tacit knowledge in graphic design to propose design guidelines for capturing and applying tacit knowledge. In this section, we discuss the implications of our findings, limitations, and future work.

8.1 Personal Viewpoints Towards Tacitness: Understanding and Supporting

In the study with designers, we observed that perspectives on designers' tacit knowledge slightly differed across domains or individuals. For example, some designers said color sense was innate, while others thought it was acquired through practice. This implies that each designer could define the characteristics of tacit knowledge differently and this further explains why tacit knowledge is also called personal knowledge [92]. In this regard, the collection and annotation of tacit knowledge could be conducted at a larger scale and diversity in terms of domain, experience, or work position. This could reveal more general distributions regarding the characteristics of the instances and the diversity of perspectives by domain or level of experience. Since different characteristics would be assigned to the same instances, this could allow for investigating diverse viewpoints toward tacit knowledge. This direction of future work will lead to a more in-depth understanding of tacit knowledge in graphic design, and reveal future directions for the design of more detailed or personalized system support for tacit knowledge.

8.2 Creativity from the Perspective of Tacit Knowledge

Instances related to design inspiration, like “The ability to draw *good motifs or inspiration* from unexpected sources” (P6), revealed varied perspectives on creativity-related tacit knowledge. Some designers (P1, P8) view it as internalized and innate, while others (P2, P4, and P6) believe it naturally develops through diverse projects. Instances aiming for unexpectedly creative designs (Table 2-Purpose, Visual category) require high intuition and expertise, described as tacit knowledge needing both experience and personal intuition. All designers mentioned it is challenging to explain creativity, but when asked about capturing and reusing creative knowledge, P4 and P6 affirmed its feasibility. They highlighted the importance of tracking observations for creativity sources that lead to inspiration inside and outside the design process. P6 suggested that although explaining real-time creative thinking might be challenging, reflecting on observed elements and personal experiences can facilitate the description. Therefore, despite creativity-related knowledge’s high tacitness, we envision a future where designers can share their design creativity as knowledge by capturing and connecting encountered information.

8.3 Towards Over-the-Shoulder-Learning with Systematic Approaches

One of the major characteristics of tacit knowledge is that it is a professional’s knowledge [5, 55, 65]. Although it depends on the instance, Figure 2 shows that a high proportion of instances were considered to be characterized as professional knowledge except for the instances of individual design style-related purpose. The most common method for learning design knowledge is through apprenticeship or design studios. While providing these learning methods online could benefit large populations of remote novices, these methods are not suitable for existing forms of online learning, such as video-based learning. This is due to how design knowledge learning and tacit knowledge acquisition necessitate the learner to learn by doing (i.e., designing), instead of only watching a teacher explain the process. In that sense, our work could guide the design of future “*over-the-shoulder learning*” [111] support systems that follow the learners’ design process and provide suggestions that help them learn about and follow tacit knowledge.

8.4 Generalization to Other Domains: Coding, Writing, and Research

In this work, we explore and investigate tacit knowledge in graphic design. Our research method can be applied to other domains, such as coding, writing, and research, but tacit knowledge will likely exist in different forms depending on the field. In each domain, future work can identify specific tacit knowledge instances and characteristics first. Further, future researchers can follow our methodology of mapping instances to existing approaches to explore what sort of knowledge is covered by prior work and to reveal under-explored tacit knowledge. For example, in the research domain, there might be tacit knowledge about how to search for references, the order in which to read a paper, and scientific writing skills on how to compose paragraphs during writing. By first revealing what instances

of tacit knowledge exist in the research process, future work could follow our research process to then define guidelines for capturing and applying the identified tacit knowledge, and, finally, design systems that employ these guidelines to help early-stage researchers acquire these pieces of tacit knowledge.

8.5 Limitations and Future Work

Our work has several limitations. First, although we collected 123 instances of tacit knowledge, it might not be representative enough because the number of designers was ten. A larger number of participants could be recruited and, thus, a larger number of instances could be collected in future work. Second, the recruitment could be expanded for each domain to identify more distinguished features of tacit knowledge in each domain. Third, more various instances of tacit knowledge could be explored and identified in actual design tasks. In our interview study, professional designers replied that the tacit knowledge instance is deeply embedded in their design process. Fourth, the unexplored grounding related to tacit knowledge can be further explored from different viewpoints. The HCI field is highly interested in supporting abstract and tacit concepts like Professional Vision [3] and Creativity Support [69] through a tool. In this sense, future work can explore the perspective of what definitions and purposes tacit knowledge is used within the tool. Lastly, if we can capture various instances of tacit knowledge in graphic designers’ actual processes, we can adopt further analysis schemes beyond element, action, and purpose. For example, to analyze when tacit knowledge is employed, additional specific contextual dimensions could be introduced, such as the stages of the design process where tacit knowledge is manifested (e.g., design ideation) or the forms of design tasks (e.g., design collaboration). In this regard, future studies could uncover more diverse types of tacit knowledge by collecting data through in-situ design tasks and adopting additional analysis schemes.

9 CONCLUSION

This work investigates the tacit knowledge in graphic design by identifying the instances, characteristics, and prior approaches. Through the interview and annotation study with professional graphic designers, this study proposes specific elements, actions, and purposes of tacit knowledge instances in graphic design with their characteristics. Also, systematic literature review and annotation process reveal the less covered elements, actions, and purposes of tacit knowledge by prior approaches that support the graphic design process. Finally, this study proposes design guidelines to capture and support the application of tacit knowledge, considering the characteristics of the instances in graphic design. Our work contributes to the future where tacit knowledge could be actively shared by demystifying tacit knowledge in graphic design.

ACKNOWLEDGMENTS

This work was supported by Institute of Information & Communications Technology Planning & Evaluation (IITP) grant funded by the Korea government (MSIT) (No.2021-0-01347, Video Interaction Technologies Using Object-Oriented Video Modeling). This work was also supported by Institute of Information & Communications Technology Planning & Evaluation (IITP) grant funded by the Korea

government(MSIT) (No.2019-0-00075, Artificial Intelligence Graduate School Program(KAIST)) We thank all of our participants for engaging positively in our various studies. We also thank all of the members of KIXLAB for their helpful discussions and constructive feedback.

REFERENCES

- Véronique Ambrosini and Cliff Bowman. 2001. Tacit Knowledge: Some Suggestions for Operationalization. *Journal of Management Studies* 38, 6 (Sept. 2001), 811–829. <https://doi.org/10.1111/1467-6486.00260>
- Steven J. Armstrong and Anis Mahmud. 2008. Experiential Learning and the Acquisition of Managerial Tacit Knowledge. *Academy of Management Learning & Education* 7, 2 (June 2008), 189–208. <https://doi.org/10.5465/amle.2008.32712617>
- Matthew T Beaudouin-Lafon, Jane L E, and Haijun Xia. 2023. Color Field: Developing Professional Vision by Visualizing the Effects of Color Filters. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (San Francisco, CA, USA) (UIST '23). Association for Computing Machinery, New York, NY, USA, Article 101, 16 pages. <https://doi.org/10.1145/3586183.3606828>
- Marcelo Bernal, John R Haymaker, and Charles Eastman. 2015. On the role of computational support for designers in action. *Design Studies* 41 (2015), 163–182. <https://doi.org/10.1016/j.destud.2015.08.001>
- Olivier Boiral. 2002. Tacit Knowledge and Environmental Management. *Long Range Planning* 35, 3 (2002), 291–317. [https://doi.org/10.1016/S0024-6301\(02\)00047-X](https://doi.org/10.1016/S0024-6301(02)00047-X)
- Sara Bunian, Kai Li, Chaima Jemmali, Casper Hartevelde, Yun Fu, and Magy Seif Seif El-Nasr. 2021. VINS: Visual Search for Mobile User Interface Design. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 423, 14 pages. <https://doi.org/10.1145/3411764.3445762>
- Zoya Bylinskii, Nam Wook Kim, Peter O'Donovan, Sami Alsheikh, Spandan Madan, Hanspeter Pfister, Fredo Durand, Bryan Russell, and Aaron Hertzmann. 2017. Learning Visual Importance for Graphic Designs and Data Visualizations. In *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology* (Québec City, QC, Canada) (UIST '17). Association for Computing Machinery, New York, NY, USA, 57–69. <https://doi.org/10.1145/3126594.3126653>
- Chunyang Chen, Sidong Feng, Zhenchang Xing, Linda Liu, Shengdong Zhao, and Jinshui Wang. 2019. Gallery D.C.: Design Search and Knowledge Discovery through Auto-created GUI Component Gallery. *Proc. ACM Hum.-Comput. Interact.* 3, CSCW, Article 180 (nov 2019), 22 pages. <https://doi.org/10.1145/3359282>
- Yan Chen, Sang Won Lee, and Steve Oney. 2021. CoCapture: Effectively Communicating UI Behaviors on Existing Websites by Demonstrating and Remixing. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 416, 14 pages. <https://doi.org/10.1145/3411764.3445573>
- Lydia B Chilton, Ecenaz Jen Ozmen, Sam H Ross, and Vivian Liu. 2021. VisiFit: Structuring Iterative Improvement for Novice Designers. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 574, 14 pages. <https://doi.org/10.1145/3411764.3445089>
- Lydia B. Chilton, Savvas Petridis, and Maneesh Agrawala. 2019. VisiBlends: A Flexible Workflow for Visual Blends. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3290605.3300402>
- Saemi Choi, Kiyoharu Aizawa, and Nicu Sebe. 2018. FontMatcher: Font Image Paring for Harmonious Digital Graphic Design. In *23rd International Conference on Intelligent User Interfaces* (Tokyo, Japan) (IUI '18). Association for Computing Machinery, New York, NY, USA, 37–41. <https://doi.org/10.1145/3172944.3173001>
- Harry Collins. 2010. *Tacit and Explicit Knowledge*. University of Chicago Press. <https://doi.org/10.7208/chicago/9780226113821.001.0001>
- Juliet Corbin and Anselm Strauss. 1990. Grounded Theory Research: Procedures, Canons and Evaluative Criteria. *Zeitschrift für Soziologie* 19, 6 (Dec. 1990), 418–427. <https://doi.org/10.1515/zfs0z-1990-0602>
- Nigel Cross. 1982. Designing ways of knowing. *Design Studies* 3, 4 (1982), 221–227. [https://doi.org/10.1016/0142-694X\(82\)90040-0](https://doi.org/10.1016/0142-694X(82)90040-0) Special Issue Design Education.
- Wataru Date and Yasuaki Kakehi. 2018. Paperprinting: a machine for prototyping paper and its applications for graphic design. In *ACM SIGGRAPH 2018 Studio*. Association for Computing Machinery, New York, NY, USA. <https://doi.org/10.1145/3214822.3214830>
- Niraj Ramesh Dayama, Kashyap Todi, Taru Saarelainen, and Antti Oulasvirta. 2020. GRIDS: Interactive Layout Design with Integer Programming. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376553>
- Kevin C. Desouza. 2003. Facilitating tacit knowledge exchange. *Commun. ACM* 46, 6 (jun 2003), 85–88. <https://doi.org/10.1145/777313.777317>
- Michael Eraut. 2000. Non-formal learning and tacit knowledge in professional work. *British Journal of Educational Psychology* 70, 1 (March 2000), 113–136. <https://doi.org/10.1348/000709900158001>
- Zeynep Erden, Georg Von Krogh, and Ikujiro Nonaka. 2008. The quality of group tacit knowledge. *The Journal of Strategic Information Systems* 17, 1 (2008), 4–18. <https://doi.org/10.1016/j.jsis.2008.02.002>
- Haakon Faste. 2017. Intuition in Design: Reflections on the Iterative Aesthetics of Form. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 3403–3413. <https://doi.org/10.1145/3025453.3025534>
- Gerhard Fischer, Kumiyo Nakakoji, Jonathan Ostwald, Gerry Stahl, and Tamara Sumner. 1993. Embedding critics in design environments. *The Knowledge Engineering Review* 8, 4 (Dec. 1993), 285–307. <https://doi.org/10.1017/s026988890000031x>
- James Fogarty, Desney Tan, Ashish Kapoor, and Simon Winder. 2008. CueFlik: interactive concept learning in image search. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Florence, Italy) (CHI '08). Association for Computing Machinery, New York, NY, USA, 29–38. <https://doi.org/10.1145/1357054.1357061>
- Eureka Foong, Joy O. Kim, Mira Dontcheva, and Elizabeth M. Gerber. 2021. CrowdFolio: Understanding How Holistic and Decomposed Workflows Influence Feedback on Online Portfolios. *Proc. ACM Hum.-Comput. Interact.* 5, CSCW1, Article 22 (apr 2021), 31 pages. <https://doi.org/10.1145/3449096>
- Ted Foos, Gary Schum, and Sandra Rothenberg. 2006. Tacit knowledge transfer and the knowledge disconnect. *Journal of Knowledge Management* 10, 1 (Jan. 2006), 6–18. <https://doi.org/10.1108/13673270610650067>
- C. Ailie Fraser, Joy O. Kim, Alison Thornsberrry, Scott Klemmer, and Mira Dontcheva. 2019. Sharing the Studio: How Creative Livestreaming can Inspire, Educate, and Engage. In *Proceedings of the 2019 Conference on Creativity and Cognition*. Association for Computing Machinery, New York, NY, USA, 144–155. <https://doi.org/10.1145/3325480.3325485>
- freeCodeCamp.org. 2021. *UI / UX Design Tutorial – Wireframe, Mockup & Design in Figma*. Retrieved February 9, 2023 from https://www.youtube.com/watch?v=c9Wg6Cb_YU&t=1s
- Meric S Gertler. 2003. Tacit knowledge and the economic geography of context, or The undefinable tacitness of being (there). *Journal of Economic Geography* 3, 1 (Jan. 2003), 75–99. <https://doi.org/10.1093/jeg/3.1.75>
- Robert Goffee and Gareth Jones. 2017. *Why Should Anyone Be Led by You?* Routledge, 325–332. <https://doi.org/10.4324/9781315250601-25>
- Keith Goffin and Ursula Koners. 2011. Tacit Knowledge, Lessons Learnt, and New Product Development. *Journal of Product Innovation Management* 28, 2 (Feb. 2011), 300–318. <https://doi.org/10.1111/j.1540-5885.2010.00798.x>
- Charles Goodwin. 2015. Professional vision. In *Aufmerksamkeit: Geschichte-Theorie-Empirie*. Springer, 387–425.
- Shunan Guo, Zhuochen Jin, Fuling Sun, Jingwen Li, Zhaorui Li, Yang Shi, and Nan Cao. 2021. Vinci: An Intelligent Graphic Design System for Generating Advertising Posters. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 577, 17 pages. <https://doi.org/10.1145/3411764.3445117>
- Marisela Gutierrez Lopez, Gustavo Rovelo Ruiz, Kris Luyten, Mieke Haesen, and Karin Coninx. 2018. Re-thinking Traceability: A Prototype to Record and Revisit the Evolution of Design Artefacts. In *Proceedings of the 2018 ACM International Conference on Supporting Group Work* (Sanibel Island, Florida, USA) (GROUP '18). Association for Computing Machinery, New York, NY, USA, 196–208. <https://doi.org/10.1145/3148330.3148334>
- Tua Haldin-Herrgard. 2000. Difficulties in diffusion of tacit knowledge in organizations. *Journal of Intellectual Capital* 1, 4 (Dec. 2000), 357–365. <https://doi.org/10.1108/14691930010359252>
- Kengo Haruno, Kento Goto, and Motomichi Toyama. 2016. Modern Web Page Generation by Using Exclusively SuperSQL. In *Proceedings of the 20th International Database Engineering & Applications Symposium* (Montreal, QC, Canada) (IDEAS '16). Association for Computing Machinery, New York, NY, USA, 340–345. <https://doi.org/10.1145/2938503.2938527>
- Scarlett R. Herring, Chia-Chen Chang, Jesse Krantzler, and Brian P. Bailey. 2009. Getting inspired! understanding how and why examples are used in creative design practice. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, MA, USA) (CHI '09). Association for Computing Machinery, New York, NY, USA, 87–96. <https://doi.org/10.1145/1518701.1518717>
- J Scott Holste and Dail Fields. 2010. Trust and tacit knowledge sharing and use. *Journal of Knowledge Management* 14, 1 (Feb. 2010), 128–140. <https://doi.org/10.1108/13673271011015615>
- Jeremy Howells. 1996. Tacit knowledge. *Technology Analysis & Strategic Management* 8, 2 (Jan. 1996), 91–106. <https://doi.org/10.1080/>

- 09537329608524237
- [39] Forrest Huang, John F. Canny, and Jeffrey Nichols. 2019. Swire: Sketch-based User Interface Retrieval. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–10. <https://doi.org/10.1145/3290605.3300334>
- [40] Jon-Arild Johannessen, Johan Olaisen, and Bjørn Olsen. 2001. Mismanagement of tacit knowledge: the importance of tacit knowledge, the danger of information technology, and what to do about it. *International Journal of Information Management* 21, 1 (2001), 3–20. [https://doi.org/10.1016/S0268-4012\(00\)00047-5](https://doi.org/10.1016/S0268-4012(00)00047-5)
- [41] Luiz Antonio Joia and Bernardo Lemos. 2010. Relevant factors for tacit knowledge transfer within organisations. *Journal of Knowledge Management* 14, 3 (June 2010), 410–427. <https://doi.org/10.1108/13673271011050139>
- [42] Nada K. Kakabadse, Alexander Kouzmin, and Andrew Kakabadse. 2001. From tacit knowledge to knowledge management: leveraging invisible assets. *Knowledge and Process Management* 8, 3 (July 2001), 137–154. <https://doi.org/10.1002/kpm.120>
- [43] Hyeonsu B. Kang, Gabriel Amoako, Neil Sengupta, and Steven P. Dow. 2018. Paragon: An Online Gallery for Enhancing Design Feedback with Visual Examples. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3173574.3174180>
- [44] Youwen Kang, Zhida Sun, Sitong Wang, Zeyu Huang, Ziming Wu, and Xi-aojuan Ma. 2021. MetaMap: Supporting Visual Metaphor Ideation through Multi-dimensional Example-based Exploration. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 427, 15 pages. <https://doi.org/10.1145/3411764.3445325>
- [45] Shahedul Huq Khandkar. 2009. Open coding. *University of Calgary* 23 (2009), 2009. <http://pages.cpsc.ucalgary.ca/~saul/wiki/uploads/CPSC681/opencoding.pdf>
- [46] Kotaro Kikuchi, Edgar Simo-Serra, Mayu Otani, and Kota Yamaguchi. 2021. Constrained Graphic Layout Generation via Latent Optimization. In *Proceedings of the 29th ACM International Conference on Multimedia* (Virtual Event, China) (MM '21). Association for Computing Machinery, New York, NY, USA, 88–96. <https://doi.org/10.1145/3474085.3475497>
- [47] Tae Soo Kim, DaEun Choi, Yoonseo Choi, and Juho Kim. 2022. Stylette: Styling the Web with Natural Language. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 5, 17 pages. <https://doi.org/10.1145/3491102.3501931>
- [48] Tae Soo Kim, Seungsu Kim, Yoonseo Choi, and Juho Kim. 2021. Winder: Linking Speech and Visual Objects to Support Communication in Asynchronous Collaboration. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 453, 17 pages. <https://doi.org/10.1145/3411764.3445686>
- [49] Won Chul Kim and James D. Foley. 1993. Providing high-level control and expert assistance in the user interface presentation design. In *Proceedings of the INTERACT '93 and CHI '93 Conference on Human Factors in Computing Systems* (Amsterdam, The Netherlands) (CHI '93). Association for Computing Machinery, New York, NY, USA, 430–437. <https://doi.org/10.1145/169059.169346>
- [50] David Kirsh. 2013. Embodied cognition and the magical future of interaction design. *ACM Transactions on Computer-Human Interaction (TOCHI)* 20, 1 (2013), 1–30.
- [51] David Kirsh. 2013. Embodied cognition and the magical future of interaction design. *ACM Trans. Comput.-Hum. Interact.* 20, 1, Article 3, 30 pages. <https://doi.org/10.1145/2442106.2442109>
- [52] David Kirsh and Paul Maglio. 1994. On distinguishing epistemic from pragmatic action. *Cognitive Science* 18, 4 (1994), 513–549. [https://doi.org/10.1016/0364-0213\(94\)90007-8](https://doi.org/10.1016/0364-0213(94)90007-8)
- [53] Scott R. Klemmer, Michael Thomsen, Ethan Phelps-Goodman, Robert Lee, and James A. Landay. 2002. Where do web sites come from? capturing and interacting with design history. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Minneapolis, Minnesota, USA) (CHI '02). Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/503376.503378>
- [54] Janin Koch, Nicolas Taffin, Andrés Lucero, and Wendy E. Mackay. 2020. SemanticCollage: Enriching Digital Mood Board Design with Semantic Labels. In *Proceedings of the 2020 ACM Designing Interactive Systems Conference* (Eindhoven, Netherlands) (DIS '20). Association for Computing Machinery, New York, NY, USA, 407–418. <https://doi.org/10.1145/3357236.3395494>
- [55] Kaj U Koskinen, Pekka Pihlanto, and Hannu Vanharanta. 2003. Tacit knowledge acquisition and sharing in a project work context. *International Journal of Project Management* 21, 4 (2003), 281–290. [https://doi.org/10.1016/S0263-7863\(02\)00030-3](https://doi.org/10.1016/S0263-7863(02)00030-3)
- [56] Kaj U Koskinen and Hannu Vanharanta. 2002. The role of tacit knowledge in innovation processes of small technology companies. *International Journal of Production Economics* 80, 1 (2002), 57–64. [https://doi.org/10.1016/S0925-5273\(02\)00243-8](https://doi.org/10.1016/S0925-5273(02)00243-8)
- [57] Yasmine Kotturi and McKayla Kingston. 2019. Why do Designers in the "Wild" Wait to Seek Feedback until Later in their Design Process? In *Proceedings of the 2019 Conference on Creativity and Cognition*. Association for Computing Machinery, New York, NY, USA, 541–546. <https://doi.org/10.1145/3325480.3326580>
- [58] Yubo Kou and Colin M. Gray. 2018. "What do you recommend a complete beginner like me to practice?": Professional Self-Disclosure in an Online Community. *Proc. ACM Hum.-Comput. Interact.* 2, CSCW, Article 94 (nov 2018), 24 pages. <https://doi.org/10.1145/3274363>
- [59] Sneha R. Krishna Kumaran, Wenxuan Wendy Shi, and Brian P Bailey. 2021. Am I Ready to Get Feedback? A Taxonomy of Factors Creators Consider Before Seeking Feedback on In-Progress Creative Work. In *Proceedings of the 13th Conference on Creativity and Cognition* (Virtual Event, Italy) (C&C '21). Association for Computing Machinery, New York, NY, USA, Article 31, 10 pages. <https://doi.org/10.1145/3450741.3465255>
- [60] Ranjitha Kumar, Jerry O. Talton, Salman Ahmad, and Scott R. Klemmer. 2011. Bricolage: example-based retargeting for web design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI '11). Association for Computing Machinery, New York, NY, USA, 2197–2206. <https://doi.org/10.1145/1978942.1979262>
- [61] Koki Kusano, Momoko Nakatani, and Takehiko Ohno. 2013. Scenario-based interactive UI design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Paris, France) (CHI '13). Association for Computing Machinery, New York, NY, USA, 391–394. <https://doi.org/10.1145/2470654.2470710>
- [62] Alice Lam. 2000. Tacit Knowledge, Organizational Learning and Societal Institutions: An Integrated Framework. *Organization Studies* 21, 3 (May 2000), 487–513. <https://doi.org/10.1177/0170840600213001>
- [63] Chunggi Lee, Sanghoon Kim, Dongyun Han, Hongjun Yang, Young-Woo Park, Bum Chul Kwon, and Sungahn Ko. 2020. GUIComp: A GUI Design Assistant with Real-Time, Multi-Faceted Feedback. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376327>
- [64] Fritz Lekschas, Spyridon Ampanavos, Pao Siangliulue, Hanspeter Pfister, and Krzysztof Z. Gajos. 2021. Ask Me or Tell Me? Enhancing the Effectiveness of Crowdsourced Design Feedback. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 564, 12 pages. <https://doi.org/10.1145/3411764.3445507>
- [65] Dorothy Leonard and Sylvia Sensiper. 2011. The Role of Tacit Knowledge in Group Innovation. (May 2011), 301–323. https://doi.org/10.1142/9789814295505_0013
- [66] Ryan Lewien. 2021. GazeHelp: Exploring Practical Gaze-assisted Interactions for Graphic Design Tools. In *ACM Symposium on Eye Tracking Research and Applications* (Virtual Event, Germany) (ETRA '21 Adjunct). Association for Computing Machinery, New York, NY, USA, Article 1, 4 pages. <https://doi.org/10.1145/3450341.3458764>
- [67] Ryan Lewien. 2021. GazeHelp: Exploring Practical Gaze-assisted Interactions for Graphic Design Tools. In *ACM Symposium on Eye Tracking Research and Applications* (Virtual Event, Germany) (ETRA '21 Adjunct). Association for Computing Machinery, New York, NY, USA, Article 1, 4 pages. <https://doi.org/10.1145/3450341.3458764>
- [68] Guang Li, Xiang Cao, Sergio Paolantonio, and Feng Tian. 2012. SketchComm: a tool to support rich and flexible asynchronous communication of early design ideas. In *Proceedings of the ACM 2012 Conference on Computer Supported Cooperative Work* (Seattle, Washington, USA) (CSCW '12). Association for Computing Machinery, New York, NY, USA, 359–368. <https://doi.org/10.1145/2145204.2145261>
- [69] Jingyi Li, Eric Rawn, Jacob Ritchie, Jasper Tran O'Leary, and Sean Follmer. 2023. Beyond the Artifact: Power as a Lens for Creativity Support Tools. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (San Francisco, CA, USA) (UIST '23). Association for Computing Machinery, New York, NY, USA, Article 47, 15 pages. <https://doi.org/10.1145/3586183.3606831>
- [70] David Chuan-En Lin and Nikolas Martelaro. 2021. Learning Personal Style from Few Examples. In *Proceedings of the 2021 ACM Designing Interactive Systems Conference* (Virtual Event, USA) (DIS '21). Association for Computing Machinery, New York, NY, USA, 1566–1578. <https://doi.org/10.1145/3461778.3462115>
- [71] Zhicheng Liu, John Thompson, Alan Wilson, Mira Dontcheva, James Delorey, Sam Grigg, Bernard Kerr, and John Stasko. 2018. Data Illustrator: Augmenting Vector Design Tools with Lazy Data Binding for Expressive Visualization Authoring. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3173574.3173697>
- [72] Daniel Lopes, João Correia, and Penousal Machado. 2020. Adea - Evolving glyphs for aiding creativity in typeface design. In *Proceedings of the 2020 Genetic*

- and *Evolutionary Computation Conference Companion* (Cancún, Mexico) (GECCO '20). Association for Computing Machinery, New York, NY, USA, 97–98. <https://doi.org/10.1145/3377929.3389964>
- [73] Jonas Löwgren and Tommy Nordqvist. 1992. Knowledge-based evaluation as design support for graphical user interfaces. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Monterey, California, USA) (CHI '92). Association for Computing Machinery, New York, NY, USA, 181–188. <https://doi.org/10.1145/142750.142786>
- [74] Zhicong Lu, Rubaiat Habib Kazi, Li-yi Wei, Mira Dontcheva, and Karrie Karahalios. 2021. StreamSketch: Exploring Multi-Modal Interactions in Creative Live Streams. *Proc. ACM Hum.-Comput. Interact.* 5, CSCW1, Article 58 (apr 2021), 26 pages. <https://doi.org/10.1145/3449132>
- [75] Jock Mackinlay. 1986. Automating the design of graphical presentations of relational information. *ACM Trans. Graph.* 5, 2 (apr 1986), 110–141. <https://doi.org/10.1145/22949.22950>
- [76] Jennifer Marlow and Laura Dabbish. 2014. From rookie to all-star: professional development in a graphic design social networking site. In *Proceedings of the 17th ACM Conference on Computer Supported Cooperative Work & Social Computing* (Baltimore, Maryland, USA) (CSCW '14). Association for Computing Machinery, New York, NY, USA, 922–933. <https://doi.org/10.1145/2531602.2531651>
- [77] R Mascitelli. 2000. From experience: harnessing tacit knowledge to achieve breakthrough innovation. *Journal of Product Innovation Management* 17, 3 (May 2000), 179–193. [https://doi.org/10.1016/s0737-6782\(00\)00038-2](https://doi.org/10.1016/s0737-6782(00)00038-2)
- [78] Nolwenn Maudet, Ghita Jalal, Philip Tchernavskij, Michel Beaudouin-Lafon, and Wendy E. Mackay. 2017. Beyond Grids: Interactive Graphical Substrates to Structure Digital Layout. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 5053–5064. <https://doi.org/10.1145/3025453.3025718>
- [79] Rodney McAdam, Bob Mason, and Josephine McCrory. 2007. Exploring the dichotomies within the tacit knowledge literature: towards a process of tacit knowing in organizations. *Journal of Knowledge Management* 11, 2 (April 2007), 43–59. <https://doi.org/10.1108/13673270710738906>
- [80] André D. Milota. 2004. Modality fusion for graphic design applications. In *Proceedings of the 6th International Conference on Multimodal Interfaces* (State College, PA, USA) (ICMI '04). Association for Computing Machinery, New York, NY, USA, 167–174. <https://doi.org/10.1145/1027933.1027963>
- [81] Mohammad Amin Mozaffari, Xinyuan Zhang, Jinghui Cheng, and Jin L.C. Guo. 2022. GANspiration: Balancing Targeted and Serendipitous Inspiration in User Interface Design with Style-Based Generative Adversarial Network. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 537, 15 pages. <https://doi.org/10.1145/3491102.3517511>
- [82] Kumiyo Nakakoji and Gerhard Fischer. 1995. Intertwining knowledge delivery and elicitation: a process model for human-computer collaboration in design. *Knowledge-Based Systems* 8, 2 (1995), 94–104. [https://doi.org/10.1016/0950-7051\(95\)98371-C](https://doi.org/10.1016/0950-7051(95)98371-C) Human-computer collaboration.
- [83] Christine Nash and Dave Collins. 2006. Tacit Knowledge in Expert Coaching: Science or Art? *Quest* 58, 4 (Nov. 2006), 465–477. <https://doi.org/10.1080/00336297.2006.10491894>
- [84] Mark W. Newman and James A. Landay. 2000. Sitemaps, storyboards, and specifications: a sketch of Web site design practice. In *Proceedings of the 3rd Conference on Designing Interactive Systems: Processes, Practices, Methods, and Techniques* (New York City, New York, USA) (DIS '00). Association for Computing Machinery, New York, NY, USA, 263–274. <https://doi.org/10.1145/347642.347758>
- [85] Tricia J. Ngoon, Joy O Kim, and Scott Klemmer. 2021. Shown: Adaptive Conceptual Guidance Aids Example User in Creative Tasks. In *Proceedings of the 2021 ACM Designing Interactive Systems Conference* (Virtual Event, USA) (DIS '21). Association for Computing Machinery, New York, NY, USA, 1834–1845. <https://doi.org/10.1145/3461778.3462072>
- [86] Ikujiro Nonaka. 1994. A dynamic theory of organizational knowledge creation. *Organization science* 5, 1 (1994), 14–37. <https://doi.org/10.1287/orsc.5.1.14>
- [87] Lee Odell, Dixie Goswami, and Anne Herrington. 1983. The discourse-based interview: A procedure for exploring the tacit knowledge of writers in nonacademic settings. *Research on writing: Principles and methods* 220 (1983), 236.
- [88] Peter O'Donovan, Aseem Agarwala, and Aaron Hertzmann. 2015. DesignScope: Design with Interactive Layout Suggestions. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems* (Seoul, Republic of Korea) (CHI '15). Association for Computing Machinery, New York, NY, USA, 1221–1224. <https://doi.org/10.1145/2702123.2702149>
- [89] Jasper O'Leary, Holger Winnemöller, Wilmot Li, Mira Dontcheva, and Morgan Dixon. 2018. Charrette: Supporting In-Person Discussions around Iterations in User Interface Design. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–11. <https://doi.org/10.1145/3173574.3174109>
- [90] Rivka Oxman. 2004. Think-maps: teaching design thinking in design education. *Design Studies* 25, 1 (2004), 63–91. [https://doi.org/10.1016/S0142-694X\(03\)00033-4](https://doi.org/10.1016/S0142-694X(03)00033-4)
- [91] Sirous Panahi, Jason Watson, and Helen Partridge. 2013. Towards tacit knowledge sharing over social web tools. *Journal of Knowledge Management* 17, 3 (May 2013), 379–397. <https://doi.org/10.1108/jkm-11-2012-0364>
- [92] Michael Polanyi. 2012. *Personal knowledge*. Routledge. <https://doi.org/10.4324/9780203442159>
- [93] Michel Polanyi and Amartya Sen. 2009. The tacit dimension. With a new foreword by Amartya Sen. <https://doi.org/10.1007/s11016-010-9328-0>
- [94] Mirjana Prpa, Sarah Fdili-Alaoui, Thecla Schiphorst, and Philippe Pasquier. 2020. Articulating Experience: Reflections from Experts Applying Micro-Phenomenology to Design Research in HCI. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3313831.3376664>
- [95] Soren Rasmussen, Jeanette Falk Olesen, and Kim Halskov. 2019. Co-notate: Exploring Real-time Annotations to Capture Situational Design Knowledge. In *Proceedings of the 2019 on Designing Interactive Systems Conference* (San Diego, CA, USA) (DIS '19). Association for Computing Machinery, New York, NY, USA, 161–172. <https://doi.org/10.1145/3322276.3322310>
- [96] Daniel Ritchie, Ankita Arvind Kejriwal, and Scott R. Klemmer. 2011. d.tour: style-based exploration of design example galleries. In *Proceedings of the 24th Annual ACM Symposium on User Interface Software and Technology* (Santa Barbara, California, USA) (UIST '11). Association for Computing Machinery, New York, NY, USA, 165–174. <https://doi.org/10.1145/2047196.2047216>
- [97] Sam H. Ross, Ecenaz Jen Ozmen, Maria V. Kogan, and Lydia B. Chilton. 2020. WordBlender: principles and tools for generating word blends. In *Proceedings of the 25th International Conference on Intelligent User Interfaces* (Cagliari, Italy) (IUI '20). Association for Computing Machinery, New York, NY, USA, 38–42. <https://doi.org/10.1145/3377325.3377527>
- [98] Steven F. Roth, John Kolojechick, Joe Mattis, and Jade Goldstein. 1994. Interactive graphic design using automatic presentation knowledge. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, Massachusetts, USA) (CHI '94). Association for Computing Machinery, New York, NY, USA, 112–117. <https://doi.org/10.1145/191666.191719>
- [99] Donald A Schon. 1983. *The reflective practitioner: How professionals think in action*. Basic Books New York.
- [100] Donald A Schön. 2017. *The reflective practitioner: How professionals think in action*. Routledge. <https://doi.org/10.4324/9781315237473>
- [101] Ragna Seidler-de Alwis and Evi Hartmann. 2008. The use of tacit knowledge within innovative companies: knowledge management in innovative enterprises. *Journal of Knowledge Management* 12, 1 (Feb. 2008), 133–147. <https://doi.org/10.1108/13673270810852449>
- [102] Moushumi Sharmin and Brian P. Bailey. 2013. ReflectionSpace: an interactive visualization tool for supporting reflection-on-action in design. In *Proceedings of the 9th ACM Conference on Creativity & Cognition* (Sydney, Australia) (C&C '13). Association for Computing Machinery, New York, NY, USA, 83–92. <https://doi.org/10.1145/2466627.2466645>
- [103] Adriana Meza Soria and André van der Hoek. 2019. Collecting design knowledge through voice notes. In *Proceedings of the 12th International Workshop on Cooperative and Human Aspects of Software Engineering* (Montreal, Quebec, Canada) (CHASE '19). IEEE Press, 33–36. <https://doi.org/10.1109/CHASE.2019.00015>
- [104] John—Christopher Spender. 1996. *Competitive Advantage from Tacit Knowledge? Unpacking the Concept and Its Strategic Implications*. SAGE Publications Ltd, 56–73. <https://doi.org/10.4135/9781446250228.n4>
- [105] Sarah Suleri, Nilda Kipi, Linh Chi Tran, and Matthias Jarke. 2019. UI Design Pattern-driven Rapid Prototyping for Agile Development of Mobile Applications. In *Proceedings of the 21st International Conference on Human-Computer Interaction with Mobile Devices and Services* (Taipei, Taiwan) (MobileHCI '19). Association for Computing Machinery, New York, NY, USA, Article 52, 6 pages. <https://doi.org/10.1145/3338286.3344399>
- [106] Masaki Suwa and Barbara Tversky. 2002. *External Representations Contribute to the Dynamic Construction of Ideas*. Springer Berlin Heidelberg, 341–343. https://doi.org/10.1007/3-540-46037-3_33
- [107] Amanda Swearngin, Chenglong Wang, Alannah Oleson, James Fogarty, and Amy J. Ko. 2020. Scout: Rapid Exploration of Interface Layout Alternatives through High-Level Design Constraints. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376593>
- [108] Hao Tan, Yi Zhu, and Jianghong Zhao. 2012. Development of an automotive user interface design knowledge system. In *Proceedings of the 4th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (Portsmouth, New Hampshire) (AutomotiveUI '12). Association for Computing Machinery, New York, NY, USA, 201–208. <https://doi.org/10.1145/2390256.2390291>
- [109] Kesler Tanner, Naomi Johnson, and James A. Landay. 2019. Poirot: A Web Inspector for Designers. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI '19). Association

- for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3290605.3300758>
- [110] Atima Tharatipyakul, Jie Li, and Pablo Cesar. 2020. Designing User Interface for Facilitating Live Editing in Streaming. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI EA '20). Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3334480.3383037>
- [111] Michael B Twidale. 2005. Over the shoulder learning: supporting brief informal learning. *Computer supported cooperative work (CSCW)* 14, 6 (Nov. 2005), 505–547. <https://doi.org/10.1007/s10606-005-9007-7>
- [112] Michihiko Ueno and Shin'ichi Satoh. 2021. Continuous and Gradual Style Changes of Graphic Designs with Generative Model. In *26th International Conference on Intelligent User Interfaces* (College Station, TX, USA) (IUI '21). Association for Computing Machinery, New York, NY, USA, 280–289. <https://doi.org/10.1145/3397481.3450666>
- [113] Belkis Uluoglu. 2000. Design knowledge communicated in studio critiques. *Design Studies* 21, 1 (2000), 33–58. [https://doi.org/10.1016/S0142-694X\(99\)00002-2](https://doi.org/10.1016/S0142-694X(99)00002-2)
- [114] Guolong Wang, Zheng Qin, Junchi Yan, and Liu Jiang. 2020. Learning to Select Elements for Graphic Design. In *Proceedings of the 2020 International Conference on Multimedia Retrieval* (Dublin, Ireland) (ICMR '20). Association for Computing Machinery, New York, NY, USA, 91–99. <https://doi.org/10.1145/3372278.3390678>
- [115] Lauren Wilcox, Betsy DiSalvo, Dick Henneman, and Qiaosi Wang. 2019. Design in the HCI Classroom: Setting a Research Agenda. In *Proceedings of the 2019 on Designing Interactive Systems Conference* (San Diego, CA, USA) (DIS '19). Association for Computing Machinery, New York, NY, USA, 871–883. <https://doi.org/10.1145/3322276.3322381>
- [116] WLP Wong and David F Radcliffe. 2000. The tacit nature of design knowledge. *Technology Analysis & Strategic Management* 12, 4 (2000), 493–512. <https://doi.org/10.1080/713698497>
- [117] Yuxi Xie, Danqing Huang, Jinpeng Wang, and Chin-Yew Lin. 2021. CanvasEmb: Learning Layout Representation with Large-scale Pre-training for Graphic Design. In *Proceedings of the 29th ACM International Conference on Multimedia* (Virtual Event, China) (MM '21). Association for Computing Machinery, New York, NY, USA, 4100–4108. <https://doi.org/10.1145/3474085.3475541>
- [118] Anbang Xu, Shih-Wen Huang, and Brian Bailey. 2014. Voyant: generating structured feedback on visual designs using a crowd of non-experts. In *Proceedings of the 17th ACM Conference on Computer Supported Cooperative Work & Social Computing* (Baltimore, Maryland, USA) (CSCW '14). Association for Computing Machinery, New York, NY, USA, 1433–1444. <https://doi.org/10.1145/2531602.2531604>
- [119] Shuai Yang. 2020. Artistic Text Stylization for Visual-Textual Presentation Synthesis. In *Proceedings of the 1st ACM International Conference on Multimedia in Asia*. Association for Computing Machinery, New York, NY, USA. <https://doi.org/10.1145/3338533.3372211>
- [120] Saelyne Yang, Changyoon Lee, Hijung Valentina Shin, and Juho Kim. 2020. Snapstream: Snapshot-based Interaction in Live Streaming for Visual Art. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3313831.3376390>
- [121] Yu-Chun Grace Yen, Steven P. Dow, Elizabeth Gerber, and Brian P. Bailey. 2017. Listen to Others, Listen to Yourself: Combining Feedback Review and Reflection to Improve Iterative Design. In *Proceedings of the 2017 ACM SIGCHI Conference on Creativity and Cognition* (Singapore, Singapore) (C&C '17). Association for Computing Machinery, New York, NY, USA, 158–170. <https://doi.org/10.1145/3059454.3059468>
- [122] Yu-Chun Grace Yen, Joy O. Kim, and Brian P. Bailey. 2020. Decipher: An Interactive Visualization Tool for Interpreting Unstructured Design Feedback from Multiple Providers. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376380>
- [123] Alvin Yuan, Kurt Luther, Markus Krause, Sophie Isabel Vennix, Steven P. Dow, and Bjorn Hartmann. 2016. Almost an Expert: The Effects of Rubrics and Expertise on Perceived Value of Crowdsourced Design Critiques. In *Proceedings of the 19th ACM Conference on Computer-Supported Cooperative Work & Social Computing* (San Francisco, California, USA) (CSCW '16). Association for Computing Machinery, New York, NY, USA, 1005–1017. <https://doi.org/10.1145/2818048.2819953>
- [124] Nanxuan Zhao, Ying Cao, and Rynson W. H. Lau. 2018. What characterizes personalities of graphic designs? *ACM Trans. Graph.* 37, 4, Article 116 (jul 2018), 15 pages. <https://doi.org/10.1145/3197517.3201355>
- [125] Nanxuan Zhao, Nam Wook Kim, Laura Mariah Herman, Hanspeter Pfister, Rynson W.H. Lau, Jose Echevarria, and Zoya Bylinskii. 2020. ICONATE: Automatic Compound Icon Generation and Ideation. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376618>
- [126] Nanxuan Zhao, Quanlong Zheng, Jing Liao, Ying Cao, Hanspeter Pfister, and Rynson W. H. Lau. 2021. Selective Region-based Photo Color Adjustment for Graphic Designs. *ACM Trans. Graph.* 40, 2, Article 17 (apr 2021), 16 pages. <https://doi.org/10.1145/3447647>
- [127] Xinru Zheng, Xiaotian Qiao, Ying Cao, and Rynson W. H. Lau. 2019. Content-aware generative modeling of graphic design layouts. *ACM Trans. Graph.* 38, 4, Article 133 (jul 2019), 15 pages. <https://doi.org/10.1145/3306346.3322971>
- [128] Roshanak Zilouchian Moghaddam, Zane Nicholson, and Brian P. Bailey. 2015. Procid: Bridging Consensus Building Theory with the Practice of Distributed Design Discussions. In *Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing* (Vancouver, BC, Canada) (CSCW '15). Association for Computing Machinery, New York, NY, USA, 686–699. <https://doi.org/10.1145/2675133.2675272>