

BenthicNet: A global compilation of seafloor images for deep learning applications

Scott C. Lowe^{1,2,†,*}, Benjamin Misiuk^{3,4,†,*}, Isaac Xu^{1,†,*}, Shakhboz Abdulazizov¹, Amit R. Baroi^{5,6}, Alex C. Bastos⁷, Merlin Best⁸, Vicki Ferrini⁹, Ariell Friedman^{10,11}, Deborah Hart¹², Ove Hoegh-Guldberg¹³, Daniel Ierodiaconou¹⁴, Julia Mackin-McLaughlin¹⁵, Kathryn Markey¹³, Pedro S. Menandro⁷, Jacquomo Monk¹⁶, Shreya Nemani¹⁷, John O'Brien¹⁸, Elizabeth Oh¹⁶, Luba Y. Reshitnyk¹⁹, Kathleen Robert¹⁷, Chris M. Roelfsema¹³, Jessica A. Sameoto¹⁸, Alexandre C. G. Schimel²⁰, Jordan A. Thomson²¹, Brittany R. Wilson¹⁸, Melisa C. Wong¹⁸, Craig J. Brown^{22,‡}, and Thomas Trappenberg^{1,‡}

¹Faculty of Computer Science, Dalhousie University, Halifax, Nova Scotia, Canada

²Vector Institute, Toronto, Ontario, Canada

³Department of Geography, Memorial University of Newfoundland, St. John's, Newfoundland, Canada

⁴Department of Earth Sciences, Memorial University of Newfoundland, St. John's, Newfoundland, Canada

⁵School for Resource and Environmental Studies, Dalhousie University, Halifax, Nova Scotia, Canada

⁶DeepSense, Dalhousie University, Halifax, Nova Scotia, Canada

⁷Universidade Federal do Espírito Santo, Departamento de Oceanografia e Ecologia Vitória, Brazil

⁸Fisheries and Oceans Canada, Marine Spatial Ecology and Analysis Section, Institute of Ocean Sciences, Sidney, British Columbia, Canada

⁹Columbia University, Lamont-Doherty Earth Observatory, Palisades, New York, USA

¹⁰Australian Centre for Field Robotics, University of Sydney, Sydney, New South Wales, Australia

¹¹Greybits Engineering, Sydney, New South Wales, Australia

¹²National Oceanic and Atmospheric Administration Northeast Fisheries Science Center, Woods Hole, Massachusetts, USA

¹³University of Queensland, School of the Environment, Brisbane, Queensland, Australia

¹⁴Deakin University, School of Life and Environmental Sciences, Warrnambool, Victoria, Australia

¹⁵Oxy Occidental College, Vantuna Research Group, Los Angeles, California, USA

¹⁶University of Tasmania, Institute for Marine and Antarctic Studies, Hobart, Tasmania, Australia

¹⁷Fisheries and Marine Institute of Memorial University of Newfoundland, School of Ocean Technology, St. John's, Newfoundland, Canada

¹⁸Fisheries and Oceans Canada, Bedford Institute of Oceanography, Dartmouth, Nova Scotia, Canada

¹⁹Hakai Institute, Heriot Bay, British Columbia, Canada

²⁰Geological Survey of Norway (NGU), Trondheim, Norway

²¹Ecology Action Centre, Halifax, Nova Scotia, Canada

²²Department of Oceanography, Dalhousie University, Halifax, Nova Scotia, Canada

*corresponding author(s): Scott C. Lowe (scott.lowe@vectorinstitute.ai), Benjamin Misiuk (bmisiuk@mun.ca), Isaac Xu (isaac.xu@dal.ca)

†These authors contributed equally to this work

‡These authors contributed equally to this work

ABSTRACT

Advances in underwater imaging enable the collection of extensive seafloor image datasets that are necessary for monitoring important benthic ecosystems. The ability to collect seafloor imagery has outpaced our capacity to analyze it, hindering expedient mobilization of this crucial environmental information. Recent machine learning approaches provide opportunities to increase the efficiency with which seafloor image datasets are analyzed, yet large and consistent datasets necessary to support development of such approaches are scarce. Here we present BenthicNet: a global compilation of seafloor imagery designed to support the training and evaluation of large-scale image recognition models. An initial set of over 11.4 million images was collected and curated to represent a diversity of seafloor environments using a representative subset of 1.3 million images. These are accompanied by 2.6 million annotations translated to the CATAMI scheme, which span 190,000 of the images. A large deep learning model was trained on this compilation and preliminary results suggest it has utility for automating large and small-scale image analysis tasks. The compilation and model are made openly available for use by the scientific community at <https://doi.org/10.20383/103.0614>.

1 Background & Summary

Spatial data products convey information that is necessary to achieve marine management goals¹, including monitoring species or habitats of interest, informing policy decisions, and guiding sustainable ocean resource use². The creation of seafloor spatial data products is broadly referred to as “benthic habitat mapping”^{3,4}, which describes both biotic and abiotic mapping elements. High quality spatial data underpins accurate benthic habitat maps, and advances in marine sampling technologies and techniques have increased capacity to collect and analyze benthic data effectively.

Underwater imagery, including both still photographs and video, is among the most common forms of data used to inform benthic habitat mapping. Seabed imagery has great utility for characterizing benthic environments for several reasons: it is non-invasive and minimally destructive, it may be collected remotely, it may be analyzed for multiple purposes (e.g. biology, geology), and it is more efficient to collect and store than physical samples (e.g. grabs, cores, preserved specimen). In addition to manual *in situ* (e.g. snorkeling, SCUBA) or surface (e.g. drop camera) deployment, imagery is increasingly collected using automated and remote underwater vehicles (AUVs, ROVs). Each of these deployment methods, but particularly AUVs and ROVs, have the potential to generate large volumes of imagery data^{5,6}. In addition to large data volumes, image datasets also often have characteristics of spatial, and therefore environmental, redundancy⁷ — for example, where proximal image frames extracted from video data depict similar biological or geological attributes due to positive spatial autocorrelation^{8,9}.

Benthic image data is traditionally analyzed by a trained operator, yet this is often inefficient given the volume and spatial redundancy that typify benthic image datasets. Depending on the detail of analysis (e.g. level of taxonomic identification), there is now capacity to collect image data faster than it can be analyzed¹⁰ — particularly in the case of automated platforms such as AUVs. The manual classification, annotation, and labelling of seabed imagery therefore acts as a bottleneck in the habitat mapping workflow¹¹, and it is common to analyze only small portions of large image datasets to expedite the production of spatial data products. These inefficiencies offer opportunities for automation.

Machine learning is a nascent technology that can facilitate the automation of manual and subjective tasks. A machine learning model is created by collecting many samples of example data for a given task, then training a model that accurately maps input samples to the desired target outputs. In particular, deep learning allows us to build the complex models necessary to solve challenging tasks that would be laborious for a human to perform^{12–14}. Deep learning models have revolutionized computer vision over the last 10 years^{15–17}, and have been successfully applied to a variety of image processing tasks such as classification^{15,16,18–21}, semantic and instance segmentation^{22–24}, and image generation^{25–28}. Some models have even attained human-level or superhuman performance at narrow tasks^{16,29–31}. The dominant network architectures used in the field of computer vision are currently convolutional neural networks³², yet other attention-based architectures such as vision transformers²¹ are increasingly applied.

Successfully training large-scale deep learning models from scratch requires large volumes of data. However, a deep neural network that has previously been trained on one task can be repurposed for a new task, provided the new task uses similar input stimuli to that used when training the original network. This process, known as transfer learning, can save considerable resources, since retraining or “fine-tuning” a model requires much fewer computational resources than training a whole new one. This can enable the learning of novel tasks from labelled datasets that would otherwise be too small to support training a deep network from scratch. Transfer learning is possible because the early layers of a deep neural network need to learn to see image stimuli first in order to comprehend and process them. The subtask of seeing and understanding the image stimuli constitutes most of the complexity of any image processing task, and this subtask is common to all tasks involving imagery from that domain. For image data of the natural world, transfer learning is typically performed by reusing models pretrained on the widely available ILSVRC-2012 (ImageNet-1k) dataset³⁰, consisting of 1.28M photographs of real world objects scraped

from image hosting websites. However, this dataset comprises terrestrial and anthropocentric objects and scenes, and does not represent subaqueous environments. The difference in the domain of the input data may limit the capacity for transfer learning.

Development of large-scale models using compilations of benthic imagery that are suitable for transfer learning purposes would be ideal, yet this is made difficult by a lack of universal labels for seabed features. One of the primary difficulties associated with developing deep learning models in this context is that, unlike terrestrial and anthropocentric images, there is no objective label for many seabed habitats, biological communities, substrate types, or organisms. Indeed, a number of different classification schemes are used to label benthic features^{33–35}. Because no single vocabulary is universally applied to describe these features, we currently lack large sets of consistently labelled images that are necessary for training deep learning models for benthic environments. We note an outstanding need to develop standardized protocols for the translation of common marine image labelling schemes.

Self-supervised learning (SSL) is a recent technique in which models can learn to understand their stimuli without the use of manually annotated data^{36–44}. Instead of using labelled data, self-supervised models learn to solve a pretext task that can be automatically constructed from the input data itself. SSL enables the training of large-scale models on unlabelled imagery, which can be collected at scale more easily than annotated imagery. Models trained with SSL have already learnt to see and understand the stimuli of interest, and can subsequently be used for transfer learning onto specific tasks, even if there is only a limited amount of annotated data available for the new task.

SSL may enable the training of deep learning models on large-scale benthic image datasets for the purposes of transfer learning on smaller novel tasks (e.g. site-specific habitat labelling), despite the lack of large consistently labelled image datasets. Cumulatively, adequate volumes of benthic image data currently exist to support the development of SSL models, but they are spread globally among various research groups, government data portals, and open data repositories. There is a need to compile and curate datasets for the development of large-scale image recognition models. Such compilations must include images from a range of biomes, depths, and physical oceanographic conditions in order to adequately represent the global heterogeneity of benthic environments. Additionally, data should be included from an array of acquisition platforms and camera configurations to represent the variability in image characteristics (e.g. lighting, resolution, quality, perspective) that arise from non-standardized image data collection methods.

The intended applications and scope for a benthic habitat machine learning image dataset dictate qualities that images should possess to be useful for automating tasks in this context. Unlike imagery that is focused solely on specific biota, benthic habitat images often depict a broader area (e.g. on the order of m^2), which necessarily includes the seafloor. The goal of analyzing such data is often to broadly categorize the benthic environment, potentially including both biotic and abiotic elements⁴⁵. Biotic characterization may include descriptions of individual organisms⁴⁶ or community composition⁴⁷, while abiotic components include description of substrate, sediment bed forms, heterogeneity, rugosity, and relief^{48–50}. For these reasons, benthic habitat information is often summarized at the whole-image level — for example, by assigning one or several “habitat” labels to an entire image using a pre-defined scheme^{34,35,51}, or by aggregating individual labels indicating presence or absence, abundance, or percentage cover of individual habitat components, which may be labelled using a more detailed vocabulary³³. It is therefore useful for benthic habitat images to depict a broad enough area so that both abiotic and biotic habitat components may be recognized. This may differ from other forms of marine image labelling that focus on locating specific objects, semantic labelling, bounding boxes, and masking. These forms of labelling are well suited to applications focusing on single taxa, pelagic biota, and object detection or tracking. Efforts to establish extensive image datasets for those applications are also underway^{11,52–61}, and several data portals and software packages support the labelling and centralization of data to support that work (e.g. CoralNet¹¹, FathomNet⁵³, SQUIDLE+⁶², BIIGLE⁶³, VIAME).

Here we describe BenthicNet: a global compilation of seafloor images that is designed to support development of automated image processing tools for benthic habitat data. With this compilation, we strive to obtain thematic diversity by (i) compiling benthic habitat images from locations around the world, and (ii) representing habitats from a broad range of marine environments. The compiled dataset is assessed for these qualities. Additionally, we aim to achieve diversity of non-thematic image characteristics (e.g. image quality, lighting, perspective) by obtaining data from a range of acquisition platforms and camera configurations. The dataset is presented in three parts: a diverse collection of over 11 million seafloor images from around the world, provided without labels (BenthicNet-11M); a rarefied subset of 1.3 million images, selected to maintain diversity in the imagery while reducing redundancy and volume (BenthicNet-1M); and a collection of 188 688 labelled images bearing 2.6 million annotations (BenthicNet-Labelled). We provide a large SSL model pretrained on BenthicNet-1M, and demonstrate its application using examples from BenthicNet-Labelled. The compilation and SSL model are made openly available to foster further development and assessment of benthic image automation tools.

2 Methods

In order to achieve a diverse collection of benthic habitat images for training deep learning models, data spanning a range of environments and geographies were obtained from a variety of sources. These initially included project partners and research

contacts, which were leveraged to establish additional data partnerships with individuals, academic and not-for-profit research groups, and government organizations. The largest data volumes were eventually obtained from several academic, government, and third-party public data repositories. The acquisition of labelled data was prioritized in all cases, but extensive high quality unlabelled data collections were also included where feasible. The desired format for each dataset was a single folder containing unique images, accompanied by a single comma separated value (CSV) file indicating, at a minimum, the dataset, file name, latitude, longitude, date and time of acquisition, URL (if hosted online) and label(s) (if provided) for each image.

2.1 Data compilation and quality control

Labelled benthic image data was initially obtained from project collaborators, data partners, and opportunistic sources such as academic journal supplementary materials. The formats and varieties of data were diverse, including collections of images with spreadsheet metadata, images with metadata contained in file names, GIS files containing images from which metadata was extracted, lists of URL image links, and raw video with text file annotations. Datasets that were not formatted as a single folder of images or list of URL links with CSV metadata were re-formatted upon receipt. Metadata contained in image file names was parsed and used to construct a metadata CSV file where necessary. Image data contained within GIS files was extracted using ArcGIS Pro and the ArcPy Python package, along with geographic information and other metadata contained within the files. All geographic coordinates were converted to decimal degrees using the WGS 84 datum. Data obtained as video files were subsampled by extracting still frames according to their metadata using FFmpeg. After formatting, all datasets were subjected to quality control checks for missing entries, duplicates, label consistency, image quality, and matches between images and metadata. Data columns were renamed to match a standardized format for the BenthicNet dataset. All quality control and formatting was completed using R and Python. The dataset sources are summarized in [Table 1](#). Additional detail on the individual datasets is provided in [Appendix C](#).

2.1.1 Individual contributions

A number of datasets were contributed by individual project partners; several of these were from eastern Canada. The Seascapes Ecology and Mapping (SEAM) Lab at Dalhousie University provided three datasets for the BenthicNet compilation from this region. Still images were provided ($n = 2281$) that were extracted from passive drop down video drifts conducted in the Bay of Fundy at 281 sites between 2017–2019 using a 4k camera system⁶⁴. Whole-image labels were supplied according to site-specific “benthoscapes” interpreted by the image analyst, which are recognizable combinations of dominant substrate type and biological characteristics^{3,4}. All megafauna were additionally identified to the highest possible taxonomic resolution for each image. A dataset of high definition benthic photographs ($n = 4064$) was also provided from surveys conducted between 2009–2014 at the St Anns Bank marine protected area⁶⁵, which included whole-image benthoscape labels defined for the site. Finally, the SEAM lab contributed photographs of the seabed ($n = 62$) used for the 2017 R2Sonic Multispectral Challenge in the Bedford Basin, Nova Scotia⁶⁶, which included broad whole-image substrate descriptions and, occasionally, biological observations. The 4D Oceans lab at the Fisheries and Marine Institute of Memorial University of Newfoundland provided still images ($n = 3000$) extracted from underwater video, as part of the project “Coastal Habitat Mapping of Placentia Bay” conducted off the coast of Newfoundland, which included whole-image substrate-derived bottom class labels^{67,68}. The Ecology Action Centre (EAC) provided 1 220 images collected by citizen scientists via Go Pro-mounted kayak between 2019–2021 at shallow eelgrass sites in Nova Scotia. These included whole-image labels for the presence or absence of eelgrass (*Zostera marina*).

Several datasets collected by researchers at Memorial University of Newfoundland (MUN) were also contributed from northern Canada. These included 895 images collected for a benthic mapping project in Frobisher Bay, Nunavut, between 2015–2016⁶⁹; 1059 images from Wager Bay, Nunavut, collected in collaboration with Parks Canada as part of the Ukkusiksaliq National Park Marine Baseline Data Collection Project; 541 images from Chesterfield Inlet, Nunavut, collected for a local benthic habitat mapping project conducted in coordination with the Government of Nunavut, and University of Manitoba; and 8 443 images from the area around Qikiqtarjuaq, Nunavut, which were obtained as part of a mapping campaign to monitor a locally harvested soft-shell clam population⁹. These datasets were each accompanied by site-specific whole-image labels describing the dominant substrate types visible in each image.

Several image datasets were provided by the Hakai Institute from western Canada. A total of 8 787 images were obtained from nearshore benthic surveys conducted between 2017–2020 from sites on the central coast of British Columbia and sites within Pacific Rim National Park Reserve (PRNPR). This data was comprised of still images from ROV deployments and GIS-annotated drop camera videos collected primarily for the purposes of mapping eelgrass meadows (*Zostera marina*). Still images were extracted from videos using the methods described above (i.e. using FFmpeg). Whole-image labels were provided corresponding to the dominant visible substrate and vegetation type present in each image.

Individual datasets were also acquired from outside Canada. The Marine Geosciences Lab (LaboGeo) at Universidade Federal do Espírito Santo (UFES) provided quadrat sample images acquired by drop camera during rhodolith surveys off the east coast of Brazil between 2015–2020^{70,71}. These were cropped to remove the quadrat frame, and 360 images were included

in the BenthicNet compilation. Whole-image labels were provided that identify the presence of rhodoliths and select biogenic substrate types. A dataset of 505 images was provided by the Hierarchical Anticipatory Learning (HAL) lab at Dalhousie University, which was collected from Ocho Rios, Jamaica, in shallow water by snorkeler in 2022. Images were unlabelled, and comprised coral reef and a range of substrate types.

2.1.2 DFO

Fisheries and Oceans Canada (DFO) is a federal institution responsible for managing many of Canada's marine resources. DFO provided three separate contributions to the BenthicNet compilation. The Population Ecology Division at the Bedford Institute of Oceanography (BIO) contributed 645 annotated images from George's Bank, which separates the Gulf of Maine from the Northwest Atlantic. These images were collected by the Geological Survey of Canada (GSC) Atlantic for programs under Natural Resources Canada (NRCan) using the Campod digital camera system deployed from the CCGS *Hudson* in 2000⁷² and 2002⁷³. Annotations included whole-image benthoscape labels describing the primary substrate and presence of characteristic biota. Benthic images were also contributed from a GSC survey on German Bank off the southwest coast of Nova Scotia in 2003⁷⁴ using Campod ($n = 641$), and from DFO Ecosystems and Ocean Science Sector surveys in 2006⁷⁵ ($n = 2044$), and 2010⁷⁶ ($n = 3181$) using the Towcam underwater imaging platform. These images included whole-image labels describing the dominant visible substrate type, some of which additionally included detailed comments describing the proportion of cover for multiple substrate types. A separate contribution from the Habitat Ecology Section at BIO comprised 1262 images from coastal eelgrass and macroalgae surveys along the Eastern Shore of Nova Scotia between 2019 and 2020⁷⁷. These images were extracted from video footage captured by a GoPro HERO7 (1080p or 2.7k resolution) deployed from a drop-down platform for passive drifts at 269 sites. Substrate labels were provided at the whole-image level according to the Coastal and Marine Ecological Classification Standard (CMECS)³⁵, as were labels for particular biota, including macroalgae and seagrasses. Finally, the DFO Deep-sea Ecology Program at the Institute of Ocean Sciences (IOS), British Columbia, contributed data collected during the 2018 Northeast Pacific Seamount Expedition using the ROV Hercules. Northeast Pacific Seamount Expedition Partners and Ocean Exploration Trust collected imagery at SGaan Kinglas-Bowie, Explorer, and Dellwood Seamounts off the west coast of Canada in 2018. Video frames were extracted every 10 seconds for analysis, and 16247 were included here. Labels were provided for some images describing the primary substrate type and also the "biotope" observed, which broadly describes the benthic community and/or habitat context (e.g. coral garden, vertical wall, sponge ground). Some images overlapped and were thus not originally labelled; in such cases, neighbouring image labels were interpolated where not initially assigned due to overlap with other images.

2.1.3 NRCan

Natural Resources Canada (NRCan) is a federal organization responsible for managing and researching a range of natural resources at the national scale. NRCan makes data freely available via the [Canada Open Government Portal](#). The NRCan/GSC Seabed Photo Collection was acquired for this project, which includes 20260 images recorded from 1804 camera stations across 78 expeditions distributed throughout the waters surrounding Canada. These photographs were collected between 1965 and 2015 using a range of equipment; photographs taken before 1978 were in greyscale, and after 1978 in colour. Photographs before 2000 were collected using film and after 2004 were digital, with both used in the interim. 3767 of the photographs were annotated with verbose descriptions of either geological features, biological contents, or both. These descriptions were parsed in order to apply whole-image substrate and biota labels (see *Data management* section below). The full [list of expeditions](#) associated with this dataset was obtained along with URLs of corresponding metadata CSV files in GeoDataBase format from the NRCan FTP server. The GeoDataBase file was processed with [geopandas](#), and CSV files were downloaded for each expedition location (URLs were manually corrected for expedition 82FOGO-ISLE, for which the CSV files were available at URLs containing the string 82FOGO_ISLE instead). These CSV files, containing URLs for individual images from the expeditions, were merged together. The year of acquisition was inferred from the expedition name, and columns were renamed to match the standardized dataset format. Sample images were inspected from each expedition to verify their appropriateness. All images from expedition 71014 consisted of collages formed of 2–6 individual photographs, and were excluded. Additional details are provided in [Appendix C.7](#).

2.1.4 NGU

The Geological Survey of Norway (NGU) is responsible for national geological mapping and research, including marine applications. NGU contributed 50290 images to this project, which were extracted from 581 underwater video transects acquired during six cruises. These were carried out between 2010 and 2017 in coastal areas and fjords of Norway (Astafjorden, Frohavet, Søre Sunnmøre, Sogn og Fjordane, Ofoten, Tysfjorden, and Tjeldsundet), as part of several "Marine Base Maps" projects. The videos were acquired using a camera rig towed near the seafloor (0 m to 200 m depth) from the NGU research vessel *Seisma*. The 2010 cruises (codes 1002 and 1007) used a 720x480 digital video camera, while all the other cruises (codes 1408, 1508, 1511, and 1706) used a higher-resolution GoPro HERO3+. The images were obtained by extracting one video frame every 10 seconds of video footage.

2.1.5 MGDS

The Marine Geoscience Data System ([MGDS](#)) is a data repository that offers public access to a curated collection of marine geophysical data products and complementary data related to understanding the formation and evolution of the seafloor and sub-seafloor. MGDS provides tools and services for the discovery and download of data collected throughout the global oceans produced primarily by researchers funded by the U.S. National Science Foundation. Six datasets were obtained from MGDS, in collaboration with the Lamont-Doherty Earth Observatory at Columbia University. Four of these were collected from the Long Island Sound Estuary in 2012 and 2013 using the United States Geological Survey ([USGS](#)) Seabed Observation and Sampling System (SEABOSS), Integrated Seafloor Imagery System camera sled, and the Kraken2 ROV⁷⁸. One dataset was obtained from the East Pacific Rise Spreading Center during the 2011 Atlantis expedition, using an Insite Scorpio Digital Camera mounted on the ROV Jason II. The final dataset was acquired by the Schmidt Ocean Institute (SOI) during the 2020 R/V *Falkor* expedition FK200429 off the northeast coast of Australia. Here, the ROV SuBastian was mobilized and images were obtained using a Subsea Systems and Inc. Z70 Digital Camera. All datasets from MGDS were manually reviewed and filtered to remove surface images (e.g. on the research vessel), and duplicates. Additional details are provided in [Appendix C.2](#).

2.1.6 NOAA

The U.S. National Oceanic and Atmospheric Administration ([NOAA](#)) is a federal science institution that conducts extensive marine research. NOAA hosts diverse collections of environmental data that are made available to the public. Benthic images were sourced from the NOAA data repository for addition to the BenthicNet dataset. Candidate data were identified using the NOAA [OneStop portal](#), using the search strings “benthic”, “habitat”, “image”, “camera”, and “photograph”. Datasets returned not containing image files were rejected. The remainder were reviewed manually, and datasets were additionally rejected that did not meet quality or content standards. Reasons for rejection included substantial proportions of non-benthic images (e.g. above-water, pelagic, individual animals, air photos), partial or full scene obstruction by non-benthic objects (e.g. equipment, ROV/AUV parts), highly inconsistent image content or quality, and incoherent dataset or metadata formatting (e.g. unorganized collections of various types of data, metadata not readable via script). Datasets were also excluded that did not meet the metadata requirements of this project — namely, those lacking metadata entirely, or lacking geographic locations for images. Where the latter occurred, efforts were made to estimate image locations using available information; for example, by assigning general study site coordinates to images, or by assigning the mean geographic centre of other images at the study site. Datasets that were otherwise suitable for inclusion were generally not rejected due to poor image quality or low resolution alone. All datasets were subjected to the quality control checks listed previously before downloading for inclusion in the BenthicNet collection, and columns were renamed to match the standardized dataset format. Several datasets included labels associated with the National Coral Reef Monitoring Program (NCRMP) describing the benthic cover, which primarily comprised coral taxa and substrate labels applied to both whole-images and points. These labels were retained. The individual datasets retrieved from the NOAA repository are listed in [Appendix C.3](#).

Additional data was contributed by the NOAA Northeast Fisheries Science Center ([NEFSC](#)). These included benthic images from Georges Bank, the Mid-Atlantic Bight, and off the coast of Cape Cod ($n = 2240$). Image surveys were conducted in 2015 using the NOAA HabCam benthic imaging platform. Whole-image labels were provided indicating the primary and secondary substrate types, and also the presence of certain taxa (mussels, *Didemnum* tunicates, bryozoans).

2.1.7 USGS

The United States Geological Survey ([USGS](#)) is a federal organization that conducts earth science research and provides public geoscience information and data. A series of unlabelled benthic image datasets were retrieved from the USGS [Science Data Catalogue](#) (see [Appendix C.4](#)). Several of these were initially discovered from review of the scientific literature^{79, 80}, and the remainder were discovered by querying the repository using the search strings “benthic”, “habitat”, “image”, “camera”, and “photograph”. Candidate datasets were screened using the same methodology as outlined above for data retrieved from the NOAA repository. Datasets were rejected that did not contain images, contained non-benthic images, were largely obstructed by non-benthic objects, or were formatted incoherently. Where precise image locations were not provided, estimates were obtained using the mean centre of the study site bounding box coordinates. All candidate datasets were subjected to the quality control checks listed previously and columns were renamed to match the standardized dataset format.

2.1.8 USAP-DC

The U.S. Antarctic Program Data Center ([USAP-DC](#)) is funded by the U.S. National Science Foundation and is a domain repository for U.S. Antarctic Research data from all disciplines. Five unlabelled datasets were obtained from USAP-DC. These were discovered from the USAP-DC website using the search strings “benthic”, “habitat”, “image”, “camera”, and “photograph”. Datasets were screened using the methodology described for the NOAA and USGS repositories. Additionally, some images that did not depict the seabed (e.g. pictures on the boat deck) were manually omitted. The mean centre of the study site bounding boxes were used to estimate image locations where precise positioning was not provided. The individual

datasets are listed in [Appendix C.5](#). These were checked for quality using the methodology described previously and columns were renamed to match the standardized dataset format.

2.1.9 AADC

The Australian Antarctic Data Centre ([AADC](#)) is a long-term repository for Australia's Antarctic data. This data is freely and openly available for scientific use. Two datasets were obtained for this project from the AADC data portal ([Appendix C.6](#)). Seafloor images ($n = 203$) from the Sabrina slope, East Antarctica, were collected in 2017 over four transects during survey "IN2017_V01" using the Australian CSIRO Marine National Facility's Deep Tow Camera⁸¹, and were downloaded along with associated metadata from AADC. These included whole-image labels indicating the substrate type coverage and the presence of biota; the former were retained here. Additionally, Geoscience Australia and the Australian Antarctic Division collected underwater photographs in 2011 at 97 sites in the Mertz Glacier region of Antarctica⁸², and 1853 images were acquired for this project. Images and metadata from both datasets were checked for quality and formatted for standardization with the BenthicNet compilation.

2.1.10 SQUIDLE+

[SQUIDLE+](#) is an online tool for managing, exploring, and annotating images and video of the seafloor. It also serves as a global repository, containing standardized records for images collected by different groups around the world. SQUIDLE+ is a living product that is updated continuously with new images and labels. A snapshot of the images available on SQUIDLE+ was acquired on April 13, 2023. The [SQUIDLE+ web API](#) was used to download the records for every image on SQUIDLE+, totalling 9 166 472 at that time. The paginated download was joined together and merged into a single CSV file, and columns were renamed to match our standardized format for the compilation. The full list of SQUIDLE+ datasets obtained is provided in [Appendix C.10](#).

Several of the large individual SQUIDLE+ datasets in this collection additionally included publicly accessible image annotations. These included Australia's Integrated Marine Observing System ([IMOS](#)), which distributes oceanographic data from a consortium of Australian institutions that is freely and openly available to the scientific community. This data included a large number of images collected by the IMOS AUV Facility, notably, using Sirius and Nimbus AUVs. IMOS images available from SQUIDLE+ were cross-referenced with data entries from the Australian Ocean Data Network ([AODN](#)) portal for this project. Labelled images were also provided by the Reef Life Survey ([RLS](#))^{83,84}, which is a global citizen science program that trains SCUBA divers to conduct underwater visual surveys of shallow reef biodiversity in temperate and tropical reef habitats, typically between 2 m – 20 m depth. Divers capture approximately 20 images per survey using an underwater camera positioned approximately 50 cm from the substrate, and images vary in resolution and quality due to camera configuration and environmental conditions. The Schmidt Ocean Institute ([SOI](#)) is a non-profit foundation established to advance global oceanographic research that hosts a large labelled image collection on SQUIDLE+. Deployed from the SOI R/V *Falkor*, the ROV *Subastian* has collected high resolution images from waters around the world, including the deep ocean. All oceanographic data collected by the SOI are made openly available for research purposes. The National Environmental Science Program ([NESP](#)) Marine Biodiversity Hub⁸⁵ has also provided a large labelled image dataset. This project aims to provide foundational science for conservation in Australian and provides data openly in support of marine research. Each of the above datasets included sub-image point labels identifying underlying physical or biological elements according to the CATAMI scheme³³. Finally, the image dataset presented by Yamada et al.⁸⁶ collected via AUV from the Southern Hydrate Ridge was downloaded from a separate SQUIDLE domain, [SOI SQUIDLE+](#), along with point annotations describing substrate or biotic elements according to a site-specific scheme.

2.1.11 FathomNet

[FathomNet](#)⁵³ is an open-source underwater image database with global scope operated by the Monterey Bay Aquarium Research Institute ([MBARI](#)). FathomNet is soliciting contributions from around the world to develop a large open-source database of images that may be used to develop artificial intelligence algorithms, with a focus on identifying marine species. Like SQUIDLE+, FathomNet is a living product that is updated continuously. We used the [FathomNet Python API](#) to download a snapshot of the images available on FathomNet as of April 6, 2023. The code for this API call is provided in [Appendix B](#). At the time of downloading, these images were primarily acquired from Pacific Waters around California, Western USA. Records were partitioned into "sites" based on the directory structure in the URL. Where not available in the record itself, timestamps were extracted from image names, where possible. Columns were renamed to match our standardized format. Many of the images were annotated with bounding boxes around animals and other concepts appearing in the images. However, annotations were available only under a No Derivatives license ([CC BY-ND 4.0](#)), which prohibited conversion to other schemes and formats. All FathomNet annotations were thus discarded. Additional details are provided in [Appendix C.9](#).

2.1.12 PANGAEA

[PANGAEA](#) is an open access repository aimed at archiving, publishing and distributing georeferenced data from earth system

research, hosting 678 projects and 408 811 datasets from various fields at the time of writing. We searched and retrieved benthic image datasets from PANGAEA with a combination of API calls and web-scraping, then pruned the resulting datasets and reformatted them. The [pangaeapy](#) Python package⁸⁷ was used to interface with the PANGAEA library. Using the PanQuery API, PANGAEA was searched for 20 queries with various combinations of benthic environment related keywords to find photographs of the seafloor (see [Appendix A](#) for complete list). The PanDataSet API was used to retrieve the metadata for the dataset IDs identified in these searches. Some IDs corresponded to dataset series, which list multiple child datasets. In these cases, all child datasets were retrieved. Some datasets were available in tabular format, and were downloaded directly. Other datasets were paginated, with images hosted on webpages on PANGAEA; these could not be downloaded with the API and were scraped with a custom webscraper using the [BeautifulSoup4](#) and [request](#) libraries.

All datasets returned by this search as of January 1, 2024 were downloaded and results were filtered as follows. (1) Datasets that did not possess a column containing the word “url” or “image” that was populated by hyperlinks to files in an image format (TIFF, JPEG, PNG, BMP, CR2) were removed to enable automation of the data acquisition process. It was not possible to verify any ZIP file would contain images without downloading it, and was impractical to automatically associate metadata with the images within a ZIP file of unknown structure. Datasets with images only available to download as a ZIP file were thus discarded. (2) False positives from the search (datasets comprising imagery not of the seafloor) were filtered out by removing datasets with titles containing undesired keywords appearing in a manually curated blacklist (e.g. “aquarium”, “meteorological observations”, “sea ice conditions”, “do not use”). (3) URLs for images consisting of maps, other dataset summary figures, and inappropriate photo subjects were filtered out by removing data hosted on PANGAEA subdomains dedicated to subjects such as maps, projects, publications, sea ice, and satellite imagery. (4) Images were removed where the URL contained text indicating the subject matter was otherwise inappropriate (e.g. “dredgephotos”, “grabsample”, “core”, “aquarium”, “divemap”). Finally, the columns in the CSV files were renamed to our standardized format. Details for individual datasets are provided in [Appendix C.11](#).

Several of the datasets obtained from PANGAEA included thematic labels corresponding to benthic images. Many of these were labels of specific biota identified to the highest possible taxonomic resolution, some of which included estimates of percentage cover of each organism in the image. Several of the latter datasets comprised experimental growth plates harbouring the labelled biota. Some datasets additionally included labels for trash and anthropogenic debris. All labels were dropped where datasets indicated usage of machine-assisted annotation instead of manual annotation. Finally, additional point labels were obtained for datasets from the Great Barrier Reef Marine Park, eastern Australia, collected for habitat mapping purposes by the University of Queensland Remote Sensing Research Centre. These datasets comprised quadrat images collected via snorkel and diving from over 100 reefs throughout the Great Barrier Reef Park^{88–90}. Points were labelled according to a custom scheme used for these projects at the Great Barrier Reef that describe biotic and abiotic elements found within the reef. Additional labels were also provided indicating the biotic functional group, and a simplified classification scheme applicable to a global context.

2.1.13 XL Catlin Seaview Survey

The [XL Catlin Seaview Survey](#) was a large-scale project undertaken between 2012–2018 to document and study the status of coral reefs globally using underwater imagery. Surveys focused on shallow reefs typically around 10 m depth and comprised linear transects ranging between 1.6 km to 2 km in length. Downward-facing seabed images of approximately 1 m² were acquired using Canon 5D MII cameras mounted on a self-propelled diver-operated platform called the “SVII”^{6,91}. Data from the project is made openly available for further scientific research. For this project, 1082 452 images from 860 surveys organized into 22 regional datasets were downloaded from the University of Queensland [data repository](#). Tabular data providing image metadata was also acquired in CSV format, including image point labels identifying biotic and abiotic elements using the global scheme applied above for the Great Barrier Reef mapping projects. The metadata were renamed and formatted to match the standardized BenthicNet compilation. Additional details are provided in [Appendix C.8](#).

2.2 Data management

In total, 11 408 887 images were collected from the sources described above (see *Data compilation and quality control*). The greatest discrepancy within this collection was the presence of image labels. Of all the images acquired, only 188 688 included labels corresponding to visible benthic elements. The presence and composition of labels in many ways determines the utility of the dataset; labels enable training and validation for supervised modelling tasks, such as localized species or substrate identifications^{92,93}, or bottom type classification⁹⁴. There are several ways, though, that unlabelled data may still be utilized using unsupervised⁹⁶, semi-supervised^{95–98}, and self-supervised^{36–38,40,44,99,100} approaches. To facilitate a range of potential applications, we consider the dataset in two ways hereafter: the full set of images without their labels (unlabelled; BenthicNet-11M) and the set of labelled images (BenthicNet-Labelled).

Table 1. Summary of BenthicNet data sources including the number of images in BenthicNet-11M (Full collection), BenthicNet-1M (Subsampled), and BenthicNet-L (Labelled). Further details on the individual datasets are provided in Appendix C.

Source	Region	Nº Datasets	Nº Sites	Nº Samples		
				Full collection	Subsampled	Labelled
<i>Online Repository/Collection</i>						
AADC	Antarctic	2	86	2056	2024	203
Catlin Seaview	Global	22	861	1 082 452	283 674	11 346
FathomNet	W. USA	8	3381	68 908	58 196	0
MGDS	Global	6	32	15 023	6 154	0
NOAA (via OneStop)	USA	18	526	73 019	40 714	4 543
NRCAN	Canada	78	1 804	23 855	18 851	3 595
PANGAEA	Global	1 191	1 196	764 924	236 968	40 204
SQUIDLE+	Global	691	14 187	9 166 472	608 576	85 387
USAP-DC	Antarctic	5	27	4 144	2 886	0
USGS	USA	5	38	104 155	7 035	0
<i>Individual Contributions</i>						
4D Oceans	E. Canada	2	274	3 008	2 715	3 000
DFO (BIO)	E. Canada	6	381	7 773	5 981	7 762
DFO (IOS)	W. Canada	7	9	16 247	1 993	10 106
EAC	E. Canada	1	7	1 220	1 015	886
Hakai Institute	W. Canada	2	45	4 735	3 609	1 697
HAL	Jamaica	1	1	505	505	0
LaboGeo/UFES	E. Brazil	1	359	359	287	359
MUN	Arctic	4	135	10 691	6 403	10 687
NGU	Norway	4	580	50 290	50 275	0
NOAA (NEFSC)	N.E. USA	1	2	2 240	2 065	2 240
SEAM	E. Canada	3	284	6 811	5 170	6 673
Total	Global	2 058	24 215	114 088 887	13 450 96	188 688

2.2.1 Labelled data

In order to increase the utility of the compiled data, and to facilitate validation of models trained on it, image labels from all datasets were translated to the CATAMI classification scheme³³ (version 1.4), which spans both substrate and biota categories. Biota labels were additionally mapped to the World Registry of Marine Species (WoRMS) taxonomy¹⁰¹.

Images were originally labelled according to a range of different established and bespoke schemes, yet a large number of these (for example, the labelled data acquired from SQUIDLE+) were readily available as CATAMI labels. Additionally, the qualities of CATAMI provide a flexible framework that may accommodate translation and integration of a broad range of other labelled data. First, CATAMI supports labels for multiple classes of benthic features, including “branches” for both biota and physical elements such as substrate, bedforms, and relief. This enables the translation of a range of labelled datasets that were initially collected for a variety of different purposes. Second, the labels within these branches are hierarchical. This means that objects may be labelled at different or even multiple levels of detail depending on the quality of the data, the confidence of the analyst, or the requirements of a particular application. This characteristic is critical for the translation of the multi-source data compiled here, which were initially analyzed at a range of thematic (e.g. taxonomic) resolutions for different purposes. Finally, CATAMI implements labels that are designed to be visually recognizable from image data. At a coarse level, these may distinguish broad groups or phyla of biota, but at finer levels, where identifying individual genera or species may become difficult using image data alone, morphological labels may be applied. These describe the size, shape, colour, and growth form of an organism, which may be recognizable where the taxonomy is ambiguous. Detailed taxonomic labels often require specialized knowledge or biological expertise, whereas morphological labels enable collaborative classification and translation of imagery by non-experts.

Translation of all image labels to the CATAMI scheme was performed by a team of BenthicNet collaborators (e.g. Table 2). All unique labels were extracted for each labelled image dataset in turn, which included cases of a single label indicating one benthic feature (e.g. sediment type or biota), a single label indicating multiple features (e.g. sediment type and biota),

Table 2. Examples of original image labels translated to hierarchical labels according to CATAMI v1.4 and WoRMS. Some original labels indicated both substrate and biota, others only one of these. For biota, some original labels provided more morphological detail and others more taxonomic; as much detail was retained as possible in both the CATAMI Biota and WoRMS taxonomic translations, respectively.

Original	CATAMI		WoRMS	
	Substrate	Biota	AphiaID	Taxonomy
Cobble	Substrate ↳ Consolidated (hard) ↳ Cobbles	–	–	–
Mud and tube worms	Substrate ↳ Unconsolidated (soft) ↳ Sand / mud (<1mm) ↳ Mud / silt (<64um)	Worms ↳ Polychaetes ↳ Tube worms	883	Annelida ↳ Polychaeta
Hard Coral: Non hermatypic: Free living (Fungia etc)	–	Cnidaria ↳ Corals ↳ Stony corals ↳ Solitary ↳ Free living	1363	Cnidaria ↳ Hexacorallia ↳ Scleractinia
Pocillopora sp.	–	Cnidaria ↳ Corals ↳ Stony corals	206938	Cnidaria ↳ Hexacorallia ↳ Scleractinia ↳ Pocilloporidae ↳ Pocillopora

or multiple labels for different features (e.g. one for sediment type, one for biota). Each unique label for each dataset was translated to its closest CATAMI equivalent(s), maintaining the hierarchical level of the original data as closely as possible. In some cases, additional information within the metadata such as comments or auxiliary labels were used to complete the translation. Some annotations were provided in schemes that extend versions of CATAMI, such as the Australian Morphospecies Catalogue, which, for example, provides more precise morphological detail for the shape of sponges. Where this was done systematically and with more than 10 samples, we extended our scheme by adding child nodes to correspond to this increased level of morphological detail. Some annotations included man-made objects, such as trash or cables, which fell outside the scope of the CATAMI scheme, but which may have value toward monitoring the anthropogenic impact on benthic habitats. Thus we also added an additional Anthropogenic branch to the hierarchy to cater to these annotations. All told, this process produced a total of 2618016 hierarchical CATAMI labels for the BenthicNet compilation. We additionally include fields for CATAMI modifiers that indicate additional information about image labels, such as whether organisms are bleached or dead, or their colours, where available.

Some datasets provided taxonomic labels of biota at a high level of detail (genus or species level). To retain this information, taxonomic biota labels were additionally assigned an AphiaID from the World Registry of Marine Species (WoRMS). The remaining biota annotations (e.g. morphological descriptions from CATAMI) were also mapped onto the WoRMS taxonomy at the highest level of specificity possible (typically phylum, class, or order). There are 887517 taxonomic labels for the BenthicNet compilation.

In total, there were 188688 labelled images, and 2618016 individual labels. The counts for each individual label are provided with the dataset hosted on the Canadian Federated Research Data Repository (FRDR; doi:[10.20383/103.0614](https://doi.org/10.20383/103.0614)).

To enable consistent validation and benchmarking between models using the BenthicNet dataset compilation, we propose train and test partitions of the labelled data. Test data were selected according to a partially spatial and stratified procedure in order to ensure representation of a broad range of labels, and to reduce the degree of similarity between test and training partitions caused by spatial autocorrelation.

The challenge in partitioning the dataset stems from the multi-label nature and imbalanced proportions of labels in BenthicNet. Firstly, the imbalance necessitates careful assignment of rarer labels in the dataset. Additionally, a single image may have any combination of labels across multiple branches of the CATAMI hierarchy. If an image is assigned to test or training partitions due to a particular label, we must consider how the assignment affects other labels on the same image, some

of which will be rarer.

Our partitioning process was as follows. We selected the target number of annotations per label to place in the test set as the smaller of 15% of the number of samples for the most frequently occurring label and 35% of the samples for the median label. We incrementally added images to train or test partitions one at a time. We considered the available image labels in each iteration, and selected the next label to add to a partition based on the following factors, in order of priority.

1. Ensure at least two samples for each label can be placed in the train partition.
2. Ensure at least 50% of the samples for each label can be placed in the train partition without using samples within 50 m of a test sample.
3. Ensure at least 15% of the samples for each label can be placed in the test partition without using samples within 50 m of a train sample.
4. Ensure no more than 35% of the samples for each label would be placed in the test partition.
5. Prioritize the CATAMI label with the fewest remaining images which can be allocated to the train/test partition.

After determining the next label for which a sample will be added to a partition, and the partition to which it should be added, we selected an image bearing that annotation to add to the partition as follows:

1. Of the images bearing the desired label, if any images are within 50 m of an image already in the target partition, randomly select an image from the closest 10% of those images.
2. Otherwise, randomly select an image bearing the desired label that is not within 50 m of an image already allocated to the other partition. Images violating the 50 m exclusion zone were used if needed to satisfy the minimum populations for each partition described above (50% in train, 15% in test).

In practice, this means that partitions grow spatially outwards from initial seed locations, with new locations being seeded at random when needed in order to represent new label classes. Any remaining samples that have not been assigned through this process were allocated to the test partition if within 50 m of an image already in the test partition, and to the train partition otherwise.

Effectively, test data was selected to prioritize representation of CATAMI labels, and then to minimize spatial overlap with the training data, to the maximum extent possible. Because the computation of this algorithm scales $\mathcal{O}(n^2)$ with data size, it was run in parallel on 37 subsets of the data, each corresponding to a different Ecological Marine Unit¹⁰² (EMU; see *Unlabelled data exploratory analysis* section). 142 767 images (75.66%) were assigned to the training partition and 45 921 (24.34%) to test. The code for obtaining training and test partitions of the labelled data is provided at the BenthicNet code repository (see *Code availability* section below).

2.2.2 Unlabelled data

All images collated in BenthicNet may be used for unlabelled applications, including those images that have labels, thus for the “unlabelled” slice of the data we considered all 11 408 887 images. We refer to the full collection as BenthicNet-11M. These images were not distributed uniformly in space; some datasets were characterized by a low sampling intensity, with only a few images per recording site taken manually by divers, while others were densely sampled — for example, where images were extracted from AUV video. In order to reduce the redundancy of the densely sampled data (thereby also reducing data volume and imbalance) the unlabelled data was subsampled spatially, as described below. We refer to the subsampled dataset as BenthicNet-1M.

The aim of the subsampling procedure was to obtain a manageable unlabelled data volume without reducing the breadth of benthic environments represented. Many datasets indicated which images were collected at the same recording station, or the same camera deployment/transect. We collectively refer to this location annotation as a “site”. To maximize spatial and thematic diversity of images, subsampling was performed separately for each unique site in the unlabelled dataset.

In order to subsample the data spatially, we first determined a desirable number of images that should be drawn from a given site based on the data density. The base target number of images sought at each site was set to 250, meaning that the subsampling procedure would not reduce the number of images below this number. Not all component datasets indicated whether images were collected at the same site, despite containing images from multiple distinct locations that would meet our “site” criteria. To address this, we automatically detected the number of “pseudo-sites” within an annotated site, or within a dataset originally lacking any site labels. Pseudo-sites were determined as clusters of samples at least 1 000 m from each other. The target number of samples was scaled up by the number of pseudo-sites within a labelled site. Some (pseudo-)sites




Figure 1. Distribution of images after spatial subsampling projected to Equal Earth. (Top) images according to data source and (bottom) aggregated by their density and scaled logarithmically.

additionally had gaps between them of several hundred metres, which we refer to as “subsites”. The target number of samples for a site was increased by 50 for each subsite within it separated by at least 100 m.

After determining the target number of images to draw from each site in the unlabelled dataset, the data was subsampled spatially. Sites with fewer than 40 samples per pseudo-site were not subsampled. At sites with more than 40 images, images were subsampled with a target separation distance of $\Delta = 1.25$ m according to the following procedure:

1. Add the first image in the dataset.
2. Continue through the list of images in the dataset (sorted in collection order; i.e. chronologically) until finding the first image at least $\Delta = 1.25$ m from the last image added to the dataset.
3. Add either this image or the previous image in the list, whichever is closest to being a distance $\Delta = 1.25$ m from the last image added to the dataset.
4. From the list of remaining images to consider, remove all images collected within $\Delta/2 = 0.625$ m of this image.
5. Return to Step 2; repeat until reaching the end of the dataset.
6. Add the last image in the dataset if it was at least $\Delta/2 = 0.625$ m from all other images.

Sites lacking precise coordinate information for each image could not be subsampled spatially. In these cases, sites were subsampled by keeping every n -th image (ordered chronologically) at the site to achieve the desired number.

Many sites still had more images than their target number of samples after this initial spatial subsampling, so this process was repeated with larger separation distances until the target subsample size was achieved at each site, or a maximum downsampling separation distance of 20 m was reached. Separation distances were scaled up by factors of 2, 3, 4, 6, 8, 10, 12, 14, or 16 compared to the base subsampling of 1.25 m target separation to achieve the desired subsample size (i.e. $\Delta = 2.5$ m, 3.75 m, ..., 20 m). The subsampling distance selected (and hence subsampled set of images at that site) was the largest distance that did not reduce the total number of images below the target for the site (250+), determined as described above. The subsampling procedure selected 1 345 096 images (11.8% of the total) to be included in the subsampled BenthicNet dataset (Figure 1), which we refer to as BenthicNet-1M.

2.2.3 Downloading

We downloaded images available online by using the Python `requests` package. URLs were retried at least five times if the server was busy. Images that could not be found at their URL, that were truncated, or which could not be opened after downloading, were removed from the final dataset. In total, the download process took approximately six months.

2.2.4 Compression

Images were downsampled such that their shortest side was 512 pixels in length, with aspect ratio preserved, and then converted to JPEG format for the BenthicNet compilation. The full original uncompressed images are available at URLs provided with the dataset.

3 Data Records

3.1 Data formats

All unlabelled image metadata were standardized to a common format (Table 3). The datetime field was completed to the highest level of precision possible. Times were converted to UTC where timezones were indicated, and assumed to be UTC otherwise; it is not possible to guarantee all times are in UTC. Missing datetime and coordinate information was imputed everywhere where reasonably possible — for example, by assigning the geographic mean centre of the image acquisition site where coordinates were missing for some images at a given site. In some cases, any of month, day, hour minute, and second datetime information was missing, and was imputed to achieve the desired format (Table 3); as a whole, this information should be considered accurate to the year. Labelled images were additionally assigned metadata describing the original and translated CATAMI labels, and WoRMS AphiaIDs (Table 4). Metadata indicating the pixel location of image labels (i.e. the relative x and y position of the labelled pixel) were retained where provided. The unlabelled dataset includes all labelled images.

Table 3. Format for compiled BenthicNet-1M unlabelled image metadata.

Column	Contents	Data-type	Units	Coverage
url	URL address for this image	String		100.00%
source	Data provider/repository	String		100.00%
dataset	Name of dataset	String		100.00%
site	Image location name	String		100.00%
image	Image filename	String		100.00%
latitude	Latitude (WGS 84)	Float	Decimal degree	99.63%
longitude	Longitude (WGS 84)	Float	Decimal degree	99.63%
datetime	Acquisition date and time (UTC)	String	YYYY-MM-DD HH:mm:ss	99.85%
gebco_bathymetry	Depth interpolated from GEBCO2022	Float	Metres	99.63%
emu	Nearest Ecological Marine Unit	Integer		99.63%

All BenthicNet data, metadata, and models described here are available from the Canadian Federated Research Data Repository (FRDR; doi:[10.20383/103.0614](https://doi.org/10.20383/103.0614)). These include (i) a single CSV file with an entry for each image in the subsampled compilation (“BenthicNet-1M”) conforming to the convention presented in Table 3; (ii) a single CSV file with an entry for each label of each image of the labelled compilation (“BenthicNet-Labelled”), conforming to the format presented in Table 4; (iii) a tarred directory containing each image in BenthicNet-1M and BenthicNet-Labelled (as described in the CSV files above), resized and compressed to JPEG format; (iv) a version of the entire image compilation tarred at the individual “dataset” level; and (v) the ResNet-50 model weights resulting from self-supervised training on the entire unlabelled dataset as described in the following *Technical Validation* section. We additionally include CSV files listing the counts of each individual CATAMI label present in the labelled compilation, and also a list of WoRMS taxonomical labels present within the metadata CSV. The “image” directory hosted on FRDR is divided into “labelled” and “unlabelled” components, which contain the full tarred

Table 4. Format for compiled BenthicNet-Labelled image metadata. Coverage is the fraction of images that have at least one such metadata entry.

Column	Contents	Data-type	Units	Coverage
url	URL address for this image	String		100.00%
source	Data provider/repository	String		100.00%
dataset	Name of dataset	String		100.00%
site	Image location name	String		100.00%
image	Image filename	String		100.00%
latitude	Latitude (WGS 84)	Float	Decimal degree	100.00%
longitude	Longitude (WGS 84)	Float	Decimal degree	100.00%
datetime	Acquisition date and time (UTC)	String	YYYY-MM-DD HH:mm:ss	100.00%
partition	Train/test split allocation	String		100.00%
annotation_column	Relative x location of labelled pixel	Float	Fraction of image width	44.69%
annotation_row	Relative y location of labelled pixel	Float	Fraction of image height	44.69%
original_label	Original image label	String		82.10%
catami_biota	CATAMI biota label	String		75.59%
catami_substrate	CATAMI substrate label	String		70.30%
catami_bedforms	CATAMI bedform label	String		6.81%
catami_relief	CATAMI relief label	String		2.46%
catami_qualifiers	CATAMI label qualifier	String		10.82%
colourQualifier	Label colour qualifier	String		6.54%
bleached	Whether biota is bleached	Float	Values 0 or 1	13.21%
dead	Whether biota is deceased	Float	Values 0 or 1	23.87%
aphia_id	WoRMS taxon AphiaID label	Integer		60.15%
gebco_bathymetry	Depth interpolated from GEBCO2022	Float	Metres	100.00%
emu	Nearest Ecological Marine Unit	Integer		99.98%

(`full_labelled_512px.tar`) and individual dataset tars (`individual_datasets_tars`) versions of the images. Both directories are organized by “dataset”, which contain sub-directories corresponding to the “site”. Thus, it is possible to query the image compilation using the corresponding CSV metadata fields “dataset” > “site” > “image”. The metadata and models are available for use without restriction under the Creative Commons Attribution 4.0 License ([CC-BY-4.0](#)). Most images are available for use without restriction under CC-BY-4.0, except where the original licenses of individual datasets indicate limitations to derivative or commercial uses (see [Appendix C](#) for details).

4 Technical Validation

4.1 Unlabelled data exploratory analysis

The subsampled BenthicNet dataset contains images from locations around the world ([Figure 1](#)). Several regions are densely sampled — notably, the entire Australian coast, the Iberian Peninsula, the Norwegian and Greenland Seas, the Eastern Canadian and Northeastern U.S. continental shelves, the Western Canadian and Western U.S. continental shelves, and also some of the Antarctic coast, including parts of the Antarctic Peninsula and Weddell Sea. Images collected in the open oceans are more dispersed than those at the continental shelves.

4.1.1 Environmental heterogeneity

Given the spatial heterogeneity in benthic image sampling intensity, it is important and informative to assess the environmental and geographic diversity of these images. Images in the compiled datasets were acquired between 1965–2021 from depths ranging from < 1 m to over 5500 m ([Figure 2](#)). Sayre et al.¹⁰² introduced a three-dimensional partitioning of the global oceans into statistical clusters based on a 57-year climatology of physiochemical oceanographic measurements^{104–107}. These 37 “Ecological Marine Units” (EMUs) represent a concise and objective summary of global marine environments at 0.25° horizontal resolution, and are freely available for download. The bottom-layer EMUs were extracted to assess the distribution of BenthicNet image samples across global benthic environmental regions. Each image was assigned the nearest bottom-layer (i.e. seafloor) EMU in space to compare the sampled frequency of each environment to the proportion of area covered by each EMU ([Figure 3](#)). A similar analysis was conducted to assess the representativeness of image samples across the broader global oceans by comparing the sampled frequency to the area of each ocean basin, according to the EMU attributes ([Figure 4](#)). The




Figure 2. Distribution of BenthicNet-1M images according to (a) (log scale) depth data retrieved from the GEBCO2022 grid¹⁰³ and (b) year of acquisition.




Figure 3. Distribution of BenthicNet-1M images according to bottom layer Ecological Marine Units (EMUs). (a) Proportion and area of global oceans classified into each EMU. (b) Proportion of BenthicNet image samples from each EMU. See Sayer et al.¹⁰² for a full description of the EMU classes.




Figure 4. Distribution of BenthicNet-1M images according to global ocean basins¹⁰². (a) Proportion and area of ocean basins. (b) Proportion of BenthicNet image samples from each ocean basin.

nearest EMU to each image is provided as a metadata field for both the BenthicNet-1M and BenthicNet-Labelled datasets; depths from the GEBCO2022 grid are also provided for each image (assigned using bilinear interpolation; Table 3, Table 4).

Generally, images were distributed more evenly across the bottom-layer EMUs than would be expected from a random sample, while the distribution across the major ocean basins more closely matched expectation. The majority of the global seafloor (82.4%) is classified into EMUs 14 (deep, very cold, normal salinity, moderate oxygen, high nitrate, low phosphate, high silicate), 13 (deep, very cold, normal salinity, low oxygen, high nitrate, medium phosphate, high silicate), and 36 (deep, very cold, normal salinity, moderate oxygen, medium nitrate, low phosphate, low silicate)¹⁰², comprising most of the Pacific, Indian, and polar oceans. These environments are not over-represented in the BenthicNet dataset, with no single EMU accounting for > 20.6%. The three most common EMUs sampled (47.6%) were 24 (shallow, warm, normal salinity, moderate oxygen, low nitrate, low phosphate, low silicate), 11 (shallow, cool, normal salinity, moderate oxygen, low nitrate, low phosphate, low silicate), and 13 (deep, very cold, normal salinity, low oxygen, high nitrate, medium phosphate, high silicate), representing continental shelves in the equatorial regions, the shallow sub-tropics, and the deep Pacific and Indian oceans. The distribution of images across ocean basins was generally proportionate to the expectation given the area of each ocean, but notable exceptions include an apparent under-representation of the South Atlantic, and over-representation of the South Pacific.

4.1.2 Self-supervised learning

As a minority of the imagery was labelled, we sought to utilize the unlabelled data by using self-supervised learning (SSL) to train an encoder that may be adapted to downstream tasks on the labelled data. As a series of benchmarks, we examined four recent SSL methods using a ResNet-50 model architecture, trained on the BenthicNet-1M data. These four methods are from a family of techniques known as instance learning and consist of SimSiam⁴¹, Bootstrap Your Own Latent (BYOL)⁴⁰, Momentum Contrast (MoCo-v2)¹⁰⁸, and Barlow Twins (BT)¹⁰⁰. We found that overall, the methods performed similarly, with BT performing consistently well at the downstream classification tasks. All subsequent analyses following initial experimentation and reporting




Figure 5. Distribution of labelled BenthicNet images projected to Equal Earth. (Top) Ecological Marine Units (EMUs) of labelled images and (Bottom) labelled image sample density scaled logarithmically.

uses Barlow Twins as the representative method for SSL.

As an instance learning method, BT's pretext task for learning a useful embedding space works with the encoded representations of a batch of images. Each image in the batch, X , is distorted twice using transformations independently randomly selected from a predefined transformation-generator, producing two input views, X_A and X_B . The transformation-generator is constructed such that it does not alter the apparent identity of the contents of the image, but does alter other aspects of the image such as the colour balance, contrast, and zoom. Each batch of transformed images is passed through the model to yield embeddings Z_A and Z_B . By using the cosine similarity distance metric, a correlation matrix C is constructed between each embedding vector in Z_A and each in Z_B . An ideal encoder would be robust against the randomly-selected transforms, producing the same embedding vector no matter which transform is selected, hence we would like the diagonal of C to be 1. Furthermore, images which have different contents should be encoded differently so we can tell them apart from their embeddings; hence we would like the off-diagonal elements of C to be zero. This objective at a high level can be described as rendering the model embedding space invariant to the transformations applied, while also introducing an orthogonality to this model's embedding space¹⁰⁰.

Using the BT SSL paradigm, we trained a ResNet-50 model on the BenthicNet-1M dataset for three different durations (100, 200, and 400 epochs) with the LARS optimizer¹⁰⁹. The hyperparameters were the same as used by Zbontar et al.¹⁰⁰, except the learning rate as our initial experiments showed a smaller learning rate of 2×10^{-3} yielded better performance than the default of 0.2. The learning rate was annealed using a one-cycle cosine schedule with a warm-up period of 10 epochs¹¹⁰. The models were trained using four Nvidia A100 GPUs, with a total batch size of 512.




Figure 6. Distribution of BenthicNet images according to bottom layer Ecological Marine Units (EMUs) for (a) unlabelled and (b) labelled datasets. See Sayer et al.¹⁰² for a full description of the EMU classes.

4.2 Labelled data exploratory analysis

The BenthicNet-Labelled data spans a global extent similar to that of the BenthicNet-1M data (Figure 5, c.f. Figure 1). Two of the EMUs that were abundantly sampled with unlabelled imagery were also prominently represented in the labelled dataset; EMUs 11 (shallow, cool, normal salinity, moderate oxygen, low nitrate, low phosphate, low silicate) and 24 (shallow, warm, normal salinity, moderate oxygen, low nitrate, low phosphate, low silicate) comprised a near-majority (49.82%) of the labelled dataset (Figure 6). These two environments are broadly distributed in space¹⁰², and here primarily represent datasets from Australia, Tasmania, and Central America. The full distribution of labels across the CATAMI hierarchy is provided as supplementary material.

4.2.1 Supervised transfer learning

Here we provide two examples of utilizing a large model pretrained with SSL on the unlabelled BenthicNet-1M dataset for automating benthic image labelling tasks.

First, we trained a model to classify the substrate visible in benthic imagery at the granularity of the second level in the CATAMI substrate hierarchy, comprised of the 5 classes “Sand/mud”, “Pebble/gravel”, “Cobbles”, “Boulders”, and “Rock”. This model was trained using the subset of BenthicNet-Labelled containing singly-annotated CATAMI Substrate labels to at least this level of granularity. We refer to this subset as the “BenthicNet-Substrate-d2” dataset, comprised of 75 537 images — 58 418 of which were used for training, and 17 119 for testing (partitioned as described above in *Labelled data*). Using the pretrained ResNet-50 backbone, we added a linear classifier head with softmax activation to predict the class of the image. The targets were one-hot encoded. To evaluate the utility of SSL pretraining on the BenthicNet-1M dataset, we also compare against transfer learning from a publicly available ResNet-50 model¹ pretrained with cross-entropy on ImageNet-1k (600 epochs), provided by torchvision¹¹¹, and against training from scratch on BenthicNet-Substrate-d2 without any pretraining.

¹`torchvision.models.ResNet50_Weights.IMAGENET1K_V2 [recipe]`

Our supervised classification pipeline consists of two stages: a linear probe and fine-tuning. During the linear probe, the pretrained encoder weights are frozen whilst the new linear classifier head is trained. We trained the classifier head for 100 epochs with a one-cycle cosine annealing scheduler for the learning rate. As with the SSL training, the learning rate started at 3×10^{-6} , and linearly increased to a maximum of 3×10^{-5} over 10 warm-up epochs, then was cosine annealed back down to the original rate. For the fine-tuning stage, we begin with the pretrained encoder and the classifier head from the linear probe. We unfreeze the encoder, and train the whole network end-to-end with one tenth the learning rate used for the linear probe for 300 epochs (a total training period of 400 epochs across both stages).

The transfer-learning models were compared to models trained from scratch. These were randomly initialized, and the entire model (encoder and classifier) trained end-to-end for 100 or 400 epochs, using the one-cycle schedule with peak learning rate 3×10^{-5} .

Table 5. Micro-accuracy and macro F1-score (%) on BenthicNet-Substrate-d2 when training from scratch (No pretraining), with linear probe of a pretrained encoder (Frozen) or fine tuning (not frozen). Mean (\pm std. err.) over 3 random seeds (same pretrained backbones over seeds). Bold: best performing linear probe and fine-tuned models.

Pretraining						
Dataset	Loss	Frozen	Epochs	Accuracy \uparrow	F1-score \uparrow	
ImageNet-1k	Cross-entropy	✓	100	51.2 ± 0.5	66.6 ± 0.4	
BenthicNet-1M	Barlow Twins	✓	100	51.4 ± 0.4	64.0 ± 0.1	
No pretraining		✗	100	53.3 ± 0.7	57.9 ± 0.8	
No pretraining		✗	400	76.4 ± 0.4	78.7 ± 0.3	
ImageNet-1k	Cross-entropy	✗	100+300	75.5 ± 0.3	84.0 ± 0.2	
BenthicNet-1M	Barlow Twins	✗	100+300	76.8 ± 0.2	82.8 ± 0.1	




Figure 7. Confusion matrix (%) of ground truth for CATAMI Substrate predictions on BenthicNet-Substrate-d2 data. (Left) Model pretrained with cross-entropy on ImageNet-1k, fine-tuned on BenthicNet-Substrate-d2. (Right) Model pretrained with Barlow Twins on BenthicNet-1M, fine-tuned on BenthicNet-Substrate-d2.

As shown in [Table 5](#), the performance of the ImageNet-1k and BenthicNet-1M pretrained models was comparable, with the ImageNet-1k pretrained model yielding higher accuracy and the BenthicNet-1M pretrained yielding higher F1-score, for both the linear probe and fine tuning evaluations. Both models outperformed the model trained from scratch. The confusion matrices ([Figure 7](#)) shows the models have similar biases, confusing the same classes as each other (Boulders \leftrightarrow Cobbles; Cobbles \rightarrow Pebble/gravel; everything \rightarrow Sand/mud).

As a second task, we considered the German Bank 2010 dataset provided by DFO ([Table 1](#)), which had whole-image “benthoscape” labels described by Brown et al.⁷⁶. In the original labelling scheme, five benthoscape labels were assigned that describe recognizable combinations of substrate, bedforms, and biology visible in 3 181 images, collected off the southwest

coast of Nova Scotia, Canada. The benthoscape labels were (1) “reef” in which boulders or bedrock with frequent epifauna comprise more than 50% of images; (2) “glacial till” consisting of mixed sediments (cobble, gravel, sand); (3) “silt/mud” with frequent evidence of infaunal bioturbation; (4) “silt with bedforms”; and (5) “sand with bedforms”, which commonly included sand dollars (*Echinarachnius parma*). Again, the pretrained ResNet-50 models were utilized by adding a new classifier head with outputs corresponding to each of the benthoscape classes. Using the BenthicNet-Labelled partitions (described in *Labelled data*), 2681 images were used to train the model and 500 were used for testing. The model training hyperparameters were identical to those used for the BenthicNet-Substrate-d2 experiments.

Table 6. Micro-accuracy and macro F1-score (%) on German Bank 2010 dataset when training from scratch (No pretraining), with linear probe of a pretrained encoder (Frozen) or fine tuning (not frozen). Mean (\pm std. err.) over $n = 3$ random seeds (same pretrained backbones over seeds). Bold: best performing linear probe and fine-tuned models.

Pretraining						
Dataset	Loss	Frozen	Epochs	Accuracy \uparrow	F1-score \uparrow	
ImageNet-1k	Cross-entropy	✓	100	37.6 \pm 5.2	30.0 \pm 2.9	
BenthicNet-1M	Barlow Twins	✓	100	55.9 \pm 2.4	43.2 \pm 6.0	
No pretraining		✗	100	53.4 \pm 2.4	43.0 \pm 3.8	
No pretraining		✗	400	54.1 \pm 3.2	46.7 \pm 3.2	
ImageNet-1k	Cross-entropy	✗	100+300	65.9 \pm 4.0	59.2 \pm 4.2	
BenthicNet-1M	Barlow Twins	✗	100+300	77.0 \pm 0.7	72.3 \pm 0.8	




Figure 8. Confusion matrix (%) of ground truth for the German Bank 2010 dataset. (Left) Model pretrained with cross-entropy on ImageNet-1k, fine-tuned on German Bank 2010. (Right) Model pretrained with Barlow Twins on BenthicNet-1M, fine-tuned on German Bank 2010.

As shown in [Table 6](#), we observed that the model pretrained on BenthicNet-1M strongly outperformed both the model pretrained on ImageNet-1k, and the model trained from scratch. The fine-tuned BenthicNet-1M model was able to correctly identify “silt/mud” and “silt with bedforms” classes in 87% and 88% of cases (see [Figure 8](#)). Both fine-tuned models confused certain class pairs (reef \rightarrow glacial till; sand with bedforms \rightarrow reef; silt with bedforms \rightarrow silt/mud), but the BenthicNet-1M SSL pretrained model was able to greatly increase the recall of both “silt/mud” and “silt with bedforms”, and greatly reduce the high confusion the ImageNet-1k model exhibited for other pairs (glacial till \leftrightarrow sand with bedforms).

An important observation is that for both supervised classification tasks, and both transfer models, the best-predicted classes tended to be those that are most distinct, while the intermediate classes tend to be confused. For example, “cobble” was the most difficult label to predict in the BenthicNet-Substrate-d2 dataset, and indeed, it can be difficult even for a human to differentiate cobbles from pebbles or boulders in underwater imagery. These substrate class boundaries are defined arbitrarily at a particular length scale (2 mm and 64 mm) that may only be determined through accurate measurement or image scaling;

there is substantial possibility of incorrect or subjective human labels for such data. Additionally, the imbalanced priors for the classes may also play a role in predictive success. Sand and mud labels dominate both data subsets — it is not surprising that the models have a tendency to predict sand for other classes, and to perform strongly on sand.

While performance between the transfer models (ImageNet-1k and BenthicNet-1M) were similar for the BenthicNet-Substrate-d2 task, differences in performance on German Bank 2010 were far more pronounced. Notably, our self-supervised model was the strongest performing across all aspects of the evaluation — outperforming all others using both linear probes and fine tuning [Table 6](#). The fine-tuned results for BenthicNet-1M also demonstrate less variance compared to the other models. We conjecture that, while transfer learning may perform well for both pretrained models if the labelled dataset is large enough (i.e. tens of thousands of labelled images for the BenthicNet-Substrate-d2 task), the BenthicNet-1M SSL pretrained model is better able to transfer to smaller, more specific classification tasks, where fewer training examples per class are available. Previous exposure to over a million relevant images during the SSL phase may have enhanced the ability to separate images of broadly similar seafloor type. We note that the size of the German Bank 2010 dataset is similar to what might be commonly encountered for a site-specific habitat mapping application (e.g. thousands of labelled images). A number of experiments exploring these and related research questions are currently underway — for example, on the hierarchical and multi-label CATAMI classification of BenthicNet images^{[112](#)}. Our ResNet-50 model, pretrained on BenthicNet-1M with BT, is accessible from the FRDR repository (doi:[10.20383/103.0614](#)).

5 Usage Notes

We note that data labels translated to the CATAMI scheme were sourced from a wide variety of scientific studies with the express intent of supporting the training and validation of large image recognition models. Jointly, these labels should be analyzed with care, particularly if utilized for other purposes. Some datasets included whole image labels indicating the presence of a single benthic feature (e.g. organism, substrate), while others supplied single labels indicating multiple features, or multiple labels for different features within an image. One result of such diversity is variation among the completeness of labels from different datasets — some, for example, focus on the presence of single species, or only focus on the most conspicuous or abundant substrate types. For some datasets, it is thus reasonable to expect a larger proportion of false negative labels if the data is treated in a presence/absence manner. In other words, many benthic features are likely visible in the images, which have not been labelled. We operate under the assumption, though, that labels within a dataset were assigned consistently. If performing analyses at the dataset level using the compilation presented here, it is important to investigate the specifics of the dataset(s) in question.

Similarly, the diversity of labelling methodologies has resulted in a number of different schema by which original labels were translated to their CATAMI equivalents. For example, some labels indicating the percent cover of organisms or substrate types in an image were converted to binary presence/absence information for the purposes of assigning labels. Additionally, auxiliary information provided with labels such as annotator notes were used in some cases to obtain a CATAMI label, or to enhance its accuracy. Efforts were made to indicate the original data label as closely as possible in the labelled metadata file, but it was not always possible to include all information that was used to translate an original label to the CATAMI scheme. Therefore, original labels provided in our metadata may not contain all available labelled information for each image, and the original datasets should be referenced as the authoritative source in all cases.

The examples provided here focus on the physical environment, but there are abundant opportunities to explore use of the biological labels. Through use of the SSL pretrained encoder, we believe that the training and deployment of hierarchical morphological and taxonomic identification models is possible. These applications will be explored in coming work.

6 Code availability

Code used to query, download, convert, process, subsample, and partition the full data compilation may be accessed without restriction from <https://github.com/DalhousieAI/BenthicNet>. Code used to query and download data from SQUIDLE+ using the API is available at <https://github.com/DalhousieAI/squidle-downloader>. Code used to query and download data from PANGAEA is available at <https://github.com/DalhousieAI/pangaea-downloader>.

Code used to train the self-supervised model is available at <https://github.com/DalhousieAI/ssl-benthos>. Code used to perform one-hot multi-class transfer learning, as presented in the section *Supervised transfer learning*, is available at https://github.com/DalhousieAI/benthicnet_probes.

7 Acknowledgements

This research is part of the Ocean Frontier Institute ([OFI](#)) Benthic Ecosystem Mapping and Engagement ([BEcoME](#)) Project.

Data was sourced from Australia's Integrated Marine Observing System ([IMOS](#)) — IMOS is enabled by the National Collaborative Research Infrastructure Strategy ([NCRIS](#)). It is operated by a consortium of institutions as an unincorporated joint venture, with the University of Tasmania as Lead Agent.

We would like to acknowledge the Australian National Research Program and the Australian Centre for Field Robotics ([ACFR](#)) for gathering image data that was used as part of this project.

We are grateful to the many Reef Life Survey ([RLS](#)) divers around the world who contributed to data that was sourced for this project.

NGU data collection was funded partly by [NGU](#) and partly by local/regional communities in various Marine Base Maps projects between 2010 and 2017.

A large number of images sourced from [SQUIDLE+](#) were collected as part of the Reef Builder program 2021–2023, led by The Nature Conservancy Australia and supported by the Australian Government.

For the data from western Canada, we thank Hakai Institute staff Nick Viner for collecting and preparing ROV footage and Keith Holmes, Derek VanMaanan, Carolyn Knapper, Ben Millard-Martin and Ondine Pontier for support with towed video collection and analysis. We also thank colleagues at the Pacific Rim National Park Reserve — Jennifer Yakimishyn, Caron Olive, Mike Collyer, Angela Rehhorn, and Silvana Botros — for their support in the collection and analysis of towed video for seagrass mapping. The data contributed by the Hakai Institute was collected within the traditional territories of the Haíɫzaqv (Heiltsuk) and Wuikinuxv First Nations on the Central Coast of British Columbia and the Tseshah and nuučaańuuł?ath nis̓ma (Nuu-chah-nulth) Nations on the west coast of Vancouver Island.

Thanks to Yan Liang Tan and Molly Wells for contributions to CATAMI label translation.

Thank you to Erin Clary for patient and detailed curation of BenthicNet, and for facilitating data hosting with the Federated Research Data Repository.

This research was enabled in part by support provided by [ACENET](#) and the Digital Research Alliance of Canada ([alliance-can.ca](#)).

This research was enabled in part by support provided by the [DeepSense](#) computing platform. DeepSense is funded by the Atlantic Canada Opportunities Agency ([ACOA](#)), the Province of Nova Scotia, the Centre for Ocean Ventures and Entrepreneurship ([COVE](#)), IBM Canada Ltd., and the Ocean Frontier Institute ([OFI](#)).

8 Author contributions statement

S.C.L. and B.M. conceived of and designed the project. S.C.L., B.M., and A.B. acquired publicly available data from online repositories. S.C.L., B.M., and I.X. wrote the initial manuscript draft. S.C.L. and B.M. designed the data partitioning scheme. S.C.L. and I.X. designed and executed the data sub-sampling routine. S.C.L., B.M., I.X., S.A., and K.M. contributed to CATAMI label translation. I.X. conducted the modelling. C.J.B. and T.T. supervised the project; and K.R., C.J.B., and T.T. acquired funding to support it. S.C.L., B.M., A.C.B., M.B., V.F., A.F., D.H., D.I., J. M.-M., K.M., P.S.M., J.M., S.N., J.O., E.O., L.Y.R., K.R., C.M.R., J.A.S., A.C.G.S., J.A.T., B.R.W., M.C.W., C.J.B. contributed data that was used to establish the BenthicNet data compilation and models. S.C.L., B.M., I.X., A.C.B., M.B., V.F., A.F., D.H., D.I., J.M.-M., K.M., P.S.M., J.M., S.N., J.O., E.O., L.Y.R., K.R., C.M.R., J.A.S., A.C.G.S., J.A.T., B.R.W., M.C.W., C.J.B., T.T. contributed to editing and revision of the initial draft. All authors reviewed the manuscript.

9 Competing interests

The authors declare no competing interests.

References

1. Harris, P. T. & Baker, E. K. Why map benthic habitats? In Harris, P. T. & Baker, E. K. (eds.) *Seafloor Geomorphology as Benthic Habitat*, 3–15, doi:[10.1016/B978-0-12-814960-7.00001-4](https://doi.org/10.1016/B978-0-12-814960-7.00001-4) (Elsevier, 2020), 2nd edn.
2. Baker, E. K. & Harris, P. T. Habitat mapping and marine management. In Harris, P. T. & Baker, E. K. (eds.) *Seafloor Geomorphology as Benthic Habitat*, 17–33, doi:[10.1016/B978-0-12-814960-7.00002-6](https://doi.org/10.1016/B978-0-12-814960-7.00002-6) (Elsevier, 2020), 2nd edn.
3. Brown, C. J., Smith, S. J., Lawton, P. & Anderson, J. T. Benthic habitat mapping: A review of progress towards improved understanding of the spatial ecology of the seafloor using acoustic techniques. *Estuarine, Coast. Shelf Sci.* **92**, 502–520, doi:[10.1016/j.ecss.2011.02.007](https://doi.org/10.1016/j.ecss.2011.02.007) (2011).
4. Misiuk, B. & Brown, C. J. Benthic habitat mapping: A review of three decades of mapping biological patterns on the seafloor. *EarthArXiv* doi:[10.31223/X5DD4S](https://doi.org/10.31223/X5DD4S) (2023).

5. Williams, S. B., Pizarro, O., Jakuba, M. & Barrett, N. AUV benthic habitat mapping in south eastern Tasmania. In *Field and Service Robotics*, 275–284, doi:[10.1007/978-3-642-13408-1_25](https://doi.org/10.1007/978-3-642-13408-1_25) (Springer, 2010).
6. González-Rivero, M. *et al.* The Catlin Seaview Survey—kilometre-scale seascape assessment, and monitoring of coral reef ecosystems. *Aquatic Conserv. Mar. Freshw. Ecosyst.* **24**, 184–198, doi:<https://doi.org/10.1002/aqc.2505> (2014).
7. Foster, S. D., Hosack, G. R., Hill, N. A., Barrett, N. S. & Lucieer, V. L. Choosing between strategies for designing surveys: autonomous underwater vehicles. *Methods Ecol. Evol.* **5**, 287–297, doi:[10.1111/2041-210X.12156](https://doi.org/10.1111/2041-210X.12156) (2014).
8. Kendall, M. S. *et al.* Benthic mapping using sonar, video transects, and an innovative approach to accuracy assessment: a characterization of bottom features in the Georgia Bight. *J. Coast. Res.* **2005**, 1154–1165, doi:[10.2112/03-0101R.1](https://doi.org/10.2112/03-0101R.1) (2005).
9. Misiuk, B., Bell, T., Aitken, A., Brown, C. J. & Edinger, E. N. Mapping Arctic clam abundance using multiple datasets, models, and a spatially explicit accuracy assessment. *ICES J. Mar. Sci.* **76**, 2349–2361, doi:[10.1093/icesjms/fsz099](https://doi.org/10.1093/icesjms/fsz099) (2019).
10. Schoening, T., Osterloff, J. & Nattkemper, T. W. RecoMIA—Recommendations for marine image annotation: Lessons learned and future directions. *Front. Mar. Sci.* **3**, 59, doi:[10.3389/fmars.2016.00059](https://doi.org/10.3389/fmars.2016.00059) (2016).
11. Beijbom, O. *et al.* Towards automated annotation of benthic survey images: Variability of human experts and operational modes of automation. *PLOS ONE* **10**, 1–22, doi:[10.1371/journal.pone.0130312](https://doi.org/10.1371/journal.pone.0130312) (2015).
12. LeCun, Y., Bengio, Y. & Hinton, G. Deep learning. *Nature* **521**, 436–444, doi:[10.1038/nature14539](https://doi.org/10.1038/nature14539) (2015).
13. Schmidhuber, J. Deep Learning. *Scholarpedia* **10**, 32832, doi:[10.4249/scholarpedia.32832](https://doi.org/10.4249/scholarpedia.32832) (2015). Revision #184887.
14. Goodfellow, I., Bengio, Y. & Courville, A. *Deep Learning* (MIT Press, 2016). <http://www.deeplearningbook.org>.
15. Krizhevsky, A., Sutskever, I. & Hinton, G. E. ImageNet classification with deep convolutional neural networks. In Pereira, F., Burges, C., Bottou, L. & Weinberger, K. (eds.) *Advances in Neural Information Processing Systems*, vol. 25 (Curran Associates, Inc., 2012). <https://proceedings.neurips.cc/paper/2012/file/c399862d3b9d6b76c8436e924a68c45b-Paper.pdf>.
16. He, K., Zhang, X., Ren, S. & Sun, J. Deep residual learning for image recognition. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 770–778, doi:[10.1109/CVPR.2016.90](https://doi.org/10.1109/CVPR.2016.90) (2016).
17. Bengio, Y., Lecun, Y. & Hinton, G. Deep learning for AI. *Commun. ACM* **64**, 58–65, doi:[10.1145/3448250](https://doi.org/10.1145/3448250) (2021).
18. Simonyan, K. & Zisserman, A. Very deep convolutional networks for large-scale image recognition. In Bengio, Y. & LeCun, Y. (eds.) *International Conference on Learning Representations (ICLR)*, doi:[10.48550/arXiv.1409.1556](https://doi.org/10.48550/arXiv.1409.1556) (2015).
19. Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J. & Wojna, Z. Rethinking the Inception architecture for computer vision. In *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2818–2826, doi:[10.1109/CVPR.2016.308](https://doi.org/10.1109/CVPR.2016.308) (2016).
20. Tan, M. & Le, Q. EfficientNet: Rethinking model scaling for convolutional neural networks. In Chaudhuri, K. & Salakhutdinov, R. (eds.) *Proceedings of the 36th International Conference on Machine Learning (ICML)*, vol. 97 of *Proceedings of Machine Learning Research*, 6105–6114, doi:[10.48550/arxiv.1905.11946](https://doi.org/10.48550/arxiv.1905.11946) (PMLR, 2019). <http://proceedings.mlr.press/v97/tan19a.html>.
21. Dosovitskiy, A. *et al.* An image is worth 16x16 words: Transformers for image recognition at scale. In *International Conference on Learning Representations (ICLR)*, doi:[10.48550/arxiv.2010.11929](https://doi.org/10.48550/arxiv.2010.11929) (2021).
22. Ronneberger, O., Fischer, P. & Brox, T. U-Net: Convolutional networks for biomedical image segmentation. In Navab, N., Hornegger, J., Wells, W. M. & Frangi, A. F. (eds.) *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2015*, 234–241, doi:[10.1007/978-3-319-24574-4_28](https://doi.org/10.1007/978-3-319-24574-4_28) (Springer International Publishing, Cham, 2015).
23. Redmon, J., Divvala, S., Girshick, R. & Farhadi, A. You only look once: Unified, real-time object detection. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 779–788, doi:[10.1109/CVPR.2016.91](https://doi.org/10.1109/CVPR.2016.91) (2016).
24. Minaee, S. *et al.* Image segmentation using deep learning: A survey. *IEEE Transactions on Pattern Analysis Mach. Intell.* **44**, 3523–3542, doi:[10.1109/TPAMI.2021.3059968](https://doi.org/10.1109/TPAMI.2021.3059968) (2022).
25. Goodfellow, I. *et al.* Generative adversarial nets. In Ghahramani, Z., Welling, M., Cortes, C., Lawrence, N. & Weinberger, K. (eds.) *Advances in Neural Information Processing Systems*, vol. 27 (Curran Associates, Inc., 2014). <https://proceedings.neurips.cc/paper/2014/file/5ca3e9b122f61f8f06494c97b1afccf3-Paper.pdf>.

26. Nichol, A. Q. *et al.* GLIDE: Towards photorealistic image generation and editing with text-guided diffusion models. In Chaudhuri, K. *et al.* (eds.) *Proceedings of the 39th International Conference on Machine Learning*, vol. 162 of *Proceedings of Machine Learning Research*, 16784–16804 (PMLR, 2022). <https://proceedings.mlr.press/v162/nichol22a.html>.
27. Ramesh, A., Dhariwal, P., Nichol, A., Chu, C. & Chen, M. Hierarchical text-conditional image generation with clip latents. *arXiv preprint arXiv:2204.06125*, doi:[10.48550/arxiv.2204.06125](https://doi.org/10.48550/arxiv.2204.06125) (2022).
28. Rombach, R., Blattmann, A., Lorenz, D., Esser, P. & Ommer, B. High-resolution image synthesis with latent diffusion models. In *2022 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 10674–10685, doi:[10.1109/CVPR52688.2022.01042](https://doi.org/10.1109/CVPR52688.2022.01042) (2022).
29. Karpathy, A. What I learned from competing against a ConvNet on ImageNet. *Andrej Karpathy blog* (2014). <http://karpathy.github.io/2014/09/02/what-i-learned-from-competing-against-a-convnet-on-imagenet/>, Accessed: 2022-05-01.
30. Russakovsky, O. *et al.* ImageNet large scale visual recognition challenge. *Int. J. Comput. Vis.* **115**, 211–252, doi:[10.1007/s11263-015-0816-y](https://doi.org/10.1007/s11263-015-0816-y) (2015).
31. Santoro, A., Bartunov, S., Botvinick, M., Wierstra, D. & Lillicrap, T. Meta-learning with memory-augmented neural networks. In Balcan, M. F. & Weinberger, K. Q. (eds.) *Proceedings of The 33rd International Conference on Machine Learning (ICML)*, vol. 48 of *Proceedings of Machine Learning Research*, 1842–1850 (PMLR, New York, New York, USA, 2016). <https://proceedings.mlr.press/v48/santoro16.html>.
32. LeCun, Y. *et al.* Backpropagation applied to handwritten zip code recognition. *Neural Comput.* **1**, 541–551, doi:[10.1162/neco.1989.1.4.541](https://doi.org/10.1162/neco.1989.1.4.541) (1989).
33. Althaus, F. *et al.* A standardised vocabulary for identifying benthic biota and substrata from underwater imagery: The CATAMI classification scheme. *PLOS ONE* **10**, 1–18, doi:[10.1371/journal.pone.0141039](https://doi.org/10.1371/journal.pone.0141039) (2015).
34. Mount, R., Bricher, P. & Newton, J. National Intertidal/Subtidal Benthic (NISB) habitat classification scheme. Tech. Rep., Australian Greenhouse Office, National Land & Water Resources Audit, School of Geography and Environmental Studies, University of Tasmania (2007). <https://ozcoasts.org.au/wp-content/uploads/2018/05/pn21267.pdf>.
35. Marine and Coastal Spatial Data Subcommittee. Coastal and marine ecological classification standard (CMECS). Tech. Rep. FGDC-STD-018-2012, United States Federal Geographic Data Committee (2012). <https://repository.library.noaa.gov/view/noaa/27552>.
36. Balestrieri, R. *et al.* A cookbook of self-supervised learning. *arXiv preprint arXiv:2304.12210*, doi:[10.48550/arxiv.2304.12210](https://doi.org/10.48550/arxiv.2304.12210) (2023).
37. Chen, T., Kornblith, S., Norouzi, M. & Hinton, G. A simple framework for contrastive learning of visual representations. In III, H. D. & Singh, A. (eds.) *Proceedings of the 37th International Conference on Machine Learning (ICML)*, vol. 119 of *Proceedings of Machine Learning Research*, 1597–1607 (PMLR, 2020). <https://proceedings.mlr.press/v119/chen20j.html>.
38. He, K., Fan, H., Wu, Y., Xie, S. & Girshick, R. Momentum contrast for unsupervised visual representation learning. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, doi:[10.1109/CVPR42600.2020.00975](https://doi.org/10.1109/CVPR42600.2020.00975) (2020).
39. Chen, T., Kornblith, S., Swersky, K., Norouzi, M. & Hinton, G. E. Big self-supervised models are strong semi-supervised learners. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M. & Lin, H. (eds.) *Advances in Neural Information Processing Systems*, vol. 33, 22243–22255 (Curran Associates, Inc., 2020). https://proceedings.neurips.cc/paper_files/paper/2020/file/fcbc95ccdd551da181207c0c1400c655-Paper.pdf.
40. Grill, J.-B. *et al.* Bootstrap your own latent - a new approach to self-supervised learning. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M. & Lin, H. (eds.) *Advances in Neural Information Processing Systems*, vol. 33, 21271–21284 (Curran Associates, Inc., 2020). <https://papers.nips.cc/paper/2020/file/f3ada80d5c4ee70142b17b8192b2958e-Paper.pdf>.
41. Chen, X. & He, K. Exploring simple siamese representation learning. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 15750–15758, doi:[10.1109/CVPR46437.2021.01549](https://doi.org/10.1109/CVPR46437.2021.01549) (2021).
42. Chen, X., Xie, S. & He, K. An empirical study of training self-supervised vision transformers. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, 9640–9649, doi:[10.1109/ICCV48922.2021.00950](https://doi.org/10.1109/ICCV48922.2021.00950) (2021).
43. Caron, M. *et al.* Emerging properties in self-supervised vision transformers. In *2021 IEEE/CVF International Conference on Computer Vision (ICCV)*, 9630–9640, doi:[10.1109/ICCV48922.2021.00951](https://doi.org/10.1109/ICCV48922.2021.00951) (2021).
44. He, K. *et al.* Masked autoencoders are scalable vision learners. In *2022 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 15979–15988, doi:[10.1109/CVPR52688.2022.01553](https://doi.org/10.1109/CVPR52688.2022.01553) (2022).

- 45.** Ierodiaconou, D. *et al.* Combining pixel and object based image analysis of ultra-high resolution multibeam bathymetry and backscatter for habitat mapping in shallow marine waters. *Mar. Geophys. Res.* **39**, 271–288, doi:[10.1007/s11001-017-9338-z](https://doi.org/10.1007/s11001-017-9338-z) (2018).
- 46.** Baumstark, R., Duffey, R. & Pu, R. Mapping seagrass and colonized hard bottom in Springs Coast, Florida using WorldView-2 satellite imagery. *Estuarine, Coast. Shelf Sci.* **181**, 83–92, doi:[10.1016/j.ecss.2016.08.019](https://doi.org/10.1016/j.ecss.2016.08.019) (2016).
- 47.** Buhl-Mortensen, P. *et al.* Classification and mapping of benthic biotopes in Arctic and Sub-Arctic Norwegian waters. *Front. Mar. Sci.* 271, doi:[10.3389/fmars.2020.00271](https://doi.org/10.3389/fmars.2020.00271) (2020).
- 48.** Espinosa, F. *et al.* Assessment of conservation value of Cap des Trois Fourches (Morocco) as a potential MPA in southern Mediterranean. *J. Coast. Conserv.* **19**, 553–559, doi:[10.1007/s11852-015-0406-8](https://doi.org/10.1007/s11852-015-0406-8) (2015).
- 49.** Neves, B. M., Du Preez, C. & Edinger, E. Mapping coral and sponge habitats on a shelf-depth environment using multibeam sonar and ROV video observations: Learmonth Bank, northern British Columbia, Canada. *Deep. Sea Res. Part II: Top. Stud. Oceanogr.* **99**, 169–183, doi:[10.1016/j.dsr2.2013.05.026](https://doi.org/10.1016/j.dsr2.2013.05.026) (2014).
- 50.** Wienberg, C., Wintersteller, P., Beuck, L. & Hebbeln, D. Coral Patch seamount (NE Atlantic)—a sedimentological and megafaunal reconnaissance based on video and hydroacoustic surveys. *Biogeosciences* **10**, 3421–3443, doi:[10.5194/bg-10-3421-2013](https://doi.org/10.5194/bg-10-3421-2013) (2013).
- 51.** Galparsoro, I. *et al.* Using EUNIS habitat classification for benthic mapping in European seas: Present concerns and future needs. *Mar. Pollut. Bull.* **64**, 2630–2638, doi:[10.1016/j.marpolbul.2012.10.010](https://doi.org/10.1016/j.marpolbul.2012.10.010) (2012).
- 52.** Boulais, O. *et al.* FathomNet: An underwater image training database for ocean exploration and discovery. *arXiv preprint arXiv:2007.00114*, doi:[10.48550/arxiv.2007.00114](https://doi.org/10.48550/arxiv.2007.00114) (2020).
- 53.** Katija, K. *et al.* FathomNet: A global image database for enabling artificial intelligence in the ocean. *Sci. Reports* **12**, 15914, doi:[10.1038/s41598-022-19939-2](https://doi.org/10.1038/s41598-022-19939-2) (2022).
- 54.** Chen, Q., Beijbom, O., Chan, S., Bouwmeester, J. & Kriegman, D. A new deep learning engine for CoralNet. In *2021 IEEE/CVF International Conference on Computer Vision Workshops (ICCVW)*, 3686–3695, doi:[10.1109/ICCVW54120.2021.00412](https://doi.org/10.1109/ICCVW54120.2021.00412) (2021).
- 55.** Orenstein, E. C., Beijbom, O., Peacock, E. E. & Sosik, H. M. WHOI-Plankton- A large scale fine grained visual recognition benchmark dataset for plankton classification. *arXiv preprint arXiv:1510.00745*, doi:[10.48550/arxiv.1510.00745](https://doi.org/10.48550/arxiv.1510.00745) (2015).
- 56.** Hong, J., Fulton, M. & Sattar, J. TrashCan: A semantically-segmented dataset towards visual detection of marine debris. *arXiv preprint arXiv:2007.08097*, doi:[10.48550/arxiv.2007.08097](https://doi.org/10.48550/arxiv.2007.08097) (2020).
- 57.** Zhuang, P., Wang, Y. & Qiao, Y. Wildfish: A large benchmark for fish recognition in the wild. In *Proceedings of the 26th ACM International Conference on Multimedia*, MM '18, 1301–1309, doi:[10.1145/3240508.3240616](https://doi.org/10.1145/3240508.3240616) (Association for Computing Machinery, New York, NY, USA, 2018).
- 58.** Jian, M. *et al.* The OUC-vision large-scale underwater image database. In *2017 IEEE International Conference on Multimedia and Expo (ICME)*, 1297–1302, doi:[10.1109/ICME.2017.8019324](https://doi.org/10.1109/ICME.2017.8019324) (2017).
- 59.** Raphael, A., Dubinsky, Z., Iluz, D., Benichou, J. I. & Netanyahu, N. S. Deep neural network recognition of shallow water corals in the Gulf of Eilat (Aqaba). *Sci. reports* **10**, 1–11, doi:[10.1038/s41598-020-69201-w](https://doi.org/10.1038/s41598-020-69201-w) (2020).
- 60.** Pedersen, M., Bruslund Haurum, J., Gade, R. & Moeslund, T. B. Detection of marine animals in a new underwater dataset with varying visibility. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops*, 18–26 (2019).
- 61.** Beijbom, O., Edmunds, P. J., Kline, D. I., Mitchell, B. G. & Kriegman, D. Automated annotation of coral reef survey images. In *2012 IEEE conference on computer vision and pattern recognition*, 1170–1177, doi:[10.1109/CVPR.2012.6247798](https://doi.org/10.1109/CVPR.2012.6247798) (IEEE, 2012).
- 62.** Friedman, A. SQUIDLE+, A tool for managing, exploring & annotating images, video & large-scale mosaics. <https://squidle.org/> (2020). Accessed: 2023-04-03.
- 63.** Langenkämper, D., Zurowietz, M., Schoening, T. & Nattkemper, T. W. BIIGLE 2.0 - Browsing and annotating large marine image collections. *Front. Mar. Sci.* **4**, doi:[10.3389/fmars.2017.00083](https://doi.org/10.3389/fmars.2017.00083) (2017).
- 64.** Wilson, B. R. *et al.* Mapping seafloor habitats in the Bay of Fundy to assess megafaunal assemblages associated with *Modiolus modiolus* beds. *Estuarine, Coast. Shelf Sci.* **252**, 107294, doi:[10.1016/j.ecss.2021.107294](https://doi.org/10.1016/j.ecss.2021.107294) (2021).
- 65.** Lacharité, M., Brown, C. J. & Gazzola, V. Multisource multibeam backscatter data: Developing a strategy for the production of benthic habitat maps using semi-automated seafloor classification methods. *Mar. Geophys. Res.* **39**, 307–322, doi:[10.1007/s11001-017-9331-6](https://doi.org/10.1007/s11001-017-9331-6) (2018).

66. Brown, C. J., Beaudoin, J., Brissette, M. & Gazzola, V. Multispectral multibeam echo sounder backscatter as a tool for improved seafloor characterization. *Geosciences* **9**, 126, doi:[10.3390/geosciences9030126](https://doi.org/10.3390/geosciences9030126) (2019).
67. Mackin-McLaughlin, J. *et al.* Spatial distribution of benthic flora and fauna of coastal Placentia Bay, an ecologically and biologically significant area of the island of Newfoundland, Atlantic Canada. *Front. Environ. Sci.* **10**, 999483, doi:[10.3389/fenvs.2022.999483](https://doi.org/10.3389/fenvs.2022.999483) (2022).
68. Nemaní, S. *et al.* A multi-scale feature selection approach for predicting benthic assemblages. *Estuarine, Coast. Shelf Sci.* 108053, doi:[10.1016/j.ecss.2022.108053](https://doi.org/10.1016/j.ecss.2022.108053) (2022).
69. Misiuk, B. *et al.* A spatially explicit comparison of quantitative and categorical modelling approaches for mapping seabed sediments using random forest. *Geosciences* **9**, 254, doi:[10.3390/geosciences9060254](https://doi.org/10.3390/geosciences9060254) (2019).
70. Menandro, P. S. *et al.* The role of benthic habitat mapping for science and managers: A multi-design approach in the Southeast Brazilian Shelf after a major man-induced disaster. *Front. Mar. Sci.* **9**, 1004083, doi:[10.3389/fmars.2022.1004083](https://doi.org/10.3389/fmars.2022.1004083) (2022).
71. Menandro, P. S., Misiuk, B., Brown, C. J. & Bastos, A. C. Multispectral multibeam backscatter response of heterogeneous rhodolith beds. *Sci. Reports* **13**, 20220, doi:[10.1038/s41598-023-46240-7](https://doi.org/10.1038/s41598-023-46240-7) (2023).
72. Todd, B. *et al.* Expedition report 2000-047: CCGS *Hudson*, southern Scotian Shelf. Tech. Rep. Open File 3911, Geological Survey of Canada (2001). doi:[10.4095/212966](https://doi.org/10.4095/212966).
73. Todd, B. *et al.* Expedition report CCGS *Hudson* 2002-026: Gulf of Maine. Tech. Rep. Open File 1468, Geological Survey of Canada (2003). doi:[10.4095/214143](https://doi.org/10.4095/214143).
74. Todd, B. *et al.* Expedition report CCGS *Hudson* 2003-054: German Bank, Gulf of Maine. Tech. Rep. Open File 4728, Geological Survey of Canada (2005). doi:[10.4095/216676](https://doi.org/10.4095/216676).
75. Tremblay, M. J., Smith, S. J., Todd, B. J., Clement, P. M. & McKeown, D. L. Associations of lobsters (*Homarus americanus*) off southwestern Nova Scotia with bottom type from images and geophysical maps. *ICES J. Mar. Sci.* **66**, 2060–2067, doi:[10.1093/icesjms/fsp178](https://doi.org/10.1093/icesjms/fsp178) (2009).
76. Brown, C. J., Sameoto, J. A. & Smith, S. J. Multiple methods, maps, and management applications: Purpose made seafloor maps in support of ocean management. *J. Sea Res.* **72**, 1–13, doi:[10.1016/j.seares.2012.04.009](https://doi.org/10.1016/j.seares.2012.04.009) (2012).
77. O'Brien, J., Wong, M. & Roethlisberger, B. Benthic imagery from nearshore drop camera surveys along Eastern Shore (Nova Scotia, Canada) to characterize shallow subtidal habitats. Mendeley Data, doi:[10.17632/xfb2gf6kp.1](https://doi.org/10.17632/xfb2gf6kp.1) (2022). Available at <https://data.mendeley.com/datasets/xfb2gf6kp/1>.
78. Zajac, R. N. *et al.* Chapter 10 - An integrated seafloor habitat map to inform marine spatial planning and management: a case study from Long Island Sound (Northwest Atlantic). In Harris, P. T. & Baker, E. (eds.) *Seafloor Geomorphology as Benthic Habitat*, 199–217, doi:[10.1016/B978-0-12-814960-7.00010-5](https://doi.org/10.1016/B978-0-12-814960-7.00010-5) (Elsevier, 2020), 2nd edn.
79. Lidz, B. H. & Zawada, D. G. Possible return of *Acropora cervicornis* at Pulaski Shoal, Dry Tortugas National Park, Florida. *J. Coast. Res.* **29**, 256–271, doi:[10.2112/JCOASTRES-D-12-00078.1](https://doi.org/10.2112/JCOASTRES-D-12-00078.1) (2013).
80. Zawada, D. G., Ruzicka, R. & Colella, M. A. A comparison between boat-based and diver-based methods for quantifying coral bleaching. *J. Exp. Mar. Biol. Ecol.* **467**, 39–44, doi:[10.1016/j.jembe.2015.02.017](https://doi.org/10.1016/j.jembe.2015.02.017) (2015).
81. Post, A., O'Brien, P. E., Armand, L. K. & Carroll, A. Seafloor image annotations from the Sabrina upper slope, East Antarctica, Ver. 1. Australian Antarctic Data Centre Dataset, doi:[10.26179/5caed60a7b076](https://doi.org/10.26179/5caed60a7b076) (2020).
82. Smith, J. High resolution still photographs of the seafloor across the Mertz Glacier Region, Ver. 1. Australian Antarctic Data Centre Dataset, doi:[10.4225/15/59acda196ccfb](https://doi.org/10.4225/15/59acda196ccfb) (2017).
83. Edgar, G. J. & Stuart-Smith, R. D. Systematic global assessment of reef fish communities by the Reef Life Survey program. *Sci. Data* **1**, 140007, doi:[10.1038/sdata.2014.7](https://doi.org/10.1038/sdata.2014.7) (2014).
84. Edgar, G. J. *et al.* Establishing the ecological basis for conservation of shallow marine life using Reef Life Survey. *Biol. Conserv.* **252**, 108855, doi:[10.1016/j.biocon.2020.108855](https://doi.org/10.1016/j.biocon.2020.108855) (2020).
85. Jordan, A. & Hedge, P. Marine biodiversity hub impact report. synopsis of research impacts 2007–2020. Tech. Rep., Department of Agriculture, Water and the Environment. Canberra, Australia (2020). https://www.nespmarine.edu.au/system/files/Marine_Biodiversity_Hub_Impact_Report_FINAL_DEC2020.pdf.
86. Yamada, T., Prügel-Bennett, A. & Thornton, B. Learning features from georeferenced seafloor imagery with location guided autoencoders. *J. Field Robotics* **38**, 52–67, doi:[10.1002/rob.21961](https://doi.org/10.1002/rob.21961) (2021).

87. Huber, R., Gordeev, E., Stocker, M., Balamurugan, A. & Schindler, U. pangaeapy - a Python module to access and analyse PANGAEA data, doi:[10.5281/zenodo.4013941](https://doi.org/10.5281/zenodo.4013941) (2020).
88. Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017, doi:[10.1594/PANGAEA.877578](https://doi.org/10.1594/PANGAEA.877578) (2017).
89. Roelfsema, C. M. *et al.* Habitat maps to enhance monitoring and management of the Great Barrier Reef. *Coral Reefs* **39**, 1039–1054, doi:[10.1007/s00338-020-01929-3](https://doi.org/10.1007/s00338-020-01929-3) (2020).
90. Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced benthic photoquadrats captured annually from 2002–2017, distributed over Heron Reef flat and slope areas, doi:[10.1594/PANGAEA.894801](https://doi.org/10.1594/PANGAEA.894801) (2018).
91. González-Rivero, M. *et al.* Scaling up ecological measurements of coral reefs using semi-automated field image collection and analysis. *Remote. Sens.* **8**, 30, doi:[10.3390/rs8010030](https://doi.org/10.3390/rs8010030) (2016).
92. Jackett, C. *et al.* A benthic substrate classification method for seabed images using deep learning: Application to management of deep-sea coral reefs. *J. Appl. Ecol.* **60**, 1254–1273, doi:[10.1111/1365-2664.14408](https://doi.org/10.1111/1365-2664.14408) (2023).
93. Piechaud, N., Hunt, C., Culverhouse, P., Foster, N. & Howell, K. Automated identification of benthic epifauna with computer vision. *Mar. Ecol. Prog. Ser.* **615**, 15–30, doi:[10.3354/meps12925](https://doi.org/10.3354/meps12925) (2019).
94. Diegues, A., Pinto, J., Ribeiro, P., Frias, R. & Alegre, d. C. Automatic Habitat Mapping using Convolutional Neural Networks. In *2018 IEEE/OES Autonomous Underwater Vehicle Workshop (AUV)*, 1–6, doi:[10.1109/AUV.2018.8729787](https://doi.org/10.1109/AUV.2018.8729787) (IEEE, Porto, Portugal, 2018).
95. Arosio, R. *et al.* Fully convolutional neural networks applied to large-scale marine morphology mapping. *Front. Mar. Sci.* **10**, 1228867, doi:[10.3389/fmars.2023.1228867](https://doi.org/10.3389/fmars.2023.1228867) (2023).
96. Ouali, Y., Hudelot, C. & Tami, M. An overview of deep semi-supervised learning. *arXiv preprint arXiv:2006.05278*, doi:[10.48550/arxiv.2006.05278](https://doi.org/10.48550/arxiv.2006.05278) (2020).
97. van Engelen, J. E. & Hoos, H. H. A survey on semi-supervised learning. *Mach. Learn.* **109**, 373–440, doi:[10.1007/s10994-019-05855-6](https://doi.org/10.1007/s10994-019-05855-6) (2020).
98. Yang, X., Song, Z., King, I. & Xu, Z. A survey on deep semi-supervised learning. *IEEE Transactions on Knowl. Data Eng.* **35**, 8934–8954, doi:[10.1109/TKDE.2022.3220219](https://doi.org/10.1109/TKDE.2022.3220219) (2023).
99. Huang, M., Wang, Y., Zou, W. & Cao, Y. Fast adaptive self-supervised underwater image enhancement. In *2022 IEEE International Conference on Image Processing (ICIP)*, 3371–3375, doi:[10.1109/ICIP46576.2022.9897298](https://doi.org/10.1109/ICIP46576.2022.9897298) (2022).
100. Zbontar, J., Jing, L., Misra, I., LeCun, Y. & Deny, S. Barlow twins: Self-supervised learning via redundancy reduction. In Meila, M. & Zhang, T. (eds.) *Proceedings of the 38th International Conference on Machine Learning (ICML)*, vol. 139 of *Proceedings of Machine Learning Research*, 12310–12320 (PMLR, 2021). <https://proceedings.mlr.press/v139/zbontar21a.html>.
101. WoRMS Editorial Board. World register of marine species (WoRMS). <https://www.marinespecies.org>, doi:[10.14284/170](https://doi.org/10.14284/170) (2024). Accessed: 2023-04-03.
102. Sayre, R. G. *et al.* A three-dimensional mapping of the ocean based on environmental data. *Oceanography* **30**, doi:[10.5670/oceanog.2017.116](https://doi.org/10.5670/oceanog.2017.116) (2017).
103. GEBCO Compilation Group. GEBCO_2022 Grid, doi:[10.5285/e0f0bb80-ab44-2739-e053-6c86abc0289c](https://doi.org/10.5285/e0f0bb80-ab44-2739-e053-6c86abc0289c) (2022).
104. Locarnini, R. *et al.* World Ocean Atlas 2013, Volume 1: Temperature. In Levitus, S. (ed.) *NOAA Atlas NESDIS 73* (United States Department of Commerce, 2013). Mishonov, A. technical ed.
105. Zweng, M. *et al.* World Ocean Atlas 2013, Volume 2: Salinity. In Levitus, S. (ed.) *NOAA Atlas NESDIS 74* (United States Department of Commerce, 2013). Mishonov, A. technical ed.
106. Garcia, H. *et al.* World Ocean Atlas 2013, Volume 3: Dissolved oxygen, apparent oxygen utilization, and oxygen saturation. In Levitus, S. (ed.) *NOAA Atlas NESDIS 75* (United States Department of Commerce, 2014). Mishonov, A. technical ed.
107. Garcia, H. *et al.* World Ocean Atlas 2013, Volume 4: Dissolved inorganic nutrients (phosphate, nitrate, silicate). In Levitus, S. (ed.) *NOAA Atlas NESDIS 76* (United States Department of Commerce, 2014). Mishonov, A. technical ed.
108. Chen, X., Fan, H., Girshick, R. B. & He, K. Improved baselines with momentum contrastive learning. *arXiv preprint arXiv:2003.04297*, doi:[10.48550/arXiv.2003.04297](https://doi.org/10.48550/arXiv.2003.04297) (2020).

109. You, Y., Gitman, I. & Ginsburg, B. Large batch training of convolutional networks. *arXiv preprint arXiv:1708.03888*, doi:[10.48550/arXiv.1708.03888](https://doi.org/10.48550/arXiv.1708.03888) (2017).
110. Smith, L. N. A disciplined approach to neural network hyper-parameters: Part 1 - learning rate, batch size, momentum, and weight decay. *arXiv preprint arXiv:1803.09820*, doi:[10.48550/arxiv.1803.09820](https://doi.org/10.48550/arxiv.1803.09820) (2018).
111. Paszke, A. *et al.* PyTorch: An imperative style, high-performance deep learning library. In *Advances in Neural Information Processing Systems 32*, 8024–8035 (Curran Associates, Inc., 2019). <http://papers.neurips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>.
112. Xu, I. *et al.* Hierarchical multi-label classification with missing information for benthic habitat imagery. In *International Joint Conference on Neural Networks (IJCNN)* (2024).

Appendices

A PANGAEA Search

To thoroughly search PANGAEA for seafloor imagery, we used 20 search terms with a range of synonyms for the content of interest. The PANGAEA search API is comprehensive and allows terms be combined with AND or OR operators, and negative search terms to be used. However, we could not merge all our synonyms together into a single, large query because the number of results which can be returned by one query is limited to 500 records.

The search terms used were as follows:

```
(seabed OR "sea bed" OR "sea-bed") (image OR imagery OR photo OR photograph  
OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif  
OR tiff)  
(seafloor OR "sea floor" OR "sea-floor") (image OR imagery OR photo OR photograph  
OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif  
OR tiff)  
("ocean floor" OR "ocean-floor") (image OR imagery OR photo OR photograph  
OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif  
OR tiff)  
underwater (habitat* OR substrate OR sediment) (image OR imagery OR photo  
OR photograph OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg  
OR png OR tif OR tiff)  
benthic (image OR imagery OR photo OR photograph OR "photo-transect" OR photoquad*  
OR photo-quad* OR jpg OR jpeg OR png OR tif OR tiff)  
(benthos or benthoz) (image OR imagery OR photo OR photograph OR "photo-transect"  
OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif OR tiff)  
(coral OR reef OR seagrass OR "sea grass") (image OR imagery OR photo OR photograph  
OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif  
OR tiff)  
(auv OR rov OR uuv OR "underwater vehicle") (image OR imagery OR photo OR photograph  
OR "photo-transect" OR photoquad* OR photo-quad* OR jpg OR jpeg OR png OR tif  
OR tiff)  
benthoscape habitat* image  
benthoscape habitat* imagery  
benthoscape habitat* photo  
benthoscape habitat* photograph  
benthoscape habitat* ("photo-transect" OR photoquad* OR photo-quad*)  
benthoscape habitat* (jpg OR jpeg OR png OR tif OR tiff)  
benthoscape image  
benthoscape imagery  
benthoscape photo  
benthoscape photograph  
benthoscape ("photo-transect" OR photoquad* OR photo-quad*)  
benthoscape (jpg OR jpeg OR png OR tif OR tiff)
```

Each search term was prefixed with a set of negative search terms to remove false positives, given as follows

```
-microscop? -"Meteorological observations" -topsoil -soil -sky  
- "wind vector" -"wind stress" -"vertical profile" -"vertical distribution"
```

The full code for our PANGAEA search is publicly available at
<https://github.com/DalhousieAI/pangaea-downloader>.

B FathomNet Python API Code

We retrieved the full set of images on FathomNet by using the FathomNet API from the [fathomnet-py](#) Python package as follows.

```

import fathomnet.api.images
import pandas as pd

keys = ["url", "uuid", "timestamp", "latitude", "longitude",
        "oxygenMll", "pressureDbar", "salinity", "temperatureCelsius"]

records = []
for submitter in fathomnet.api.images.find_distinct_submitter():
    for image in fathomnet.api.images.find_by_contributors_email(submitter):
        records.append({k: getattr(image, k) for k in keys})

df = pd.DataFrame.from_records(records)
df.drop_duplicates(subset="url", inplace=True)

```

C Dataset details

A large number of datasets were sourced from individual research groups, online repositories, and data collections. These are summarized in the main text. Here we provide additional information on the individual datasets acquired from each source. The numbers of sites and images collected represent the state of these datasets after subsampling in all cases (BenthicNet-1M). In other words, this information applies to the final dataset described in the main text that was used for image recognition model trials. Information describing the licenses for each dataset acquired from these repositories is provided here for the interest of the reader. For the exhaustive and canonical list of datasets and their corresponding licenses that make up the BenthicNet compilation, refer to the documentation provided at the BenthicNet FRDR repository.

C.1 Individual research groups

Table 7. Dataset details from individual groups.

Dataset	Source	Nº Sites	Nº Images	License	Citations
Julia_2020	4D Oceans	173	1730	CC-BY-4.0	67
Shreya_2020	4D Oceans	75	985	CC-BY-4.0	68
DFO_Eelgrass	DFO (BIO)	110	469	CC-BY-4.0	77
Georges_Bank_2000	DFO (BIO)	17	266	CC-BY-4.0	72
Georges_Bank_2002	DFO (BIO)	27	266	CC-BY-4.0	73
German_Bank_2003	DFO (BIO)	69	523	CC-BY-4.0	74
German_Bank_2006	DFO (BIO)	14	1776	CC-BY-4.0	75
German_Bank_2010	DFO (BIO)	48	2681	CC-BY-4.0	76
Dellwood_H1682	DFO (IOS)	1	244	CC-BY-4.0	
Dellwood_H1683	DFO (IOS)	1	270	CC-BY-4.0	
Dellwood_South_H1690	DFO (IOS)	2	422	CC-BY-4.0	
Sgaan_H1684	DFO (IOS)	2	311	CC-BY-4.0	
Sgaan_H1686	DFO (IOS)	1	220	CC-BY-4.0	
Hogkins_H1685	DFO (IOS)	1	245	CC-BY-4.0	
Explorer_H1691	DFO (IOS)	1	281	CC-BY-4.0	
EAC_2021	EAC	7	1015	CC-BY-4.0	
Hakai_ROV_2019	Hakai	30	1234	CC-BY-4.0	
Hakai_Video_2020	Hakai	10	2375	CC-BY-4.0	
Jamaica_2022	HAL Lab	1	505	CC-BY-4.0	
Bastos	LaboGeo (Marine Geosciences Lab/UFES)	287	287	CC-BY-4.0	70,71
Chesterfield	MUN	20	361	CC-BY-4.0	
Qikiqtarjuaq	MUN	20	4451	CC-BY-4.0	9
Frobisher	MUN	28	619	CC-BY-4.0	69
Wager	MUN	47	972	CC-BY-4.0	
NGU_2010	NGU	221	26818	CC-BY-4.0	
NGU_2014	NGU	164	9828	CC-BY-4.0	

Table 7 (cont.): Dataset details from individual groups.

Dataset	Source	Nº Sites	Nº Images	License	Citations
NGU_2015	NGU	128	9081	CC-BY-4.0	
NGU_2017	NGU	67	4548	CC-BY-4.0	
NOAA_HabCam_2015	NOAA (NEFSC)	2	2065	CC-BY-4.0	
Bay_of_Fundy_2019	SEAM	158	1506	CC-BY-4.0	64
Bedford_2017	SEAM	24	49	CC-BY-4.0	66
St_Anns_Bank	SEAM	60	3615	CC-BY-4.0	65

C.2 MGDS datasets

Table 8. MGDS dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
LISMARC12_SEABOSS	MGDS	1	508	CC-BY-NC-SA-3.0 US	78,129
LISMARC12_ISIS	MGDS	1	251	CC-BY-NC-SA-3.0 US	78,130
LISMARC13_SEABOSS	MGDS	1	1143	CC-BY-NC-SA-3.0 US	78,131
LISMARC13_ROV	MGDS	1	208	CC-BY-NC-SA-3.0 US	78,132
AT18-12	MGDS	9	1985	CC-BY-NC-SA-3.0 US	133
FK200429-mgds	MGDS	19	2059	CC-BY-NC-SA-3.0 US	134

C.3 NOAA datasets

Table 9. NOAA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
Batangas_2015	NOAA	5	638	U.S. Public Domain	135
EWFBG_2004	NOAA	5	150	U.S. Public Domain	136
Fagaalu_2015	NOAA	55	1705	U.S. Public Domain	137
Hawaii_Archipelago_2019	NOAA	6	151	U.S. Public Domain	138
Hawaii_CRAMP_2015	NOAA	18	3587	U.S. Public Domain	139
Hawaii_Diver_2015	NOAA	38	7436	U.S. Public Domain	140
Kachemak_2017	NOAA	3	514	U.S. Public Domain	141
Kona_2004	NOAA	20	299	U.S. Public Domain	142
Mariana_2017	NOAA	64	1416	U.S. Public Domain	143
Pearl_Hermes_Atoll_2018	NOAA	20	3212	U.S. Public Domain	144
Pearl_Hermes_Atoll_2018_After	NOAA	20	3569	U.S. Public Domain	145
Pearl_Hermes_Atoll_2018_Before	NOAA	20	3519	U.S. Public Domain	146
Pelekane_Bay_2012	NOAA	3	325	U.S. Public Domain	147
Samoa_2017	NOAA	3	96	U.S. Public Domain	148
Timor-Leste_2014	NOAA	149	4766	U.S. Public Domain	149
Vatia_2015	NOAA	18	540	U.S. Public Domain	150
Wake_2017	NOAA	54	1742	U.S. Public Domain	151
West_Hawaii	NOAA	29	7049	U.S. Public Domain	152

C.4 USGS datasets

Table 10. USGS dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
Crocker_2014	USGS	3	750	U.S. Public Domain	153
FRRP_2011	USGS	4	982	U.S. Public Domain	154
Pulley_Ridge_2003	USGS	14	1127	U.S. Public Domain	155
Tortugas_2009	USGS	3	750	U.S. Public Domain	156
Tortugas_2011	USGS	14	3426	U.S. Public Domain	157

C.5 USAP-DC datasets

Table 11. USAP-DC dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
King_George_Bransfield_2018	USAP-DC	8	108	CC BY-NC 4.0	158
LMG1311	USAP-DC	1	242	CC BY-NC 4.0	159
LMG1703	USAP-DC	1	250	CC BY-NC 4.0	160
NBP1402	USAP-DC	10	761	CC BY-NC 4.0	161
NBP1502	USAP-DC	7	1525	CC BY-NC 4.0	162

C.6 AADC datasets

Table 12. AADC dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
Sabrina_2017	AADC	4	171	CC-BY-4.0	81
VMS_2011	AADC	82	1853	CC-BY-4.0	82

C.7 NRCan datasets

Table 13. NRCan dataset details.

Dataset	Source	Nº Sites	Nº Images	License
nrcan-65034	NRCan	7	376	Open Government Licence - Canada
nrcan-67019	NRCan	11	634	Open Government Licence - Canada
nrcan-68022	NRCan	8	1056	Open Government Licence - Canada
nrcan-69016	NRCan	21	314	Open Government Licence - Canada
nrcan-71022	NRCan	8	257	Open Government Licence - Canada
nrcan-73003PHASE2	NRCan	9	174	Open Government Licence - Canada
nrcan-73006	NRCan	16	172	Open Government Licence - Canada
nrcan-73027	NRCan	21	324	Open Government Licence - Canada
nrcan-74026	NRCan	21	431	Open Government Licence - Canada

Table 13 (cont.): NRCan dataset details.

Dataset	Source	№ Sites	№ Images	License
nrcan-75009PHASE1	NRCan	16	120	Open Government Licence - Canada
nrcan-76016	NRCan	6	53	Open Government Licence - Canada
nrcan-76025	NRCan	17	361	Open Government Licence - Canada
nrcan-77011	NRCan	13	189	Open Government Licence - Canada
nrcan-78012	NRCan	6	42	Open Government Licence - Canada
nrcan-78QUEST	NRCan	7	40	Open Government Licence - Canada
nrcan-79011	NRCan	9	82	Open Government Licence - Canada
nrcan-79019	NRCan	4	110	Open Government Licence - Canada
nrcan-82FOGO_ISLE	NRCan	4	13	Open Government Licence - Canada
nrcan-83019	NRCan	4	106	Open Government Licence - Canada
nrcan-85005	NRCan	17	370	Open Government Licence - Canada
nrcan-87014	NRCan	6	124	Open Government Licence - Canada
nrcan-89008	NRCan	10	412	Open Government Licence - Canada
nrcan-89014	NRCan	8	495	Open Government Licence - Canada
nrcan-90028	NRCan	9	214	Open Government Licence - Canada
nrcan-90035	NRCan	73	74	Open Government Licence - Canada
nrcan-91018	NRCan	11	183	Open Government Licence - Canada
nrcan-94032	NRCan	5	143	Open Government Licence - Canada
nrcan-94138	NRCan	35	103	Open Government Licence - Canada
nrcan-95006	NRCan	12	266	Open Government Licence - Canada
nrcan-95033A	NRCan	13	122	Open Government Licence - Canada
nrcan-95140	NRCan	4	35	Open Government Licence - Canada
nrcan-97058	NRCan	3	58	Open Government Licence - Canada
nrcan-97060	NRCan	8	32	Open Government Licence - Canada
nrcan-98031	NRCan	27	315	Open Government Licence - Canada
nrcan-98034	NRCan	21	180	Open Government Licence - Canada
nrcan-98049	NRCan	20	84	Open Government Licence - Canada
nrcan-98074	NRCan	13	143	Open Government Licence - Canada
nrcan-99020	NRCan	29	88	Open Government Licence - Canada
nrcan-2000042	NRCan	9	185	Open Government Licence - Canada
nrcan-2000047	NRCan	48	820	Open Government Licence - Canada
nrcan-2001ROPOS	NRCan	361	361	Open Government Licence - Canada
nrcan-2002021	NRCan	73	326	Open Government Licence - Canada
nrcan-2002026	NRCan	32	367	Open Government Licence - Canada
nrcan-2002066	NRCan	42	224	Open Government Licence - Canada
nrcan-2003009	NRCan	40	491	Open Government Licence - Canada
nrcan-2003015	NRCan	36	237	Open Government Licence - Canada
nrcan-2003029	NRCan	38	1388	Open Government Licence - Canada
nrcan-2003054	NRCan	70	790	Open Government Licence - Canada
nrcan-2003068	NRCan	20	116	Open Government Licence - Canada
nrcan-2004010	NRCan	37	301	Open Government Licence - Canada
nrcan-2004014	NRCan	19	181	Open Government Licence - Canada
nrcan-2004018	NRCan	2	46	Open Government Licence - Canada
nrcan-2004024	NRCan	6	138	Open Government Licence - Canada
nrcan-2004037	NRCan	38	93	Open Government Licence - Canada
nrcan-2005011PGC	NRCan	5	209	Open Government Licence - Canada
nrcan-2005023	NRCan	5	58	Open Government Licence - Canada
nrcan-2005030	NRCan	14	108	Open Government Licence - Canada
nrcan-2005033B	NRCan	9	142	Open Government Licence - Canada
nrcan-2006002PGC	NRCan	3	36	Open Government Licence - Canada
nrcan-2006039	NRCan	6	41	Open Government Licence - Canada
nrcan-2006040	NRCan	11	55	Open Government Licence - Canada

Table 13 (cont.): NRCan dataset details.

Dataset	Source	Nº Sites	Nº Images	License
nrcan-2006054	NRCan	50	618	Open Government Licence - Canada
nrcan-2007016	NRCan	1	20	Open Government Licence - Canada
nrcan-2007048	NRCan	19	255	Open Government Licence - Canada
nrcan-2008015	NRCan	2	138	Open Government Licence - Canada
nrcan-2008027	NRCan	4	112	Open Government Licence - Canada
nrcan-2008052	NRCan	24	456	Open Government Licence - Canada
nrcan-2008303	NRCan	32	38	Open Government Licence - Canada
nrcan-2009044	NRCan	5	175	Open Government Licence - Canada
nrcan-2010020	NRCan	12	296	Open Government Licence - Canada
nrcan-2010023	NRCan	2	36	Open Government Licence - Canada
nrcan-2010034	NRCan	6	626	Open Government Licence - Canada
nrcan-2011002PGC	NRCan	12	340	Open Government Licence - Canada
nrcan-2013002PGC	NRCan	4	200	Open Government Licence - Canada
nrcan-2015002PGC	NRCan	14	140	Open Government Licence - Canada
nrcan-2015004PGC	NRCan	3	393	Open Government Licence - Canada

C.8 XL Catlin Seaview Survey datasets

Table 14. XL Catlin Seaview Survey dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
CatlinSeaview_ATL_ABW	XL Catlin Seaview Survey	3	957	CC-BY-3.0	6,91
CatlinSeaview_ATL_AIA	XL Catlin Seaview Survey	15	4492	CC-BY-3.0	6,91
CatlinSeaview_ATL_BES	XL Catlin Seaview Survey	16	5367	CC-BY-3.0	6,91
CatlinSeaview_ATL_BHS	XL Catlin Seaview Survey	30	10722	CC-BY-3.0	6,91
CatlinSeaview_ATL_BLZ	XL Catlin Seaview Survey	24	7261	CC-BY-3.0	6,91
CatlinSeaview_ATL_BMU	XL Catlin Seaview Survey	12	4140	CC-BY-3.0	6,91
CatlinSeaview_ATL_CUW	XL Catlin Seaview Survey	16	5622	CC-BY-3.0	6,91
CatlinSeaview_ATL_GLP	XL Catlin Seaview Survey	14	4326	CC-BY-3.0	6,91
CatlinSeaview_ATL_MAF	XL Catlin Seaview Survey	2	597	CC-BY-3.0	6,91
CatlinSeaview_ATL_MEX	XL Catlin Seaview Survey	23	7284	CC-BY-3.0	6,91
CatlinSeaview_ATL_SXM	XL Catlin Seaview Survey	2	532	CC-BY-3.0	6,91
CatlinSeaview_ATL_TCA	XL Catlin Seaview Survey	13	4127	CC-BY-3.0	6,91
CatlinSeaview_ATL_VCT	XL Catlin Seaview Survey	25	7074	CC-BY-3.0	6,91
CatlinSeaview_IND_CHA	XL Catlin Seaview Survey	29	10217	CC-BY-3.0	6,91
CatlinSeaview_IND_MDV	XL Catlin Seaview Survey	63	21613	CC-BY-3.0	6,91
CatlinSeaview_PAC_AUS	XL Catlin Seaview Survey	261	85186	CC-BY-3.0	6,91
CatlinSeaview_PAC_IDN	XL Catlin Seaview Survey	114	39329	CC-BY-3.0	6,91
CatlinSeaview_PAC_PHL	XL Catlin Seaview Survey	25	7738	CC-BY-3.0	6,91
CatlinSeaview_PAC_SLB	XL Catlin Seaview Survey	20	7176	CC-BY-3.0	6,91
CatlinSeaview_PAC_TLS	XL Catlin Seaview Survey	26	9198	CC-BY-3.0	6,91
CatlinSeaview_PAC_TWN	XL Catlin Seaview Survey	29	7931	CC-BY-3.0	6,91
CatlinSeaview_PAC_USA	XL Catlin Seaview Survey	99	32785	CC-BY-3.0	6,91

C.9 FathomNet datasets

Table 15. FathomNet dataset details. The datasets and sites indicated here are arbitrary groupings created by us for BenthicNet in order to facilitate the image addressing and subsampling process within BenthicNet. Note that although FathomNet images are provided under a non-commercial license ([CC-BY-NC-ND-4.0](#)), notwithstanding this, all images may be used for training and development of machine learning algorithms for commercial, academic, and government purposes, as described by the [FathomNet license](#).

Dataset	Source	Nº Sites	Nº Images	License	Citations
Doc Ricketts	FathomNet	1065	27146	CC-BY-NC-ND-4.0	53
FathomNet_misc	FathomNet	8	1476	CC-BY-NC-ND-4.0	53
Mini ROV	FathomNet	41	646	CC-BY-NC-ND-4.0	53
MiniROV	FathomNet	3	95	CC-BY-NC-ND-4.0	53
QA_M116	FathomNet	1	3	CC-BY-NC-ND-4.0	53
Tiburón	FathomNet	724	12047	CC-BY-NC-ND-4.0	53
Ventana	FathomNet	1532	16696	CC-BY-NC-ND-4.0	53
i2MAP	FathomNet	7	87	CC-BY-NC-ND-4.0	53

C.10 SQUIDLE+ datasets

Table 16. SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
FK200429	SQUIDLE+	15	4106	CC-BY-4.0
FK200802	SQUIDLE+	19	7131	CC-BY-4.0
RLS_Abrilhos (WA)_2021	SQUIDLE+	1	21	CC-BY-4.0
RLS_Abrilhos Islands_2008	SQUIDLE+	23	299	CC-BY-4.0
RLS_Abrilhos Islands_2013	SQUIDLE+	49	1185	CC-BY-4.0
RLS_Abrilhos Islands_2021	SQUIDLE+	23	483	CC-BY-4.0
RLS_Aceh_2009	SQUIDLE+	44	763	CC-BY-4.0
RLS_Adelaide Island_2016	SQUIDLE+	7	152	CC-BY-4.0
RLS_Adelaide_2014	SQUIDLE+	7	170	CC-BY-4.0
RLS_Adelaide_2015	SQUIDLE+	45	908	CC-BY-4.0
RLS_Adelaide_2016	SQUIDLE+	66	1380	CC-BY-4.0
RLS_Adelaide_2017	SQUIDLE+	112	2410	CC-BY-4.0
RLS_Adelaide_2018	SQUIDLE+	112	2406	CC-BY-4.0
RLS_Adelaide_2019	SQUIDLE+	40	919	CC-BY-4.0
RLS_Adelaide_2020	SQUIDLE+	56	1243	CC-BY-4.0
RLS_Adelaide_2021	SQUIDLE+	16	354	CC-BY-4.0
RLS_Ailuk Atoll_2014	SQUIDLE+	13	416	CC-BY-4.0
RLS_Albany_2009	SQUIDLE+	22	286	CC-BY-4.0
RLS_Albany_2013	SQUIDLE+	3	69	CC-BY-4.0
RLS_Alboran Island_2015	SQUIDLE+	2	51	CC-BY-4.0
RLS_Ambon_2015	SQUIDLE+	10	209	CC-BY-4.0
RLS_American Samoa_2012	SQUIDLE+	20	473	CC-BY-4.0
RLS_Andalusia_2013	SQUIDLE+	9	213	CC-BY-4.0
RLS_Andalusia_2014	SQUIDLE+	28	663	CC-BY-4.0
RLS_Andalusia_2015	SQUIDLE+	29	714	CC-BY-4.0
RLS_Arafura_2021	SQUIDLE+	11	274	CC-BY-4.0
RLS_Arnhem_2021	SQUIDLE+	5	122	CC-BY-4.0
RLS_Ashmore-Cartier_2021	SQUIDLE+	59	1425	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Asturias_2015	SQUIDLE+	12	291	CC-BY-4.0
RLS_Austral Islands_2012	SQUIDLE+	12	278	CC-BY-4.0
RLS_Bali_2008	SQUIDLE+	1	11	CC-BY-4.0
RLS_Bali_2009	SQUIDLE+	6	129	CC-BY-4.0
RLS_Bali_2012	SQUIDLE+	5	111	CC-BY-4.0
RLS_Bali_2014	SQUIDLE+	6	135	CC-BY-4.0
RLS_Bali_2015	SQUIDLE+	1	24	CC-BY-4.0
RLS_Bali_2016	SQUIDLE+	1	27	CC-BY-4.0
RLS_Banyuls Marine Reserve_2011	SQUIDLE+	26	571	CC-BY-4.0
RLS_Batemans Marine Park_2008	SQUIDLE+	49	692	CC-BY-4.0
RLS_Batemans Marine Park_2009	SQUIDLE+	43	611	CC-BY-4.0
RLS_Batemans Marine Park_2010	SQUIDLE+	116	1956	CC-BY-4.0
RLS_Batemans Marine Park_2011	SQUIDLE+	59	1157	CC-BY-4.0
RLS_Batemans Marine Park_2012	SQUIDLE+	36	717	CC-BY-4.0
RLS_Batemans Marine Park_2013	SQUIDLE+	18	597	CC-BY-4.0
RLS_Batemans Marine Park_2015	SQUIDLE+	12	252	CC-BY-4.0
RLS_Batemans Marine Park_2018	SQUIDLE+	2	43	CC-BY-4.0
RLS_Batemans Marine Park_2019	SQUIDLE+	21	443	CC-BY-4.0
RLS_Berlengas_2015	SQUIDLE+	4	112	CC-BY-4.0
RLS_Beware Reef_2008	SQUIDLE+	16	140	CC-BY-4.0
RLS_Beware Reef_2009	SQUIDLE+	15	179	CC-BY-4.0
RLS_Beware Reef_2010	SQUIDLE+	11	125	CC-BY-4.0
RLS_Beware Reef_2011	SQUIDLE+	5	65	CC-BY-4.0
RLS_Beware Reef_2012	SQUIDLE+	1	21	CC-BY-4.0
RLS_Beware Reef_2013	SQUIDLE+	3	62	CC-BY-4.0
RLS_Beware Reef_2014	SQUIDLE+	7	147	CC-BY-4.0
RLS_Beware Reef_2015	SQUIDLE+	8	164	CC-BY-4.0
RLS_Beware Reef_2016	SQUIDLE+	11	228	CC-BY-4.0
RLS_Beware Reef_2017	SQUIDLE+	6	127	CC-BY-4.0
RLS_Beware Reef_2018	SQUIDLE+	4	87	CC-BY-4.0
RLS_Beware Reef_2020	SQUIDLE+	3	63	CC-BY-4.0
RLS_Bicheno_2008	SQUIDLE+	7	116	CC-BY-4.0
RLS_Bicheno_2011	SQUIDLE+	5	96	CC-BY-4.0
RLS_Bicheno_2022	SQUIDLE+	2	38	CC-BY-4.0
RLS_Bocas Del Toro_2015	SQUIDLE+	32	702	CC-BY-4.0
RLS_Bonaire_2012	SQUIDLE+	14	320	CC-BY-4.0
RLS_Bonaire_2022	SQUIDLE+	21	469	CC-BY-4.0
RLS_British Columbia_2017	SQUIDLE+	4	70	CC-BY-4.0
RLS_British Columbia_2021	SQUIDLE+	17	410	CC-BY-4.0
RLS_British Columbia_2022	SQUIDLE+	19	472	CC-BY-4.0
RLS_Bruny Island_2022	SQUIDLE+	1	20	CC-BY-4.0
RLS_California_2010	SQUIDLE+	2	51	CC-BY-4.0
RLS_Cambodia_2009	SQUIDLE+	7	147	CC-BY-4.0
RLS_Cantabria_2015	SQUIDLE+	6	147	CC-BY-4.0
RLS_Cape Byron Marine Park_2010	SQUIDLE+	3	67	CC-BY-4.0
RLS_Cape Byron Marine Park_2021	SQUIDLE+	4	90	CC-BY-4.0
RLS_Cape Howe_2008	SQUIDLE+	1	22	CC-BY-4.0
RLS_Cape Howe_2009	SQUIDLE+	4	24	CC-BY-4.0
RLS_Cape Howe_2011	SQUIDLE+	41	517	CC-BY-4.0
RLS_Cape Howe_2013	SQUIDLE+	1	21	CC-BY-4.0
RLS_Cape Howe_2014	SQUIDLE+	1	21	CC-BY-4.0
RLS_Cape Howe_2015	SQUIDLE+	4	86	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Cape Howe_2021	SQUIDLE+	12	282	CC-BY-4.0
RLS_Cape Rodney - Okakari Point Marine Reserve_2011	SQUIDLE+	2	46	CC-BY-4.0
RLS_Cape Rodney - Okakari Point Marine Reserve_2012	SQUIDLE+	16	410	CC-BY-4.0
RLS_Capricorn Group_2010	SQUIDLE+	3	68	CC-BY-4.0
RLS_Capricorn Group_2015	SQUIDLE+	64	1699	CC-BY-4.0
RLS_Capricorn Group_2017	SQUIDLE+	24	539	CC-BY-4.0
RLS_Capricorn Group_2020	SQUIDLE+	31	1101	CC-BY-4.0
RLS_Carpentaria_2021	SQUIDLE+	14	390	CC-BY-4.0
RLS_Carrie Bow, Belize_2016	SQUIDLE+	25	514	CC-BY-4.0
RLS_Carrie Bow, Belize_2018	SQUIDLE+	2	16	CC-BY-4.0
RLS_Cathedral Cove Marine Reserve_2012	SQUIDLE+	6	130	CC-BY-4.0
RLS_Ceuta_2015	SQUIDLE+	8	206	CC-BY-4.0
RLS_Chain of Bays_2009	SQUIDLE+	36	595	CC-BY-4.0
RLS_Channel Islands Marine Sanctuary_2010	SQUIDLE+	30	638	CC-BY-4.0
RLS_Christmas Island_2009	SQUIDLE+	3	49	CC-BY-4.0
RLS_Christmas Island_2010	SQUIDLE+	14	291	CC-BY-4.0
RLS_Christmas Island_2019	SQUIDLE+	1	26	CC-BY-4.0
RLS_Cocos_2008	SQUIDLE+	20	400	CC-BY-4.0
RLS_Cocos_2011	SQUIDLE+	28	572	CC-BY-4.0
RLS_Cod Grounds_2009	SQUIDLE+	24	262	CC-BY-4.0
RLS_Cod Grounds_2016	SQUIDLE+	15	313	CC-BY-4.0
RLS_Coiba_2008	SQUIDLE+	3	60	CC-BY-4.0
RLS_Coiba_2011	SQUIDLE+	82	1809	CC-BY-4.0
RLS_Cook Islands_2009	SQUIDLE+	4	82	CC-BY-4.0
RLS_Cook Islands_2012	SQUIDLE+	34	794	CC-BY-4.0
RLS_Cook Islands_2018	SQUIDLE+	2	38	CC-BY-4.0
RLS_Coral Sea_2012	SQUIDLE+	36	898	CC-BY-4.0
RLS_Coral Sea_2013	SQUIDLE+	233	5410	CC-BY-4.0
RLS_Coral Sea_2015	SQUIDLE+	92	2066	CC-BY-4.0
RLS_Coral Sea_2016	SQUIDLE+	147	3386	CC-BY-4.0
RLS_Coral Sea_2017	SQUIDLE+	140	3138	CC-BY-4.0
RLS_Coral Sea_2018	SQUIDLE+	48	1137	CC-BY-4.0
RLS_Coral Sea_2019	SQUIDLE+	53	1186	CC-BY-4.0
RLS_Coral Sea_2020	SQUIDLE+	128	3021	CC-BY-4.0
RLS_Coral Sea_2021	SQUIDLE+	46	1127	CC-BY-4.0
RLS_Costa Rica_2008	SQUIDLE+	2	40	CC-BY-4.0
RLS_Costa Rica_2011	SQUIDLE+	48	1086	CC-BY-4.0
RLS_D'Entrecasteaux Channel_2008	SQUIDLE+	40	486	CC-BY-4.0
RLS_D'Entrecasteaux Channel_2009	SQUIDLE+	2	44	CC-BY-4.0
RLS_D'Entrecasteaux Channel_2010	SQUIDLE+	7	238	CC-BY-4.0
RLS_D'Entrecasteaux Channel_2022	SQUIDLE+	5	103	CC-BY-4.0
RLS_Dampier Archipelago_2010	SQUIDLE+	29	623	CC-BY-4.0
RLS_Dampier Archipelago_2021	SQUIDLE+	24	528	CC-BY-4.0
RLS_Darwin (NT)_2008	SQUIDLE+	5	115	CC-BY-4.0
RLS_Darwin (NT)_2009	SQUIDLE+	11	253	CC-BY-4.0
RLS_Darwin (NT)_2010	SQUIDLE+	3	69	CC-BY-4.0
RLS_Darwin_2021	SQUIDLE+	12	288	CC-BY-4.0
RLS_Derwent Estuary_2008	SQUIDLE+	3	39	CC-BY-4.0
RLS_Derwent Estuary_2009	SQUIDLE+	38	829	CC-BY-4.0
RLS_Derwent Estuary_2010	SQUIDLE+	19	666	CC-BY-4.0
RLS_Derwent Estuary_2019	SQUIDLE+	1	21	CC-BY-4.0
RLS_Derwent Estuary_2021	SQUIDLE+	3	90	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Derwent Estuary_2022	SQUIDLE+	6	142	CC-BY-4.0
RLS_Dili_2014	SQUIDLE+	2	41	CC-BY-4.0
RLS_Easter Island_2012	SQUIDLE+	14	334	CC-BY-4.0
RLS_Eden_2008	SQUIDLE+	28	334	CC-BY-4.0
RLS_Eden_2011	SQUIDLE+	2	40	CC-BY-4.0
RLS_Eden_2015	SQUIDLE+	1	21	CC-BY-4.0
RLS_El Hierro_2011	SQUIDLE+	8	177	CC-BY-4.0
RLS_El Hierro_2015	SQUIDLE+	12	300	CC-BY-4.0
RLS_Elizabeth and Middleton Reefs_2013	SQUIDLE+	66	1533	CC-BY-4.0
RLS_Elizabeth and Middleton Reefs_2018	SQUIDLE+	80	1859	CC-BY-4.0
RLS_Encounter Bay_2016	SQUIDLE+	9	189	CC-BY-4.0
RLS_Encounter_2011	SQUIDLE+	2	45	CC-BY-4.0
RLS_Encounter_2012	SQUIDLE+	15	383	CC-BY-4.0
RLS_Encounter_2013	SQUIDLE+	1	25	CC-BY-4.0
RLS_Encounter_2014	SQUIDLE+	17	420	CC-BY-4.0
RLS_Encounter_2016	SQUIDLE+	48	1075	CC-BY-4.0
RLS_Encounter_2017	SQUIDLE+	10	250	CC-BY-4.0
RLS_Encounter_2018	SQUIDLE+	4	90	CC-BY-4.0
RLS_Encounter_2019	SQUIDLE+	12	279	CC-BY-4.0
RLS_Exmouth_2013	SQUIDLE+	1	20	CC-BY-4.0
RLS_Eyre Peninsular_2018	SQUIDLE+	4	90	CC-BY-4.0
RLS_Eyre Peninsular_2020	SQUIDLE+	4	90	CC-BY-4.0
RLS_Falklands_2012	SQUIDLE+	5	109	CC-BY-4.0
RLS_Flinders Island_2008	SQUIDLE+	17	209	CC-BY-4.0
RLS_Flores_2009	SQUIDLE+	7	141	CC-BY-4.0
RLS_Florida Keys_2010	SQUIDLE+	15	316	CC-BY-4.0
RLS_Florida Keys_2011	SQUIDLE+	2	62	CC-BY-4.0
RLS_Florida Keys_2022	SQUIDLE+	19	427	CC-BY-4.0
RLS_France_2011	SQUIDLE+	2	44	CC-BY-4.0
RLS_Freycinet_2011	SQUIDLE+	10	213	CC-BY-4.0
RLS_GBR - Central_2021	SQUIDLE+	4	111	CC-BY-4.0
RLS_GBR - North_2021	SQUIDLE+	12	330	CC-BY-4.0
RLS_GBR - South_2021	SQUIDLE+	4	92	CC-BY-4.0
RLS_Galapagos_2012	SQUIDLE+	4	87	CC-BY-4.0
RLS_Galicia_2015	SQUIDLE+	18	411	CC-BY-4.0
RLS_Geographe Bay_2008	SQUIDLE+	1	13	CC-BY-4.0
RLS_Geographe Bay_2009	SQUIDLE+	28	469	CC-BY-4.0
RLS_Geographe Bay_2010	SQUIDLE+	3	53	CC-BY-4.0
RLS_Geographe Bay_2017	SQUIDLE+	10	221	CC-BY-4.0
RLS_Geographe Bay_2019	SQUIDLE+	11	268	CC-BY-4.0
RLS_Geographe Bay_2022	SQUIDLE+	12	272	CC-BY-4.0
RLS_Gibraltar_2015	SQUIDLE+	3	81	CC-BY-4.0
RLS_Gipuzkoa_2015	SQUIDLE+	30	630	CC-BY-4.0
RLS_Girona_2015	SQUIDLE+	62	1465	CC-BY-4.0
RLS_Gran Canaria_2011	SQUIDLE+	2	47	CC-BY-4.0
RLS_Gran Canaria_2015	SQUIDLE+	10	237	CC-BY-4.0
RLS_Grand Cayman_2011	SQUIDLE+	1	56	CC-BY-4.0
RLS_Great Barrier Reef_2010	SQUIDLE+	105	2281	CC-BY-4.0
RLS_Great Barrier Reef_2012	SQUIDLE+	26	526	CC-BY-4.0
RLS_Great Barrier Reef_2013	SQUIDLE+	13	366	CC-BY-4.0
RLS_Great Barrier Reef_2015	SQUIDLE+	90	2064	CC-BY-4.0
RLS_Great Barrier Reef_2016	SQUIDLE+	154	3684	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Great Barrier Reef_2017	SQUIDLE+	73	1690	CC-BY-4.0
RLS_Great Barrier Reef_2018	SQUIDLE+	70	1665	CC-BY-4.0
RLS_Great Barrier Reef_2019	SQUIDLE+	48	1065	CC-BY-4.0
RLS_Great Barrier Reef_2020	SQUIDLE+	112	2997	CC-BY-4.0
RLS_Great Barrier Reef_2021	SQUIDLE+	5	123	CC-BY-4.0
RLS_Greenland_2012	SQUIDLE+	3	72	CC-BY-4.0
RLS_Gulf St Vincent_2008	SQUIDLE+	13	245	CC-BY-4.0
RLS_Gulf St Vincent_2009	SQUIDLE+	1	22	CC-BY-4.0
RLS_Gulf St Vincent_2011	SQUIDLE+	17	343	CC-BY-4.0
RLS_Gulf St Vincent_2012	SQUIDLE+	13	297	CC-BY-4.0
RLS_Gulf St Vincent_2013	SQUIDLE+	8	197	CC-BY-4.0
RLS_Gulf St Vincent_2014	SQUIDLE+	12	415	CC-BY-4.0
RLS_Gulf St Vincent_2016	SQUIDLE+	46	932	CC-BY-4.0
RLS_Gulf St Vincent_2017	SQUIDLE+	81	2177	CC-BY-4.0
RLS_Gulf St Vincent_2018	SQUIDLE+	101	2312	CC-BY-4.0
RLS_Gulf St Vincent_2019	SQUIDLE+	94	2040	CC-BY-4.0
RLS_Gulf St Vincent_2020	SQUIDLE+	78	1747	CC-BY-4.0
RLS_Gulf St Vincent_2021	SQUIDLE+	14	292	CC-BY-4.0
RLS_Gulf of California_2014	SQUIDLE+	8	181	CC-BY-4.0
RLS_Gulf of California_2018	SQUIDLE+	22	457	CC-BY-4.0
RLS_Hawaii_2012	SQUIDLE+	11	240	CC-BY-4.0
RLS_Honshu_2012	SQUIDLE+	8	175	CC-BY-4.0
RLS_Huinay_2016	SQUIDLE+	1	29	CC-BY-4.0
RLS_Ibiza_2015	SQUIDLE+	14	337	CC-BY-4.0
RLS_Island Bay_2018	SQUIDLE+	18	417	CC-BY-4.0
RLS_Italy_2011	SQUIDLE+	18	384	CC-BY-4.0
RLS_Italy_2012	SQUIDLE+	4	84	CC-BY-4.0
RLS_Jervis Bay Marine Park_2008	SQUIDLE+	32	515	CC-BY-4.0
RLS_Jervis Bay Marine Park_2009	SQUIDLE+	54	891	CC-BY-4.0
RLS_Jervis Bay Marine Park_2010	SQUIDLE+	114	2516	CC-BY-4.0
RLS_Jervis Bay Marine Park_2011	SQUIDLE+	36	772	CC-BY-4.0
RLS_Jervis Bay Marine Park_2013	SQUIDLE+	53	1171	CC-BY-4.0
RLS_Jervis Bay Marine Park_2015	SQUIDLE+	35	828	CC-BY-4.0
RLS_Jervis Bay Marine Park_2016	SQUIDLE+	44	1084	CC-BY-4.0
RLS_Jervis Bay Marine Park_2018	SQUIDLE+	12	267	CC-BY-4.0
RLS_Jervis Bay Marine Park_2019	SQUIDLE+	35	743	CC-BY-4.0
RLS_Jervis Bay Marine Park_2021	SQUIDLE+	17	384	CC-BY-4.0
RLS_Jervis Bay Marine Park_2022	SQUIDLE+	8	162	CC-BY-4.0
RLS_Jervis Bay_2016	SQUIDLE+	3	70	CC-BY-4.0
RLS_Jurien Marine Park_2009	SQUIDLE+	13	309	CC-BY-4.0
RLS_Kai Ketjil_2015	SQUIDLE+	10	212	CC-BY-4.0
RLS_Kai Tanimbar_2015	SQUIDLE+	2	42	CC-BY-4.0
RLS_Kangaroo Island_2009	SQUIDLE+	42	695	CC-BY-4.0
RLS_Kangaroo Island_2010	SQUIDLE+	24	528	CC-BY-4.0
RLS_Kangaroo Island_2014	SQUIDLE+	24	518	CC-BY-4.0
RLS_Kangaroo Island_2016	SQUIDLE+	4	84	CC-BY-4.0
RLS_Kangaroo Island_2017	SQUIDLE+	4	93	CC-BY-4.0
RLS_Kangaroo Island_2018	SQUIDLE+	4	90	CC-BY-4.0
RLS_Kangaroo Island_2019	SQUIDLE+	16	366	CC-BY-4.0
RLS_Kent Group_2013	SQUIDLE+	67	1498	CC-BY-4.0
RLS_Kepulauan Watuberia_2015	SQUIDLE+	2	42	CC-BY-4.0
RLS_Kermadecs_2012	SQUIDLE+	17	389	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Kermadecs_2013	SQUIDLE+	11	232	CC-BY-4.0
RLS_Kimberley_2010	SQUIDLE+	11	245	CC-BY-4.0
RLS_Kimberley_2018	SQUIDLE+	6	137	CC-BY-4.0
RLS_Kimberley_2021	SQUIDLE+	2	50	CC-BY-4.0
RLS_Kyushu_2012	SQUIDLE+	6	131	CC-BY-4.0
RLS_La Gomera_2015	SQUIDLE+	7	217	CC-BY-4.0
RLS_La Palma_2012	SQUIDLE+	5	117	CC-BY-4.0
RLS_La Palma_2015	SQUIDLE+	11	244	CC-BY-4.0
RLS_Lanzarote_2012	SQUIDLE+	6	131	CC-BY-4.0
RLS_Lanzarote_2015	SQUIDLE+	20	463	CC-BY-4.0
RLS_Las Perlas_2011	SQUIDLE+	44	911	CC-BY-4.0
RLS_Lord Howe Island_2009	SQUIDLE+	72	1054	CC-BY-4.0
RLS_Lord Howe Island_2010	SQUIDLE+	104	2248	CC-BY-4.0
RLS_Lord Howe Island_2012	SQUIDLE+	111	2578	CC-BY-4.0
RLS_Lord Howe Island_2014	SQUIDLE+	104	2455	CC-BY-4.0
RLS_Lord Howe Island_2016	SQUIDLE+	102	2629	CC-BY-4.0
RLS_Lord Howe Island_2018	SQUIDLE+	105	2392	CC-BY-4.0
RLS_Lord Howe Island_2020	SQUIDLE+	87	2276	CC-BY-4.0
RLS_Lord Howe Island_2022	SQUIDLE+	108	2461	CC-BY-4.0
RLS_Magellan_2010	SQUIDLE+	11	226	CC-BY-4.0
RLS_Maine_2010	SQUIDLE+	2	43	CC-BY-4.0
RLS_Maine_2014	SQUIDLE+	1	22	CC-BY-4.0
RLS_Maldives_2012	SQUIDLE+	12	272	CC-BY-4.0
RLS_Mallorca_2011	SQUIDLE+	6	132	CC-BY-4.0
RLS_Mallorca_2015	SQUIDLE+	29	753	CC-BY-4.0
RLS_Malpelo_2012	SQUIDLE+	12	257	CC-BY-4.0
RLS_Malpelo_2016	SQUIDLE+	5	115	CC-BY-4.0
RLS_Malta_2016	SQUIDLE+	1	22	CC-BY-4.0
RLS_Maria Island Reserve_2008	SQUIDLE+	11	121	CC-BY-4.0
RLS_Maria Island Reserve_2012	SQUIDLE+	6	131	CC-BY-4.0
RLS_Maria Island Reserve_2014	SQUIDLE+	2	44	CC-BY-4.0
RLS_Marmion_2008	SQUIDLE+	9	106	CC-BY-4.0
RLS_Marmion_2009	SQUIDLE+	5	97	CC-BY-4.0
RLS_Marmion_2010	SQUIDLE+	5	93	CC-BY-4.0
RLS_Marmion_2011	SQUIDLE+	1	20	CC-BY-4.0
RLS_Marmion_2013	SQUIDLE+	4	88	CC-BY-4.0
RLS_Marmion_2015	SQUIDLE+	11	238	CC-BY-4.0
RLS_Marmion_2020	SQUIDLE+	5	109	CC-BY-4.0
RLS_Marmion_2021	SQUIDLE+	2	42	CC-BY-4.0
RLS_Marquesas Islands_2009	SQUIDLE+	9	181	CC-BY-4.0
RLS_Massachusetts_2010	SQUIDLE+	1	21	CC-BY-4.0
RLS_Massachusetts_2014	SQUIDLE+	4	89	CC-BY-4.0
RLS_Melilla Coast_2015	SQUIDLE+	16	325	CC-BY-4.0
RLS_Melilla_2015	SQUIDLE+	2	53	CC-BY-4.0
RLS_Minerva Reefs_2012	SQUIDLE+	17	389	CC-BY-4.0
RLS_Moreton Bay Marine Park_2010	SQUIDLE+	17	375	CC-BY-4.0
RLS_Moreton Bay Marine Park_2021	SQUIDLE+	8	175	CC-BY-4.0
RLS_Moreton_2021	SQUIDLE+	1	22	CC-BY-4.0
RLS_Mornington Island_2010	SQUIDLE+	16	347	CC-BY-4.0
RLS_Mornington Island_2015	SQUIDLE+	4	87	CC-BY-4.0
RLS_Mozambique_2012	SQUIDLE+	5	51	CC-BY-4.0
RLS_Murcia_2015	SQUIDLE+	18	466	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_NSW - Central North_2021	SQUIDLE+	1	24	CC-BY-4.0
RLS_New South Wales (Other)_2008	SQUIDLE+	2	31	CC-BY-4.0
RLS_New South Wales (Other)_2009	SQUIDLE+	23	422	CC-BY-4.0
RLS_New South Wales (Other)_2010	SQUIDLE+	9	196	CC-BY-4.0
RLS_New South Wales (Other)_2013	SQUIDLE+	3	80	CC-BY-4.0
RLS_New South Wales (Other)_2014	SQUIDLE+	4	85	CC-BY-4.0
RLS_New South Wales (Other)_2015	SQUIDLE+	5	115	CC-BY-4.0
RLS_New South Wales (Other)_2016	SQUIDLE+	1	22	CC-BY-4.0
RLS_New South Wales (Other)_2017	SQUIDLE+	2	36	CC-BY-4.0
RLS_New South Wales (Other)_2018	SQUIDLE+	4	88	CC-BY-4.0
RLS_New South Wales (Other)_2022	SQUIDLE+	6	138	CC-BY-4.0
RLS_Newfoundland and Labrador_2018	SQUIDLE+	4	81	CC-BY-4.0
RLS_Newfoundland and Labrador_2019	SQUIDLE+	13	317	CC-BY-4.0
RLS_Newfoundland and Labrador_2020	SQUIDLE+	18	451	CC-BY-4.0
RLS_Newfoundland and Labrador_2021	SQUIDLE+	5	141	CC-BY-4.0
RLS_Newfoundland and Labrador_2022	SQUIDLE+	7	163	CC-BY-4.0
RLS_Nicaragua_2011	SQUIDLE+	5	82	CC-BY-4.0
RLS_Nicaragua_2015	SQUIDLE+	33	742	CC-BY-4.0
RLS_Ninepin External_2022	SQUIDLE+	1	21	CC-BY-4.0
RLS_Ningaloo Marine Park_2008	SQUIDLE+	2	24	CC-BY-4.0
RLS_Ningaloo Marine Park_2010	SQUIDLE+	31	657	CC-BY-4.0
RLS_Ningaloo Marine Park_2012	SQUIDLE+	52	1254	CC-BY-4.0
RLS_Ningaloo Marine Park_2013	SQUIDLE+	4	103	CC-BY-4.0
RLS_Ningaloo Marine Park_2015	SQUIDLE+	85	2184	CC-BY-4.0
RLS_Ningaloo Marine Park_2016	SQUIDLE+	66	1461	CC-BY-4.0
RLS_Ningaloo Marine Park_2017	SQUIDLE+	73	1730	CC-BY-4.0
RLS_Ningaloo Marine Park_2019	SQUIDLE+	81	1744	CC-BY-4.0
RLS_Niue_2011	SQUIDLE+	10	223	CC-BY-4.0
RLS_Norfolk Island_2009	SQUIDLE+	30	461	CC-BY-4.0
RLS_Norfolk Island_2013	SQUIDLE+	11	241	CC-BY-4.0
RLS_Norfolk Island_2021	SQUIDLE+	27	563	CC-BY-4.0
RLS_Norfolk Island_2022	SQUIDLE+	4	87	CC-BY-4.0
RLS_North West Shelf_2013	SQUIDLE+	278	6484	CC-BY-4.0
RLS_North West Shelf_2015	SQUIDLE+	6	138	CC-BY-4.0
RLS_North West Shelf_2016	SQUIDLE+	6	131	CC-BY-4.0
RLS_North West Shelf_2018	SQUIDLE+	192	4641	CC-BY-4.0
RLS_North West Shelf_2019	SQUIDLE+	54	1269	CC-BY-4.0
RLS_North West Shelf_2021	SQUIDLE+	1	22	CC-BY-4.0
RLS_North West_2017	SQUIDLE+	4	87	CC-BY-4.0
RLS_Northern Ireland_2010	SQUIDLE+	5	47	CC-BY-4.0
RLS_Northern Territory (Other)_2013	SQUIDLE+	9	200	CC-BY-4.0
RLS_Northern Territory (Other)_2015	SQUIDLE+	78	1826	CC-BY-4.0
RLS_Northern Territory (Other)_2018	SQUIDLE+	2	53	CC-BY-4.0
RLS_Northern Territory (Other)_2019	SQUIDLE+	7	196	CC-BY-4.0
RLS_Northern Territory (Other)_2021	SQUIDLE+	1	27	CC-BY-4.0
RLS_Northland_2012	SQUIDLE+	81	1951	CC-BY-4.0
RLS_Oceanic Shoals_2021	SQUIDLE+	26	633	CC-BY-4.0
RLS_Offshore Shoals_2015	SQUIDLE+	15	312	CC-BY-4.0
RLS_Okinawa_2012	SQUIDLE+	9	199	CC-BY-4.0
RLS_Palau Kur_2015	SQUIDLE+	2	42	CC-BY-4.0
RLS_Panama Pacific_2011	SQUIDLE+	1	20	CC-BY-4.0
RLS_Panama_2011	SQUIDLE+	2	42	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Perth_2008	SQUIDLE+	12	138	CC-BY-4.0
RLS_Pilbara_2021	SQUIDLE+	1	21	CC-BY-4.0
RLS_Pitcairn Islands_2012	SQUIDLE+	7	161	CC-BY-4.0
RLS_Point Hicks_2014	SQUIDLE+	1	22	CC-BY-4.0
RLS_Poor Knights Island Marine Reserve_2008	SQUIDLE+	3	30	CC-BY-4.0
RLS_Poor Knights Island Marine Reserve_2009	SQUIDLE+	9	88	CC-BY-4.0
RLS_Poor Knights Island Marine Reserve_2012	SQUIDLE+	14	324	CC-BY-4.0
RLS_Port Davey-Bathurst Channel_2012	SQUIDLE+	6	178	CC-BY-4.0
RLS_Port Davey-Bathurst Channel_2013	SQUIDLE+	69	1621	CC-BY-4.0
RLS_Port Phillip Bay_2008	SQUIDLE+	4	28	CC-BY-4.0
RLS_Port Phillip Bay_2009	SQUIDLE+	48	563	CC-BY-4.0
RLS_Port Phillip Bay_2010	SQUIDLE+	50	999	CC-BY-4.0
RLS_Port Phillip Bay_2011	SQUIDLE+	10	198	CC-BY-4.0
RLS_Port Phillip Bay_2012	SQUIDLE+	1	12	CC-BY-4.0
RLS_Port Phillip Bay_2013	SQUIDLE+	35	728	CC-BY-4.0
RLS_Port Phillip Bay_2014	SQUIDLE+	1	14	CC-BY-4.0
RLS_Port Phillip Bay_2015	SQUIDLE+	8	137	CC-BY-4.0
RLS_Port Phillip Bay_2016	SQUIDLE+	16	339	CC-BY-4.0
RLS_Port Phillip Bay_2017	SQUIDLE+	11	201	CC-BY-4.0
RLS_Port Phillip Bay_2018	SQUIDLE+	20	363	CC-BY-4.0
RLS_Port Phillip Bay_2019	SQUIDLE+	30	649	CC-BY-4.0
RLS_Port Phillip Bay_2020	SQUIDLE+	7	214	CC-BY-4.0
RLS_Port Phillip Bay_2022	SQUIDLE+	9	231	CC-BY-4.0
RLS_Port Phillip Heads_2008	SQUIDLE+	12	214	CC-BY-4.0
RLS_Port Phillip Heads_2009	SQUIDLE+	21	378	CC-BY-4.0
RLS_Port Phillip Heads_2010	SQUIDLE+	15	281	CC-BY-4.0
RLS_Port Phillip Heads_2011	SQUIDLE+	22	468	CC-BY-4.0
RLS_Port Phillip Heads_2012	SQUIDLE+	37	792	CC-BY-4.0
RLS_Port Phillip Heads_2013	SQUIDLE+	45	927	CC-BY-4.0
RLS_Port Phillip Heads_2014	SQUIDLE+	1	21	CC-BY-4.0
RLS_Port Phillip Heads_2015	SQUIDLE+	2	39	CC-BY-4.0
RLS_Port Phillip Heads_2016	SQUIDLE+	23	597	CC-BY-4.0
RLS_Port Phillip Heads_2017	SQUIDLE+	22	490	CC-BY-4.0
RLS_Port Phillip Heads_2018	SQUIDLE+	32	729	CC-BY-4.0
RLS_Port Phillip Heads_2019	SQUIDLE+	63	1509	CC-BY-4.0
RLS_Port Phillip Heads_2020	SQUIDLE+	38	878	CC-BY-4.0
RLS_Port Phillip Heads_2022	SQUIDLE+	4	86	CC-BY-4.0
RLS_Port Stephens_2008	SQUIDLE+	9	203	CC-BY-4.0
RLS_Port Stephens_2009	SQUIDLE+	71	1382	CC-BY-4.0
RLS_Port Stephens_2010	SQUIDLE+	43	983	CC-BY-4.0
RLS_Port Stephens_2011	SQUIDLE+	35	815	CC-BY-4.0
RLS_Port Stephens_2012	SQUIDLE+	6	126	CC-BY-4.0
RLS_Port Stephens_2013	SQUIDLE+	35	798	CC-BY-4.0
RLS_Port Stephens_2014	SQUIDLE+	14	341	CC-BY-4.0
RLS_Port Stephens_2015	SQUIDLE+	16	392	CC-BY-4.0
RLS_Port Stephens_2016	SQUIDLE+	44	1064	CC-BY-4.0
RLS_Port Stephens_2017	SQUIDLE+	40	921	CC-BY-4.0
RLS_Port Stephens_2018	SQUIDLE+	28	471	CC-BY-4.0
RLS_Port Stephens_2019	SQUIDLE+	30	566	CC-BY-4.0
RLS_Port Stephens_2020	SQUIDLE+	2	43	CC-BY-4.0
RLS_Port Stephens_2021	SQUIDLE+	27	578	CC-BY-4.0
RLS_Port Stephens_2022	SQUIDLE+	20	513	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Porto_2015	SQUIDLE+	2	83	CC-BY-4.0
RLS_Pualu Kaimer_2015	SQUIDLE+	4	83	CC-BY-4.0
RLS_Pulau Banda_2015	SQUIDLE+	4	85	CC-BY-4.0
RLS_Pulau Jamdena_2015	SQUIDLE+	18	377	CC-BY-4.0
RLS_Pulau Kasiui_2015	SQUIDLE+	4	84	CC-BY-4.0
RLS_Pulau Naira_2015	SQUIDLE+	12	252	CC-BY-4.0
RLS_Pulau Tioor_2015	SQUIDLE+	2	42	CC-BY-4.0
RLS_Pulau_2015	SQUIDLE+	2	41	CC-BY-4.0
RLS QLD inshore - Central_2021	SQUIDLE+	4	114	CC-BY-4.0
RLS QLD inshore - South_2021	SQUIDLE+	2	51	CC-BY-4.0
RLS_Queensland (other)_2010	SQUIDLE+	1	20	CC-BY-4.0
RLS_Queensland (other)_2013	SQUIDLE+	8	201	CC-BY-4.0
RLS_Queensland (other)_2015	SQUIDLE+	48	1018	CC-BY-4.0
RLS_Queensland (other)_2016	SQUIDLE+	12	270	CC-BY-4.0
RLS_Queensland (other)_2017	SQUIDLE+	2	44	CC-BY-4.0
RLS_Queensland (other)_2020	SQUIDLE+	24	556	CC-BY-4.0
RLS_Raja Ampat_2014	SQUIDLE+	67	1494	CC-BY-4.0
RLS_Raja Ampat_2018	SQUIDLE+	62	1420	CC-BY-4.0
RLS_Ramuntcho_2019	SQUIDLE+	1	20	CC-BY-4.0
RLS_Red Sea_2011	SQUIDLE+	13	290	CC-BY-4.0
RLS_Rocky Cape_2016	SQUIDLE+	17	403	CC-BY-4.0
RLS_Rocky Cape_2017	SQUIDLE+	17	390	CC-BY-4.0
RLS_Rocky Cape_2018	SQUIDLE+	1	20	CC-BY-4.0
RLS_Rocky Cape_2019	SQUIDLE+	11	232	CC-BY-4.0
RLS_Rocky Cape_2021	SQUIDLE+	1	23	CC-BY-4.0
RLS_Rongalap Atoll_2014	SQUIDLE+	8	272	CC-BY-4.0
RLS_Rose Atoll_2012	SQUIDLE+	16	377	CC-BY-4.0
RLS_Rottnest Island_2008	SQUIDLE+	23	293	CC-BY-4.0
RLS_Rottnest Island_2009	SQUIDLE+	28	533	CC-BY-4.0
RLS_Rottnest Island_2010	SQUIDLE+	53	1065	CC-BY-4.0
RLS_Rottnest Island_2011	SQUIDLE+	5	101	CC-BY-4.0
RLS_Rottnest Island_2012	SQUIDLE+	25	567	CC-BY-4.0
RLS_Rottnest Island_2013	SQUIDLE+	15	363	CC-BY-4.0
RLS_Rottnest Island_2014	SQUIDLE+	20	456	CC-BY-4.0
RLS_Rottnest Island_2015	SQUIDLE+	13	325	CC-BY-4.0
RLS_Rottnest Island_2016	SQUIDLE+	25	557	CC-BY-4.0
RLS_Rottnest Island_2017	SQUIDLE+	49	1106	CC-BY-4.0
RLS_Rottnest Island_2018	SQUIDLE+	34	727	CC-BY-4.0
RLS_Rottnest Island_2019	SQUIDLE+	29	711	CC-BY-4.0
RLS_Rottnest Island_2020	SQUIDLE+	26	574	CC-BY-4.0
RLS_Rottnest Island_2021	SQUIDLE+	35	764	CC-BY-4.0
RLS_Rottnest Island_2022	SQUIDLE+	8	167	CC-BY-4.0
RLS_SA (other)_2009	SQUIDLE+	1	24	CC-BY-4.0
RLS_SA (other)_2014	SQUIDLE+	48	1094	CC-BY-4.0
RLS_SA (other)_2017	SQUIDLE+	14	313	CC-BY-4.0
RLS_SA (other)_2018	SQUIDLE+	32	729	CC-BY-4.0
RLS_SA - Western_2015	SQUIDLE+	20	413	CC-BY-4.0
RLS_Sagres_2015	SQUIDLE+	2	55	CC-BY-4.0
RLS_Sal y Gomez_2012	SQUIDLE+	12	271	CC-BY-4.0
RLS_Samoa_2012	SQUIDLE+	3	70	CC-BY-4.0
RLS_San Blas_2011	SQUIDLE+	6	167	CC-BY-4.0
RLS_Scotland_2011	SQUIDLE+	23	489	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Seaflower Marine Reserve_2011	SQUIDLE+	21	662	CC-BY-4.0
RLS_Sesimbra_2015	SQUIDLE+	2	53	CC-BY-4.0
RLS_Seychelles_2012	SQUIDLE+	13	291	CC-BY-4.0
RLS_Shark Bay_2010	SQUIDLE+	7	141	CC-BY-4.0
RLS_Shark Bay_2013	SQUIDLE+	5	132	CC-BY-4.0
RLS_Shark Bay_2021	SQUIDLE+	8	171	CC-BY-4.0
RLS_Shoalwater Marine Park_2008	SQUIDLE+	5	66	CC-BY-4.0
RLS_Shoalwater Marine Park_2009	SQUIDLE+	5	104	CC-BY-4.0
RLS_Shoalwater Marine Park_2012	SQUIDLE+	2	40	CC-BY-4.0
RLS_Shoalwater Marine Park_2013	SQUIDLE+	1	20	CC-BY-4.0
RLS_Shoalwater Marine Park_2016	SQUIDLE+	2	40	CC-BY-4.0
RLS_Shoalwater Marine Park_2018	SQUIDLE+	5	109	CC-BY-4.0
RLS_Shoalwater Marine Park_2020	SQUIDLE+	8	175	CC-BY-4.0
RLS_Society Islands_2009	SQUIDLE+	24	446	CC-BY-4.0
RLS_Society Islands_2012	SQUIDLE+	3	66	CC-BY-4.0
RLS_Solitary Islands_2008	SQUIDLE+	30	460	CC-BY-4.0
RLS_Solitary Islands_2009	SQUIDLE+	37	619	CC-BY-4.0
RLS_Solitary Islands_2010	SQUIDLE+	6	114	CC-BY-4.0
RLS_Solitary Islands_2011	SQUIDLE+	11	217	CC-BY-4.0
RLS_Solitary Islands_2012	SQUIDLE+	2	43	CC-BY-4.0
RLS_Solitary Islands_2013	SQUIDLE+	4	90	CC-BY-4.0
RLS_Solitary Islands_2016	SQUIDLE+	28	654	CC-BY-4.0
RLS_Solitary Islands_2017	SQUIDLE+	10	242	CC-BY-4.0
RLS_Solitary Islands_2018	SQUIDLE+	6	140	CC-BY-4.0
RLS_Solitary Islands_2019	SQUIDLE+	25	504	CC-BY-4.0
RLS_Solitary Islands_2020	SQUIDLE+	18	424	CC-BY-4.0
RLS_Solitary Islands_2021	SQUIDLE+	9	210	CC-BY-4.0
RLS_Solitary Islands_2022	SQUIDLE+	4	93	CC-BY-4.0
RLS_Solomon Islands_2011	SQUIDLE+	5	113	CC-BY-4.0
RLS_South Africa_2012	SQUIDLE+	21	458	CC-BY-4.0
RLS_Southern Western Australia_2013	SQUIDLE+	4	103	CC-BY-4.0
RLS_Southern Western Australia_2014	SQUIDLE+	7	154	CC-BY-4.0
RLS_Southwestern Caribbean_2016	SQUIDLE+	8	196	CC-BY-4.0
RLS_Svalbard_2012	SQUIDLE+	5	60	CC-BY-4.0
RLS_Swansea_2019	SQUIDLE+	6	147	CC-BY-4.0
RLS_Sydney_2008	SQUIDLE+	3	59	CC-BY-4.0
RLS_Sydney_2009	SQUIDLE+	65	1079	CC-BY-4.0
RLS_Sydney_2010	SQUIDLE+	37	793	CC-BY-4.0
RLS_Sydney_2011	SQUIDLE+	25	530	CC-BY-4.0
RLS_Sydney_2013	SQUIDLE+	11	388	CC-BY-4.0
RLS_Sydney_2014	SQUIDLE+	43	1020	CC-BY-4.0
RLS_Sydney_2015	SQUIDLE+	33	835	CC-BY-4.0
RLS_Sydney_2016	SQUIDLE+	32	770	CC-BY-4.0
RLS_Sydney_2017	SQUIDLE+	44	898	CC-BY-4.0
RLS_Sydney_2018	SQUIDLE+	37	755	CC-BY-4.0
RLS_Sydney_2019	SQUIDLE+	41	771	CC-BY-4.0
RLS_Sydney_2020	SQUIDLE+	37	761	CC-BY-4.0
RLS_Sydney_2021	SQUIDLE+	12	264	CC-BY-4.0
RLS_Sydney_2022	SQUIDLE+	8	174	CC-BY-4.0
RLS_Tanzania_2012	SQUIDLE+	9	198	CC-BY-4.0
RLS_Tarragona_2015	SQUIDLE+	4	96	CC-BY-4.0
RLS_Tasman Peninsula_2008	SQUIDLE+	9	105	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Tasman Peninsula_2009	SQUIDLE+	27	510	CC-BY-4.0
RLS_Tasman Peninsula_2011	SQUIDLE+	1	21	CC-BY-4.0
RLS_Tasman Peninsula_2014	SQUIDLE+	1	21	CC-BY-4.0
RLS_Tasman Peninsula_2015	SQUIDLE+	8	162	CC-BY-4.0
RLS_Tasman Peninsula_2017	SQUIDLE+	4	94	CC-BY-4.0
RLS_Tasman Peninsula_2018	SQUIDLE+	5	109	CC-BY-4.0
RLS_Tasman Peninsula_2019	SQUIDLE+	4	93	CC-BY-4.0
RLS_Tasman Peninsula_2020	SQUIDLE+	6	117	CC-BY-4.0
RLS_Tasman Peninsula_2021	SQUIDLE+	4	91	CC-BY-4.0
RLS_Tasmania (other)_2009	SQUIDLE+	1	18	CC-BY-4.0
RLS_Tasmania (other)_2014	SQUIDLE+	6	132	CC-BY-4.0
RLS_Tasmania (other)_2015	SQUIDLE+	1	32	CC-BY-4.0
RLS_Tasmania - South East_2022	SQUIDLE+	6	122	CC-BY-4.0
RLS_Tasmania - South_2022	SQUIDLE+	3	61	CC-BY-4.0
RLS_Tawharanui Marine Reserve_2012	SQUIDLE+	7	159	CC-BY-4.0
RLS_Te Matuku Marine Reserve_2012	SQUIDLE+	1	27	CC-BY-4.0
RLS_Te Paepae o Aotea (Volkner Rocks) Marine Reserve_2012	SQUIDLE+	2	42	CC-BY-4.0
RLS_Tenerife_2011	SQUIDLE+	14	313	CC-BY-4.0
RLS_Tenerife_2012	SQUIDLE+	12	301	CC-BY-4.0
RLS_Tenerife_2013	SQUIDLE+	13	282	CC-BY-4.0
RLS_Three Kings_2012	SQUIDLE+	11	247	CC-BY-4.0
RLS_Tinderbox_2022	SQUIDLE+	2	41	CC-BY-4.0
RLS_Tonga_2009	SQUIDLE+	15	252	CC-BY-4.0
RLS_Tonga_2012	SQUIDLE+	26	619	CC-BY-4.0
RLS_Torres Strait_2021	SQUIDLE+	6	203	CC-BY-4.0
RLS_Tuamotos_2012	SQUIDLE+	49	1084	CC-BY-4.0
RLS_Tuhua-Mayor Island marine reserve_2012	SQUIDLE+	9	197	CC-BY-4.0
RLS_Turks and Caicos Islands_2015	SQUIDLE+	6	125	CC-BY-4.0
RLS_Valencia_2015	SQUIDLE+	32	762	CC-BY-4.0
RLS_Vancouver_2010	SQUIDLE+	12	243	CC-BY-4.0
RLS_Vancouver_2021	SQUIDLE+	6	172	CC-BY-4.0
RLS_Vancouver_2022	SQUIDLE+	5	118	CC-BY-4.0
RLS_Victor Harbor_2012	SQUIDLE+	8	203	CC-BY-4.0
RLS_Victor Harbor_2013	SQUIDLE+	44	1085	CC-BY-4.0
RLS_Victor Harbor_2017	SQUIDLE+	16	242	CC-BY-4.0
RLS_Victor Harbor_2018	SQUIDLE+	20	332	CC-BY-4.0
RLS_Victor Harbor_2020	SQUIDLE+	16	296	CC-BY-4.0
RLS_Victoria (other)_2008	SQUIDLE+	1	6	CC-BY-4.0
RLS_Victoria (other)_2009	SQUIDLE+	8	48	CC-BY-4.0
RLS_Victoria (other)_2014	SQUIDLE+	5	87	CC-BY-4.0
RLS_Victoria (other)_2015	SQUIDLE+	3	56	CC-BY-4.0
RLS_Victoria (other)_2017	SQUIDLE+	24	441	CC-BY-4.0
RLS_Victoria (other)_2018	SQUIDLE+	23	424	CC-BY-4.0
RLS_Victoria (other)_2019	SQUIDLE+	6	130	CC-BY-4.0
RLS_Victoria (other)_2020	SQUIDLE+	3	63	CC-BY-4.0
RLS_Washington_2010	SQUIDLE+	1	22	CC-BY-4.0
RLS_Wessel_2021	SQUIDLE+	6	135	CC-BY-4.0
RLS_West Cape York_2021	SQUIDLE+	9	242	CC-BY-4.0
RLS_Western Australia (other)_2008	SQUIDLE+	3	34	CC-BY-4.0
RLS_Western Australia (other)_2010	SQUIDLE+	5	99	CC-BY-4.0
RLS_Western Australia (other)_2018	SQUIDLE+	3	69	CC-BY-4.0
RLS_Whitsundays_2015	SQUIDLE+	4	85	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
RLS_Whitsundays_2016	SQUIDLE+	4	98	CC-BY-4.0
RLS_Whitsundays_2017	SQUIDLE+	2	50	CC-BY-4.0
RLS_Whitsundays_2018	SQUIDLE+	4	97	CC-BY-4.0
RLS_Whitsundays_2019	SQUIDLE+	2	45	CC-BY-4.0
RLS_Whitsundays_2020	SQUIDLE+	1	21	CC-BY-4.0
RLS_Wilsons_Promontory_2014	SQUIDLE+	2	44	CC-BY-4.0
RLS_Wilsons_Promontory_2015	SQUIDLE+	2	43	CC-BY-4.0
RLS_Wilsons_Promontory_2017	SQUIDLE+	33	939	CC-BY-4.0
RLS_Wilsons_Promontory_2020	SQUIDLE+	40	549	CC-BY-4.0
RLS_Yorke_Peninsula_2008	SQUIDLE+	12	145	CC-BY-4.0
RLS_Yorke_Peninsula_2017	SQUIDLE+	14	560	CC-BY-4.0
RLS_Yorke_Peninsula_2020	SQUIDLE+	30	702	CC-BY-4.0
RLS_Yorke_Peninsula_2022	SQUIDLE+	6	140	CC-BY-4.0
ReefBuilder_PPB_Port_Phillip	SQUIDLE+	3	24	CC-BY-4.0
vic_gippsland-lakes_nyerimilang-mussel-remnant_202202	SQUIDLE+	5	100	CC-BY-4.0
vic_gippsland-lakes_nyerimilang-restoration_202202	SQUIDLE+	6	118	CC-BY-4.0
vic_gippsland-lakes_nyerimilang-soft-sediment_202202	SQUIDLE+	6	117	CC-BY-4.0
vic_port-phillip_dromana-restoration_202109	SQUIDLE+	6	119	CC-BY-4.0
vic_port-phillip_dromana-seagrass_202109	SQUIDLE+	6	116	CC-BY-4.0
vic_port-phillip_dromana-soft-sediment_202109	SQUIDLE+	6	120	CC-BY-4.0
vic_port-phillip_wilson-spit-soft-sediment_202109	SQUIDLE+	5	100	CC-BY-4.0
vic_port-phillip_wilsons-spit-restoration_202109	SQUIDLE+	6	120	CC-BY-4.0
vic_port-phillip_wilsons-spit-soft-sediment_202109	SQUIDLE+	1	20	CC-BY-4.0
wa_albany_green-island-restoration_202203	SQUIDLE+	1	20	CC-BY-4.0
wa_albany_oyster-harbour-northern-restoration_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_oyster-harbour-northern-seagrass_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_oyster-harbour-northern-soft-sediment_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_oyster-harbour-southern-reef_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_oyster-harbour-southern-seagrass_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_oyster-harbour-southern-soft-sediment_202203	SQUIDLE+	6	120	CC-BY-4.0
wa_albany_waterski-restoration_202203	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-restoration_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_harvey-estuary-restoration_202207	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-restoration_202209	SQUIDLE+	1	27	CC-BY-4.0
wa_peel-harvey_harvey-estuary-seagrass_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_harvey-estuary-seagrass_202207	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-seagrass_202209	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-seagrass_202209	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-soft-sediment_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_harvey-estuary-soft-sediment_202207	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_harvey-estuary-soft-sediment_202209	SQUIDLE+	1	20	CC-BY-4.0
wa_peel-harvey_peel-inlet-restoration_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_peel-inlet-restoration_202207	SQUIDLE+	4	82	CC-BY-4.0
wa_peel-harvey_peel-inlet-restoration_202209	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_peel-inlet-seagrass_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_peel-inlet-seagrass_202207	SQUIDLE+	4	82	CC-BY-4.0
wa_peel-harvey_peel-inlet-seagrass_202209	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_peel-inlet-soft-sediment_202202	SQUIDLE+	4	80	CC-BY-4.0
wa_peel-harvey_peel-inlet-soft-sediment_202207	SQUIDLE+	4	82	CC-BY-4.0
wa_peel-harvey_peel-inlet-soft-sediment_202209	SQUIDLE+	4	80	CC-BY-4.0
wa_swan-canning-rivers_attadale-restoration_202205	SQUIDLE+	4	82	CC-BY-4.0
wa_swan-canning-rivers_fresh-water-bay-northern-restoration_202205	SQUIDLE+	2	43	CC-BY-4.0
wa_swan-canning-rivers_fresh-water-bay-northern-restoration_202206	SQUIDLE+	2	40	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
wa_swan-canning-rivers_fresh-water-bay-southern-restoration_202206	SQUIDLE+	4	80	CC-BY-4.0
wa_swan-canning-rivers_northern-soft-sediment—control-2_202205	SQUIDLE+	4	84	CC-BY-4.0
wa_swan-canning-rivers_point-walter-restoration_202205	SQUIDLE+	2	43	CC-BY-4.0
wa_swan-canning-rivers_point-walter-restoration_202206	SQUIDLE+	2	40	CC-BY-4.0
wa_swan-canning-rivers_southern-soft-sediment—control-1_202206	SQUIDLE+	4	80	CC-BY-4.0
2017-036	SQUIDLE+	7	1275	CC-BY-4.0
20191020_Broughton_Island	SQUIDLE+	19	3189	CC-BY-4.0
20191024_Seal_Rocks	SQUIDLE+	7	1411	CC-BY-4.0
20200616_Seal_Rocks	SQUIDLE+	12	2301	CC-BY-4.0
20200812_Seal_Rocks	SQUIDLE+	15	3316	CC-BY-4.0
Batemans201011	SQUIDLE+	13	3922	CC-BY-4.0
Batemans201211	SQUIDLE+	7	2033	CC-BY-4.0
Batemans201411	SQUIDLE+	9	3002	CC-BY-4.0
CoralSea202008	SQUIDLE+	5	1322	CC-BY-4.0
DiscoveryBay202112	SQUIDLE+	10	2977	CC-BY-4.0
EMR202001	SQUIDLE+	11	3174	CC-BY-4.0
FK181210	SQUIDLE+	8	2529	CC-BY-4.0
FK190106	SQUIDLE+	17	5389	CC-BY-4.0
FK190726	SQUIDLE+	11	4301	CC-BY-4.0
FK200126	SQUIDLE+	17	5763	CC-BY-4.0
FK200308	SQUIDLE+	12	4412	CC-BY-4.0
FK200930	SQUIDLE+	10	4144	CC-BY-4.0
Forster202006	SQUIDLE+	13	4000	CC-BY-4.0
GBR200709	SQUIDLE+	9	2477	CC-BY-4.0
GBR201102	SQUIDLE+	2	570	CC-BY-4.0
GBR201107	SQUIDLE+	22	7237	CC-BY-4.0
GBR201212	SQUIDLE+	21	7080	CC-BY-4.0
GBR201312	SQUIDLE+	19	5789	CC-BY-4.0
GBR201509	SQUIDLE+	23	7043	CC-BY-4.0
GeographeBay201505	SQUIDLE+	16	4697	CC-BY-4.0
IN2018_V06	SQUIDLE+	123	23824	CC-BY-4.0
MoretonIs201601	SQUIDLE+	12	3889	CC-BY-4.0
Ningaloo201203	SQUIDLE+	29	9196	CC-BY-4.0
Ningaloo201709	SQUIDLE+	5	1559	CC-BY-4.0
Ningaloo201904	SQUIDLE+	4	1163	CC-BY-4.0
PS201012	SQUIDLE+	8	2512	CC-BY-4.0
PS201211	SQUIDLE+	10	3158	CC-BY-4.0
PS201502	SQUIDLE+	10	2907	CC-BY-4.0
RLS_Carrie Bow, Belize_2015	SQUIDLE+	6	447	CC-BY-4.0
RLS_Eyre Peninsular_2017	SQUIDLE+	2	88	CC-BY-4.0
RLS_Ningaloo Reef_2015	SQUIDLE+	2	102	CC-BY-4.0
SAJosephBanks200806	SQUIDLE+	10	2819	CC-BY-4.0
SEQueensland201010	SQUIDLE+	11	3766	CC-BY-4.0
SEQueensland201111	SQUIDLE+	9	1405	CC-BY-4.0
SEQueensland201210	SQUIDLE+	8	2435	CC-BY-4.0
SEQueensland201310	SQUIDLE+	7	1928	CC-BY-4.0
SEQueensland201510	SQUIDLE+	15	4286	CC-BY-4.0
SEQueensland201907	SQUIDLE+	3	819	CC-BY-4.0
ScottReef200907	SQUIDLE+	19	5667	CC-BY-4.0
ScottReef201108	SQUIDLE+	18	5552	CC-BY-4.0
ScottReef201503	SQUIDLE+	20	5509	CC-BY-4.0
SolitaryIs201208	SQUIDLE+	10	3408	CC-BY-4.0

Table 16 (cont.): SQUIDLE+ dataset details.

Dataset	Source	Nº Sites	Nº Images	License
SouthAustralia201805	SQUIDLE+	8	2336	CC-BY-4.0
SouthAustralia202012	SQUIDLE+	7	1985	CC-BY-4.0
SouthAustraliaGAB202204	SQUIDLE+	5	1509	CC-BY-4.0
Sydney201211	SQUIDLE+	4	1294	CC-BY-4.0
Sydney201303	SQUIDLE+	2	658	CC-BY-4.0
Sydney202111	SQUIDLE+	2	555	CC-BY-4.0
TasFracture202106	SQUIDLE+	16	4739	CC-BY-4.0
TasVic201602SS	SQUIDLE+	8	2661	CC-BY-4.0
Tasmania200810	SQUIDLE+	18	4848	CC-BY-4.0
Tasmania200903	SQUIDLE+	8	2225	CC-BY-4.0
Tasmania200906	SQUIDLE+	17	4721	CC-BY-4.0
Tasmania201006	SQUIDLE+	19	5403	CC-BY-4.0
Tasmania201106	SQUIDLE+	28	8207	CC-BY-4.0
Tasmania201205	SQUIDLE+	17	4178	CC-BY-4.0
Tasmania201306	SQUIDLE+	22	6234	CC-BY-4.0
Tasmania201406	SQUIDLE+	20	6203	CC-BY-4.0
Tasmania201502	SQUIDLE+	4	1118	CC-BY-4.0
Tasmania201610	SQUIDLE+	12	3615	CC-BY-4.0
Tasmania201707	SQUIDLE+	18	4900	CC-BY-4.0
Tasmania201808	SQUIDLE+	9	2698	CC-BY-4.0
Tasmania202001	SQUIDLE+	2	593	CC-BY-4.0
Tasmania202104	SQUIDLE+	22	6527	CC-BY-4.0
Tasmania202208	SQUIDLE+	14	4079	CC-BY-4.0
WA201004	SQUIDLE+	23	8110	CC-BY-4.0
WA201104	SQUIDLE+	22	7643	CC-BY-4.0
WA201204	SQUIDLE+	41	11331	CC-BY-4.0
WA201304	SQUIDLE+	27	7374	CC-BY-4.0
WA201403	SQUIDLE+	14	4092	CC-BY-4.0
WA201705	SQUIDLE+	9	2701	CC-BY-4.0
WA202103	SQUIDLE+	27	8668	CC-BY-4.0
WA202205	SQUIDLE+	7	2472	CC-BY-4.0
WA_SW_202103	SQUIDLE+	16	4564	CC-BY-4.0
WilsonsProm201603SS	SQUIDLE+	7	2857	CC-BY-4.0
Wollongong202201	SQUIDLE+	18	5109	CC-BY-4.0
dy108-109_nerc_oceanids_class	SQUIDLE+	1	1592	CC-BY-4.0
fk180731	SQUIDLE+	10	4149	CC-BY-4.0
ssk16-01	SQUIDLE+	1	421	CC-BY-4.0
ssk17-01	SQUIDLE+	1	108	CC-BY-4.0
ssk18-01	SQUIDLE+	1	64	CC-BY-4.0

C.11 PANGAEA datasets

Table 17. PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-73613	PANGAEA	1	29	CC-BY-3.0	168
pangaea-73617	PANGAEA	1	14	CC-BY-3.0	169
pangaea-73618	PANGAEA	1	2	CC-BY-3.0	170
pangaea-73619	PANGAEA	1	2	CC-BY-3.0	171
pangaea-73620	PANGAEA	1	12	CC-BY-3.0	172
pangaea-73621	PANGAEA	1	5	CC-BY-3.0	173
pangaea-198643	PANGAEA	1	78	CC-BY-3.0	174
pangaea-198644	PANGAEA	1	84	CC-BY-3.0	175
pangaea-198645	PANGAEA	1	155	CC-BY-3.0	176
pangaea-198646	PANGAEA	1	126	CC-BY-3.0	177
pangaea-198647	PANGAEA	1	115	CC-BY-3.0	178
pangaea-198648	PANGAEA	1	161	CC-BY-3.0	179
pangaea-198649	PANGAEA	1	66	CC-BY-3.0	180
pangaea-198650	PANGAEA	1	99	CC-BY-3.0	181
pangaea-198651	PANGAEA	1	22	CC-BY-3.0	182, 183
pangaea-198652	PANGAEA	1	39	CC-BY-3.0	183, 184
pangaea-198653	PANGAEA	1	152	CC-BY-3.0	185
pangaea-198654	PANGAEA	1	247	CC-BY-3.0	186
pangaea-198655	PANGAEA	1	134	CC-BY-3.0	187
pangaea-198656	PANGAEA	1	222	CC-BY-3.0	188
pangaea-198657	PANGAEA	1	113	CC-BY-3.0	189
pangaea-198658	PANGAEA	1	126	CC-BY-3.0	190
pangaea-198659	PANGAEA	1	9	CC-BY-3.0	191
pangaea-198660	PANGAEA	1	108	CC-BY-3.0	192
pangaea-198661	PANGAEA	1	121	CC-BY-3.0	193
pangaea-198662	PANGAEA	1	136	CC-BY-3.0	194
pangaea-198663	PANGAEA	1	125	CC-BY-3.0	195
pangaea-198664	PANGAEA	1	225	CC-BY-3.0	196
pangaea-198665	PANGAEA	1	109	CC-BY-3.0	197
pangaea-198666	PANGAEA	1	104	CC-BY-3.0	198
pangaea-198667	PANGAEA	1	30	CC-BY-3.0	199
pangaea-198668	PANGAEA	1	92	CC-BY-3.0	200
pangaea-198669	PANGAEA	1	79	CC-BY-3.0	201
pangaea-198670	PANGAEA	1	69	CC-BY-3.0	202
pangaea-198671	PANGAEA	1	21	CC-BY-3.0	203
pangaea-198672	PANGAEA	1	99	CC-BY-3.0	204
pangaea-198673	PANGAEA	1	65	CC-BY-3.0	205
pangaea-198674	PANGAEA	1	62	CC-BY-3.0	206
pangaea-198675	PANGAEA	1	50	CC-BY-3.0	207
pangaea-198676	PANGAEA	1	111	CC-BY-3.0	208
pangaea-198677	PANGAEA	1	80	CC-BY-3.0	209
pangaea-198678	PANGAEA	1	116	CC-BY-3.0	210
pangaea-198679	PANGAEA	1	11	CC-BY-3.0	211
pangaea-198680	PANGAEA	1	109	CC-BY-3.0	212
pangaea-198681	PANGAEA	1	25	CC-BY-3.0	213
pangaea-198682	PANGAEA	1	100	CC-BY-3.0	214
pangaea-198683	PANGAEA	1	94	CC-BY-3.0	215
pangaea-198684	PANGAEA	1	145	CC-BY-3.0	216

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-198685	PANGAEA	1	14	CC-BY-3.0	217
pangaea-198686	PANGAEA	1	155	CC-BY-3.0	218
pangaea-198687	PANGAEA	1	68	CC-BY-3.0	219
pangaea-198688	PANGAEA	1	83	CC-BY-3.0	220
pangaea-198689	PANGAEA	1	38	CC-BY-3.0	221
pangaea-198690	PANGAEA	1	139	CC-BY-3.0	222
pangaea-198691	PANGAEA	1	153	CC-BY-3.0	223
pangaea-198692	PANGAEA	1	66	CC-BY-3.0	224
pangaea-198693	PANGAEA	1	47	CC-BY-3.0	225
pangaea-198694	PANGAEA	1	54	CC-BY-3.0	226
pangaea-198695	PANGAEA	1	137	CC-BY-3.0	227
pangaea-198696	PANGAEA	1	85	CC-BY-3.0	228
pangaea-198697	PANGAEA	1	10	CC-BY-3.0	229
pangaea-198698	PANGAEA	1	72	CC-BY-3.0	230
pangaea-198699	PANGAEA	1	75	CC-BY-3.0	231
pangaea-206413	PANGAEA	1	4	CC-BY-3.0	232
pangaea-220740	PANGAEA	1	70	CC-BY-3.0	233
pangaea-220741	PANGAEA	1	70	CC-BY-3.0	234
pangaea-220742	PANGAEA	1	70	CC-BY-3.0	235
pangaea-220743	PANGAEA	1	70	CC-BY-3.0	236
pangaea-220744	PANGAEA	1	69	CC-BY-3.0	237
pangaea-220745	PANGAEA	1	69	CC-BY-3.0	238
pangaea-220746	PANGAEA	1	70	CC-BY-3.0	239
pangaea-220747	PANGAEA	1	69	CC-BY-3.0	240
pangaea-227308	PANGAEA	1	64	CC-BY-3.0	241,242
pangaea-227309	PANGAEA	1	65	CC-BY-3.0	242,243
pangaea-227310	PANGAEA	1	64	CC-BY-3.0	242,244
pangaea-227311	PANGAEA	1	64	CC-BY-3.0	242,245
pangaea-227670	PANGAEA	1	74	CC-BY-3.0	242,246
pangaea-227671	PANGAEA	1	200	CC-BY-3.0	247,248
pangaea-227692	PANGAEA	1	249	CC-BY-3.0	249
pangaea-227693	PANGAEA	1	250	CC-BY-3.0	250
pangaea-227694	PANGAEA	1	250	CC-BY-3.0	251
pangaea-227695	PANGAEA	1	250	CC-BY-3.0	252
pangaea-250203	PANGAEA	1	39	CC-BY-3.0	253
pangaea-250204	PANGAEA	1	17	CC-BY-3.0	254
pangaea-250205	PANGAEA	1	67	CC-BY-3.0	255
pangaea-250206	PANGAEA	1	106	CC-BY-3.0	256
pangaea-250207	PANGAEA	1	91	CC-BY-3.0	257
pangaea-250208	PANGAEA	1	93	CC-BY-3.0	258
pangaea-250209	PANGAEA	1	106	CC-BY-3.0	259
pangaea-250210	PANGAEA	1	110	CC-BY-3.0	260
pangaea-250211	PANGAEA	1	86	CC-BY-3.0	261
pangaea-250212	PANGAEA	1	124	CC-BY-3.0	262
pangaea-250213	PANGAEA	1	36	CC-BY-3.0	263
pangaea-250214	PANGAEA	1	121	CC-BY-3.0	264
pangaea-250215	PANGAEA	1	95	CC-BY-3.0	265
pangaea-250216	PANGAEA	1	123	CC-BY-3.0	266
pangaea-250217	PANGAEA	1	104	CC-BY-3.0	267
pangaea-250218	PANGAEA	1	114	CC-BY-3.0	268
pangaea-250219	PANGAEA	1	104	CC-BY-3.0	269

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-250425	PANGAEA	1	55	CC-BY-3.0	270
pangaea-250426	PANGAEA	1	53	CC-BY-3.0	271
pangaea-250427	PANGAEA	1	73	CC-BY-3.0	272
pangaea-250428	PANGAEA	1	34	CC-BY-3.0	273
pangaea-250429	PANGAEA	1	38	CC-BY-3.0	274
pangaea-250430	PANGAEA	1	15	CC-BY-3.0	275
pangaea-250431	PANGAEA	1	37	CC-BY-3.0	276
pangaea-250432	PANGAEA	1	26	CC-BY-3.0	277
pangaea-250433	PANGAEA	1	17	CC-BY-3.0	278
pangaea-250434	PANGAEA	1	13	CC-BY-3.0	279
pangaea-250435	PANGAEA	1	11	CC-BY-3.0	280
pangaea-250436	PANGAEA	1	59	CC-BY-3.0	281
pangaea-305485	PANGAEA	1	344	CC-BY-3.0	282
pangaea-309942	PANGAEA	1	103	CC-BY-3.0	283
pangaea-309945	PANGAEA	1	252	CC-BY-3.0	284
pangaea-309947	PANGAEA	1	222	CC-BY-3.0	285
pangaea-309948	PANGAEA	1	345	CC-BY-3.0	286
pangaea-309949	PANGAEA	1	216	CC-BY-3.0	287
pangaea-309954	PANGAEA	1	287	CC-BY-3.0	288
pangaea-309955	PANGAEA	1	253	CC-BY-3.0	289
pangaea-309956	PANGAEA	1	353	CC-BY-3.0	290
pangaea-309957	PANGAEA	1	378	CC-BY-3.0	291
pangaea-309959	PANGAEA	1	301	CC-BY-3.0	292
pangaea-319888	PANGAEA	1	74	CC-BY-3.0	293
pangaea-319889	PANGAEA	1	80	CC-BY-3.0	294
pangaea-319890	PANGAEA	1	82	CC-BY-3.0	295
pangaea-319891	PANGAEA	1	49	CC-BY-3.0	296
pangaea-319892	PANGAEA	1	57	CC-BY-3.0	297
pangaea-319893	PANGAEA	1	66	CC-BY-3.0	298
pangaea-319894	PANGAEA	1	34	CC-BY-3.0	299
pangaea-319895	PANGAEA	1	22	CC-BY-3.0	300
pangaea-319896	PANGAEA	1	10	CC-BY-3.0	301
pangaea-319897	PANGAEA	1	16	CC-BY-3.0	302
pangaea-319898	PANGAEA	1	56	CC-BY-3.0	303
pangaea-319899	PANGAEA	1	10	CC-BY-3.0	304
pangaea-319900	PANGAEA	1	98	CC-BY-3.0	305
pangaea-319901	PANGAEA	1	99	CC-BY-3.0	306
pangaea-319902	PANGAEA	1	82	CC-BY-3.0	307
pangaea-319903	PANGAEA	1	98	CC-BY-3.0	308
pangaea-319904	PANGAEA	1	100	CC-BY-3.0	309
pangaea-319905	PANGAEA	1	98	CC-BY-3.0	310
pangaea-319906	PANGAEA	1	93	CC-BY-3.0	311
pangaea-319907	PANGAEA	1	96	CC-BY-3.0	312
pangaea-319908	PANGAEA	1	95	CC-BY-3.0	313
pangaea-319909	PANGAEA	1	96	CC-BY-3.0	314
pangaea-319910	PANGAEA	1	93	CC-BY-3.0	315
pangaea-319912	PANGAEA	1	49	CC-BY-3.0	316
pangaea-319913	PANGAEA	1	50	CC-BY-3.0	317
pangaea-319914	PANGAEA	1	51	CC-BY-3.0	318
pangaea-319915	PANGAEA	1	43	CC-BY-3.0	319
pangaea-319916	PANGAEA	1	75	CC-BY-3.0	320

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-319917	PANGAEA	1	19	CC-BY-3.0	321
pangaea-319918	PANGAEA	1	30	CC-BY-3.0	322
pangaea-319919	PANGAEA	1	52	CC-BY-3.0	323
pangaea-319920	PANGAEA	1	70	CC-BY-3.0	324
pangaea-320043	PANGAEA	1	6	CC-BY-3.0	325
pangaea-320044	PANGAEA	1	9	CC-BY-3.0	326
pangaea-320045	PANGAEA	1	85	CC-BY-3.0	327
pangaea-320046	PANGAEA	1	101	CC-BY-3.0	328
pangaea-320047	PANGAEA	1	69	CC-BY-3.0	329
pangaea-320048	PANGAEA	1	36	CC-BY-3.0	330
pangaea-320049	PANGAEA	1	18	CC-BY-3.0	331
pangaea-320050	PANGAEA	1	76	CC-BY-3.0	332
pangaea-320051	PANGAEA	1	135	CC-BY-3.0	333
pangaea-320052	PANGAEA	1	55	CC-BY-3.0	334
pangaea-320053	PANGAEA	1	162	CC-BY-3.0	335
pangaea-320054	PANGAEA	1	129	CC-BY-3.0	336
pangaea-320055	PANGAEA	1	98	CC-BY-3.0	337
pangaea-320056	PANGAEA	1	123	CC-BY-3.0	338
pangaea-320057	PANGAEA	1	115	CC-BY-3.0	339
pangaea-320058	PANGAEA	1	132	CC-BY-3.0	340
pangaea-320059	PANGAEA	1	107	CC-BY-3.0	341
pangaea-320060	PANGAEA	1	76	CC-BY-3.0	342
pangaea-320061	PANGAEA	1	141	CC-BY-3.0	343
pangaea-320062	PANGAEA	1	193	CC-BY-3.0	344
pangaea-320095	PANGAEA	1	54	CC-BY-3.0	345
pangaea-320096	PANGAEA	1	20	CC-BY-3.0	346
pangaea-320097	PANGAEA	1	100	CC-BY-3.0	347
pangaea-320098	PANGAEA	1	112	CC-BY-3.0	348
pangaea-320309	PANGAEA	1	76	CC-BY-3.0	349
pangaea-371062	PANGAEA	1	188	CC-BY-3.0	350
pangaea-371063	PANGAEA	1	250	CC-BY-3.0	351
pangaea-371064	PANGAEA	1	250	CC-BY-3.0	352
pangaea-398985	PANGAEA	1	86	CC-BY-NC-SA-3.0	353
pangaea-418252	PANGAEA	1	42	CC-BY-3.0	354
pangaea-615386	PANGAEA	1	281	CC-BY-3.0	355
pangaea-615723	PANGAEA	1	293	CC-BY-3.0	356
pangaea-615724	PANGAEA	1	266	CC-BY-3.0	357
pangaea-615725	PANGAEA	1	288	CC-BY-3.0	358
pangaea-615726	PANGAEA	1	267	CC-BY-3.0	359
pangaea-615800	PANGAEA	1	302	CC-BY-3.0	360
pangaea-615801	PANGAEA	1	114	CC-BY-3.0	361
pangaea-615818	PANGAEA	1	105	CC-BY-3.0	362
pangaea-615819	PANGAEA	1	359	CC-BY-3.0	363
pangaea-615820	PANGAEA	1	268	CC-BY-3.0	364
pangaea-615821	PANGAEA	1	293	CC-BY-3.0	365
pangaea-615822	PANGAEA	1	276	CC-BY-3.0	366
pangaea-615825	PANGAEA	1	287	CC-BY-3.0	367
pangaea-615826	PANGAEA	1	264	CC-BY-3.0	368
pangaea-615843	PANGAEA	1	401	CC-BY-3.0	369
pangaea-615844	PANGAEA	1	391	CC-BY-3.0	370
pangaea-615845	PANGAEA	1	32	CC-BY-3.0	371

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-615846	PANGAEA	1	196	CC-BY-3.0	372
pangaea-615847	PANGAEA	1	281	CC-BY-3.0	373
pangaea-615901	PANGAEA	1	279	CC-BY-3.0	374
pangaea-615902	PANGAEA	1	371	CC-BY-3.0	375
pangaea-615903	PANGAEA	1	259	CC-BY-3.0	376
pangaea-615904	PANGAEA	1	256	CC-BY-3.0	377
pangaea-615905	PANGAEA	1	261	CC-BY-3.0	378
pangaea-615910	PANGAEA	1	281	CC-BY-3.0	379
pangaea-615911	PANGAEA	1	293	CC-BY-3.0	380
pangaea-615912	PANGAEA	1	266	CC-BY-3.0	381
pangaea-615950	PANGAEA	1	289	CC-BY-3.0	382
pangaea-615951	PANGAEA	1	296	CC-BY-3.0	383
pangaea-615952	PANGAEA	1	301	CC-BY-3.0	384
pangaea-615953	PANGAEA	1	346	CC-BY-3.0	385
pangaea-615954	PANGAEA	1	368	CC-BY-3.0	386
pangaea-615955	PANGAEA	1	403	CC-BY-3.0	387
pangaea-615956	PANGAEA	1	288	CC-BY-3.0	388
pangaea-615957	PANGAEA	1	345	CC-BY-3.0	389
pangaea-618828	PANGAEA	1	300	CC-BY-3.0	390
pangaea-618829	PANGAEA	1	261	CC-BY-3.0	391
pangaea-618830	PANGAEA	1	275	CC-BY-3.0	392
pangaea-618831	PANGAEA	1	317	CC-BY-3.0	393
pangaea-618832	PANGAEA	1	334	CC-BY-3.0	394
pangaea-618833	PANGAEA	1	661	CC-BY-3.0	395
pangaea-633559	PANGAEA	1	25	CC-BY-3.0	396
pangaea-633702	PANGAEA	1	4	CC-BY-3.0	397
pangaea-633703	PANGAEA	1	4	CC-BY-3.0	398
pangaea-633704	PANGAEA	1	26	CC-BY-3.0	399
pangaea-633705	PANGAEA	1	26	CC-BY-3.0	400
pangaea-633875	PANGAEA	1	13	CC-BY-3.0	401
pangaea-633876	PANGAEA	1	12	CC-BY-3.0	402
pangaea-633877	PANGAEA	1	27	CC-BY-3.0	403
pangaea-633878	PANGAEA	1	27	CC-BY-3.0	404
pangaea-633879	PANGAEA	1	27	CC-BY-3.0	405
pangaea-633880	PANGAEA	1	26	CC-BY-3.0	406
pangaea-633881	PANGAEA	1	27	CC-BY-3.0	407
pangaea-633882	PANGAEA	1	28	CC-BY-3.0	408
pangaea-633883	PANGAEA	1	25	CC-BY-3.0	409
pangaea-633884	PANGAEA	1	22	CC-BY-3.0	410
pangaea-633885	PANGAEA	1	20	CC-BY-3.0	411
pangaea-633886	PANGAEA	1	27	CC-BY-3.0	412
pangaea-633887	PANGAEA	1	27	CC-BY-3.0	413
pangaea-633888	PANGAEA	1	16	CC-BY-3.0	414
pangaea-633889	PANGAEA	1	9	CC-BY-3.0	415
pangaea-633890	PANGAEA	1	16	CC-BY-3.0	416
pangaea-633891	PANGAEA	1	9	CC-BY-3.0	417
pangaea-633892	PANGAEA	1	26	CC-BY-3.0	418
pangaea-633893	PANGAEA	1	26	CC-BY-3.0	419
pangaea-633894	PANGAEA	1	26	CC-BY-3.0	420
pangaea-633895	PANGAEA	1	26	CC-BY-3.0	421
pangaea-633896	PANGAEA	1	26	CC-BY-3.0	422

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-633897	PANGAEA	1	26	CC-BY-3.0	423
pangaea-633898	PANGAEA	1	22	CC-BY-3.0	424
pangaea-633899	PANGAEA	1	26	CC-BY-3.0	425
pangaea-633900	PANGAEA	1	26	CC-BY-3.0	426
pangaea-633901	PANGAEA	1	26	CC-BY-3.0	427
pangaea-633902	PANGAEA	1	26	CC-BY-3.0	428
pangaea-633903	PANGAEA	1	26	CC-BY-3.0	429
pangaea-633904	PANGAEA	1	26	CC-BY-3.0	430
pangaea-633905	PANGAEA	1	26	CC-BY-3.0	431
pangaea-633906	PANGAEA	1	26	CC-BY-3.0	432
pangaea-633907	PANGAEA	1	25	CC-BY-3.0	433
pangaea-633908	PANGAEA	1	25	CC-BY-3.0	434
pangaea-633909	PANGAEA	1	23	CC-BY-3.0	435
pangaea-633910	PANGAEA	1	23	CC-BY-3.0	436
pangaea-633911	PANGAEA	1	26	CC-BY-3.0	437
pangaea-633912	PANGAEA	1	27	CC-BY-3.0	438
pangaea-633913	PANGAEA	1	5	CC-BY-3.0	439
pangaea-633914	PANGAEA	1	5	CC-BY-3.0	440
pangaea-633915	PANGAEA	1	5	CC-BY-3.0	441
pangaea-633916	PANGAEA	1	5	CC-BY-3.0	442
pangaea-633917	PANGAEA	1	2	CC-BY-3.0	443
pangaea-633918	PANGAEA	1	2	CC-BY-3.0	444
pangaea-633919	PANGAEA	1	2	CC-BY-3.0	445
pangaea-633920	PANGAEA	1	2	CC-BY-3.0	446
pangaea-633921	PANGAEA	1	2	CC-BY-3.0	447
pangaea-633922	PANGAEA	1	3	CC-BY-3.0	448
pangaea-633923	PANGAEA	1	3	CC-BY-3.0	449
pangaea-633924	PANGAEA	1	2	CC-BY-3.0	450
pangaea-633925	PANGAEA	1	5	CC-BY-3.0	451
pangaea-633926	PANGAEA	1	5	CC-BY-3.0	452
pangaea-633927	PANGAEA	1	22	CC-BY-3.0	453
pangaea-633928	PANGAEA	1	22	CC-BY-3.0	454
pangaea-633929	PANGAEA	1	21	CC-BY-3.0	455
pangaea-633930	PANGAEA	1	22	CC-BY-3.0	456
pangaea-633931	PANGAEA	1	27	CC-BY-3.0	457
pangaea-633932	PANGAEA	1	17	CC-BY-3.0	458
pangaea-633933	PANGAEA	1	4	CC-BY-3.0	459
pangaea-633934	PANGAEA	1	13	CC-BY-3.0	460
pangaea-633935	PANGAEA	1	4	CC-BY-3.0	461
pangaea-633936	PANGAEA	1	26	CC-BY-3.0	462
pangaea-633937	PANGAEA	1	26	CC-BY-3.0	463
pangaea-633938	PANGAEA	1	4	CC-BY-3.0	464
pangaea-633939	PANGAEA	1	26	CC-BY-3.0	465
pangaea-633940	PANGAEA	1	27	CC-BY-3.0	466
pangaea-633941	PANGAEA	1	27	CC-BY-3.0	467
pangaea-633942	PANGAEA	1	26	CC-BY-3.0	468
pangaea-633943	PANGAEA	1	28	CC-BY-3.0	469
pangaea-633944	PANGAEA	1	27	CC-BY-3.0	470
pangaea-633945	PANGAEA	1	27	CC-BY-3.0	471
pangaea-633946	PANGAEA	1	27	CC-BY-3.0	472
pangaea-633947	PANGAEA	1	27	CC-BY-3.0	473

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-633948	PANGAEA	1	23	CC-BY-3.0	474
pangaea-633949	PANGAEA	1	30	CC-BY-3.0	475
pangaea-633950	PANGAEA	1	30	CC-BY-3.0	476
pangaea-633951	PANGAEA	1	27	CC-BY-3.0	477
pangaea-633952	PANGAEA	1	29	CC-BY-3.0	478
pangaea-633953	PANGAEA	1	27	CC-BY-3.0	479
pangaea-633954	PANGAEA	1	27	CC-BY-3.0	480
pangaea-633955	PANGAEA	1	25	CC-BY-3.0	481
pangaea-633956	PANGAEA	1	22	CC-BY-3.0	482
pangaea-633957	PANGAEA	1	25	CC-BY-3.0	483
pangaea-633958	PANGAEA	1	24	CC-BY-3.0	484
pangaea-633959	PANGAEA	1	25	CC-BY-3.0	485
pangaea-633960	PANGAEA	1	25	CC-BY-3.0	486
pangaea-633961	PANGAEA	1	25	CC-BY-3.0	487
pangaea-633962	PANGAEA	1	24	CC-BY-3.0	488
pangaea-633963	PANGAEA	1	25	CC-BY-3.0	489
pangaea-633964	PANGAEA	1	25	CC-BY-3.0	490
pangaea-633965	PANGAEA	1	25	CC-BY-3.0	491
pangaea-633966	PANGAEA	1	25	CC-BY-3.0	492
pangaea-633967	PANGAEA	1	22	CC-BY-3.0	493
pangaea-633968	PANGAEA	1	22	CC-BY-3.0	494
pangaea-633969	PANGAEA	1	24	CC-BY-3.0	495
pangaea-633970	PANGAEA	1	25	CC-BY-3.0	496
pangaea-633971	PANGAEA	1	23	CC-BY-3.0	497
pangaea-633972	PANGAEA	1	25	CC-BY-3.0	498
pangaea-633973	PANGAEA	1	20	CC-BY-3.0	499
pangaea-633974	PANGAEA	1	19	CC-BY-3.0	500
pangaea-633975	PANGAEA	1	22	CC-BY-3.0	501
pangaea-633976	PANGAEA	1	22	CC-BY-3.0	502
pangaea-633977	PANGAEA	1	20	CC-BY-3.0	503
pangaea-633978	PANGAEA	1	20	CC-BY-3.0	504
pangaea-633979	PANGAEA	1	21	CC-BY-3.0	505
pangaea-633980	PANGAEA	1	22	CC-BY-3.0	506
pangaea-633981	PANGAEA	1	23	CC-BY-3.0	507
pangaea-633982	PANGAEA	1	22	CC-BY-3.0	508
pangaea-633983	PANGAEA	1	22	CC-BY-3.0	509
pangaea-633984	PANGAEA	1	20	CC-BY-3.0	510
pangaea-633985	PANGAEA	1	23	CC-BY-3.0	511
pangaea-633986	PANGAEA	1	22	CC-BY-3.0	512
pangaea-633987	PANGAEA	1	22	CC-BY-3.0	513
pangaea-633988	PANGAEA	1	22	CC-BY-3.0	514
pangaea-633989	PANGAEA	1	21	CC-BY-3.0	515
pangaea-633990	PANGAEA	1	20	CC-BY-3.0	516
pangaea-633991	PANGAEA	1	20	CC-BY-3.0	517
pangaea-633992	PANGAEA	1	20	CC-BY-3.0	518
pangaea-633993	PANGAEA	1	22	CC-BY-3.0	519
pangaea-633994	PANGAEA	1	21	CC-BY-3.0	520
pangaea-633995	PANGAEA	1	21	CC-BY-3.0	521
pangaea-633996	PANGAEA	1	22	CC-BY-3.0	522
pangaea-633997	PANGAEA	1	20	CC-BY-3.0	523
pangaea-633998	PANGAEA	1	20	CC-BY-3.0	524

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-633999	PANGAEA	1	20	CC-BY-3.0	525
pangaea-634000	PANGAEA	1	20	CC-BY-3.0	526
pangaea-634001	PANGAEA	1	20	CC-BY-3.0	527
pangaea-634002	PANGAEA	1	20	CC-BY-3.0	528
pangaea-634003	PANGAEA	1	21	CC-BY-3.0	529
pangaea-634004	PANGAEA	1	20	CC-BY-3.0	530
pangaea-634008	PANGAEA	1	43	CC-BY-3.0	531
pangaea-634209	PANGAEA	1	16	CC-BY-3.0	532
pangaea-634210	PANGAEA	1	82	CC-BY-3.0	533
pangaea-634211	PANGAEA	1	82	CC-BY-3.0	534
pangaea-634212	PANGAEA	1	90	CC-BY-3.0	535
pangaea-634213	PANGAEA	1	88	CC-BY-3.0	536
pangaea-634214	PANGAEA	1	81	CC-BY-3.0	537
pangaea-634215	PANGAEA	1	86	CC-BY-3.0	538
pangaea-634216	PANGAEA	1	82	CC-BY-3.0	539
pangaea-634217	PANGAEA	1	81	CC-BY-3.0	540
pangaea-634218	PANGAEA	1	94	CC-BY-3.0	541
pangaea-634219	PANGAEA	1	84	CC-BY-3.0	542
pangaea-634220	PANGAEA	1	124	CC-BY-3.0	543
pangaea-634221	PANGAEA	1	82	CC-BY-3.0	544
pangaea-634222	PANGAEA	1	76	CC-BY-3.0	545
pangaea-634223	PANGAEA	1	101	CC-BY-3.0	546
pangaea-634224	PANGAEA	1	40	CC-BY-3.0	547
pangaea-634225	PANGAEA	1	100	CC-BY-3.0	548
pangaea-634227	PANGAEA	1	139	CC-BY-3.0	549
pangaea-634229	PANGAEA	1	128	CC-BY-3.0	550
pangaea-634232	PANGAEA	1	180	CC-BY-3.0	551
pangaea-634233	PANGAEA	1	186	CC-BY-3.0	552
pangaea-634234	PANGAEA	1	71	CC-BY-3.0	553
pangaea-634235	PANGAEA	1	53	CC-BY-3.0	554
pangaea-634236	PANGAEA	1	46	CC-BY-3.0	555
pangaea-634240	PANGAEA	1	90	CC-BY-3.0	556
pangaea-634241	PANGAEA	1	93	CC-BY-3.0	557
pangaea-634242	PANGAEA	1	18	CC-BY-3.0	558
pangaea-634243	PANGAEA	1	64	CC-BY-3.0	559
pangaea-634244	PANGAEA	1	32	CC-BY-3.0	560
pangaea-634245	PANGAEA	1	33	CC-BY-3.0	561
pangaea-634246	PANGAEA	1	32	CC-BY-3.0	562
pangaea-634248	PANGAEA	1	52	CC-BY-3.0	563
pangaea-634249	PANGAEA	1	53	CC-BY-3.0	564
pangaea-634250	PANGAEA	1	53	CC-BY-3.0	565
pangaea-634251	PANGAEA	1	17	CC-BY-3.0	566
pangaea-634252	PANGAEA	1	35	CC-BY-3.0	567
pangaea-666934	PANGAEA	1	100	CC-BY-3.0	568
pangaea-666935	PANGAEA	1	26	CC-BY-3.0	569
pangaea-666936	PANGAEA	1	181	CC-BY-3.0	570
pangaea-666937	PANGAEA	1	54	CC-BY-3.0	571
pangaea-666938	PANGAEA	1	12	CC-BY-3.0	572
pangaea-666939	PANGAEA	1	72	CC-BY-3.0	573
pangaea-666940	PANGAEA	1	46	CC-BY-3.0	574
pangaea-666941	PANGAEA	1	89	CC-BY-3.0	575

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-666942	PANGAEA	1	85	CC-BY-3.0	576
pangaea-666943	PANGAEA	1	60	CC-BY-3.0	577
pangaea-666944	PANGAEA	1	59	CC-BY-3.0	578
pangaea-666945	PANGAEA	1	77	CC-BY-3.0	579
pangaea-666946	PANGAEA	1	30	CC-BY-3.0	580
pangaea-666947	PANGAEA	1	10	CC-BY-3.0	581
pangaea-666948	PANGAEA	1	76	CC-BY-3.0	582
pangaea-666949	PANGAEA	1	66	CC-BY-3.0	583
pangaea-666950	PANGAEA	1	98	CC-BY-3.0	584
pangaea-666951	PANGAEA	1	51	CC-BY-3.0	585
pangaea-666952	PANGAEA	1	31	CC-BY-3.0	586
pangaea-666953	PANGAEA	1	48	CC-BY-3.0	587
pangaea-666954	PANGAEA	1	34	CC-BY-3.0	588
pangaea-666955	PANGAEA	1	19	CC-BY-3.0	589
pangaea-666956	PANGAEA	1	61	CC-BY-3.0	590
pangaea-666957	PANGAEA	1	46	CC-BY-3.0	591
pangaea-666958	PANGAEA	1	85	CC-BY-3.0	592
pangaea-666959	PANGAEA	1	36	CC-BY-3.0	593
pangaea-666960	PANGAEA	1	39	CC-BY-3.0	594
pangaea-666961	PANGAEA	1	68	CC-BY-3.0	595
pangaea-666962	PANGAEA	1	30	CC-BY-3.0	596
pangaea-666972	PANGAEA	1	65	CC-BY-3.0	597
pangaea-666973	PANGAEA	1	20	CC-BY-3.0	598
pangaea-666974	PANGAEA	1	21	CC-BY-3.0	599
pangaea-666975	PANGAEA	1	21	CC-BY-3.0	600
pangaea-666976	PANGAEA	1	20	CC-BY-3.0	601
pangaea-666977	PANGAEA	1	19	CC-BY-3.0	602
pangaea-666978	PANGAEA	1	17	CC-BY-3.0	603
pangaea-666979	PANGAEA	1	19	CC-BY-3.0	604
pangaea-666980	PANGAEA	1	20	CC-BY-3.0	605
pangaea-666981	PANGAEA	1	20	CC-BY-3.0	606
pangaea-666982	PANGAEA	1	20	CC-BY-3.0	607
pangaea-666983	PANGAEA	1	55	CC-BY-3.0	608
pangaea-666984	PANGAEA	1	55	CC-BY-3.0	609
pangaea-666985	PANGAEA	1	88	CC-BY-3.0	610
pangaea-666986	PANGAEA	1	15	CC-BY-3.0	611
pangaea-666987	PANGAEA	1	55	CC-BY-3.0	612
pangaea-666988	PANGAEA	1	55	CC-BY-3.0	613
pangaea-666989	PANGAEA	1	55	CC-BY-3.0	614
pangaea-666990	PANGAEA	1	56	CC-BY-3.0	615
pangaea-666991	PANGAEA	1	55	CC-BY-3.0	616
pangaea-666992	PANGAEA	1	6	CC-BY-3.0	617
pangaea-666993	PANGAEA	1	124	CC-BY-3.0	618
pangaea-666994	PANGAEA	1	54	CC-BY-3.0	619
pangaea-666995	PANGAEA	1	55	CC-BY-3.0	620
pangaea-666996	PANGAEA	1	55	CC-BY-3.0	621
pangaea-666997	PANGAEA	1	91	CC-BY-3.0	622
pangaea-667005	PANGAEA	1	33	CC-BY-3.0	623
pangaea-667006	PANGAEA	1	44	CC-BY-3.0	624
pangaea-667007	PANGAEA	1	22	CC-BY-3.0	625
pangaea-667008	PANGAEA	1	6	CC-BY-3.0	626

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-667009	PANGAEA	1	73	CC-BY-3.0	627
pangaea-667010	PANGAEA	1	76	CC-BY-3.0	628
pangaea-667011	PANGAEA	1	76	CC-BY-3.0	629
pangaea-667012	PANGAEA	1	76	CC-BY-3.0	630
pangaea-667013	PANGAEA	1	75	CC-BY-3.0	631
pangaea-667014	PANGAEA	1	77	CC-BY-3.0	632
pangaea-667015	PANGAEA	1	63	CC-BY-3.0	633
pangaea-667016	PANGAEA	1	50	CC-BY-3.0	634
pangaea-667017	PANGAEA	1	71	CC-BY-3.0	635
pangaea-667018	PANGAEA	1	78	CC-BY-3.0	636
pangaea-667019	PANGAEA	1	65	CC-BY-3.0	637
pangaea-667020	PANGAEA	1	73	CC-BY-3.0	638
pangaea-667021	PANGAEA	1	73	CC-BY-3.0	639
pangaea-667022	PANGAEA	1	75	CC-BY-3.0	640
pangaea-667023	PANGAEA	1	76	CC-BY-3.0	641
pangaea-667024	PANGAEA	1	79	CC-BY-3.0	642
pangaea-667025	PANGAEA	1	44	CC-BY-3.0	643
pangaea-667026	PANGAEA	1	79	CC-BY-3.0	644
pangaea-667027	PANGAEA	1	63	CC-BY-3.0	645
pangaea-667028	PANGAEA	1	79	CC-BY-3.0	646
pangaea-667029	PANGAEA	1	78	CC-BY-3.0	647
pangaea-667030	PANGAEA	1	52	CC-BY-3.0	648
pangaea-667031	PANGAEA	1	67	CC-BY-3.0	649
pangaea-667032	PANGAEA	1	81	CC-BY-3.0	650
pangaea-667047	PANGAEA	1	18	CC-BY-3.0	651
pangaea-667049	PANGAEA	1	163	CC-BY-3.0	652
pangaea-667050	PANGAEA	1	162	CC-BY-3.0	653
pangaea-667052	PANGAEA	1	69	CC-BY-3.0	654
pangaea-667053	PANGAEA	1	93	CC-BY-3.0	655
pangaea-667054	PANGAEA	1	124	CC-BY-3.0	656
pangaea-667055	PANGAEA	1	88	CC-BY-3.0	657
pangaea-667057	PANGAEA	1	113	CC-BY-3.0	658
pangaea-667058	PANGAEA	1	64	CC-BY-3.0	659
pangaea-667059	PANGAEA	1	129	CC-BY-3.0	660
pangaea-667060	PANGAEA	1	93	CC-BY-3.0	661
pangaea-667061	PANGAEA	1	58	CC-BY-3.0	662
pangaea-667062	PANGAEA	1	59	CC-BY-3.0	663
pangaea-667063	PANGAEA	1	68	CC-BY-3.0	664
pangaea-667064	PANGAEA	1	139	CC-BY-3.0	665
pangaea-691514	PANGAEA	1	35	CC-BY-3.0	666
pangaea-691515	PANGAEA	1	29	CC-BY-3.0	667
pangaea-691516	PANGAEA	1	24	CC-BY-3.0	668
pangaea-691517	PANGAEA	1	38	CC-BY-3.0	669
pangaea-691518	PANGAEA	1	46	CC-BY-3.0	670
pangaea-691519	PANGAEA	1	52	CC-BY-3.0	671
pangaea-691520	PANGAEA	1	52	CC-BY-3.0	672
pangaea-691521	PANGAEA	1	51	CC-BY-3.0	673
pangaea-691522	PANGAEA	1	50	CC-BY-3.0	674
pangaea-691523	PANGAEA	1	51	CC-BY-3.0	675
pangaea-691524	PANGAEA	1	51	CC-BY-3.0	676
pangaea-691525	PANGAEA	1	50	CC-BY-3.0	677

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-691526	PANGAEA	1	50	CC-BY-3.0	678
pangaea-691527	PANGAEA	1	52	CC-BY-3.0	679
pangaea-691528	PANGAEA	1	50	CC-BY-3.0	680
pangaea-691529	PANGAEA	1	49	CC-BY-3.0	681
pangaea-691530	PANGAEA	1	48	CC-BY-3.0	682
pangaea-691531	PANGAEA	1	41	CC-BY-3.0	683
pangaea-691532	PANGAEA	1	53	CC-BY-3.0	684
pangaea-691533	PANGAEA	1	54	CC-BY-3.0	685
pangaea-691534	PANGAEA	1	37	CC-BY-3.0	686
pangaea-691535	PANGAEA	1	55	CC-BY-3.0	687
pangaea-691536	PANGAEA	1	52	CC-BY-3.0	688
pangaea-691537	PANGAEA	1	13	CC-BY-3.0	689
pangaea-691538	PANGAEA	1	49	CC-BY-3.0	690
pangaea-691539	PANGAEA	1	21	CC-BY-3.0	691
pangaea-691540	PANGAEA	1	23	CC-BY-3.0	692
pangaea-691541	PANGAEA	1	36	CC-BY-3.0	693
pangaea-691542	PANGAEA	1	40	CC-BY-3.0	694
pangaea-691543	PANGAEA	1	50	CC-BY-3.0	695
pangaea-691544	PANGAEA	1	45	CC-BY-3.0	696
pangaea-691545	PANGAEA	1	11	CC-BY-3.0	697
pangaea-691546	PANGAEA	1	14	CC-BY-3.0	698
pangaea-691547	PANGAEA	1	60	CC-BY-3.0	699
pangaea-691548	PANGAEA	1	59	CC-BY-3.0	700
pangaea-691549	PANGAEA	1	65	CC-BY-3.0	701
pangaea-691550	PANGAEA	1	60	CC-BY-3.0	702
pangaea-691551	PANGAEA	1	69	CC-BY-3.0	703
pangaea-691552	PANGAEA	1	62	CC-BY-3.0	704
pangaea-691553	PANGAEA	1	61	CC-BY-3.0	705
pangaea-691554	PANGAEA	1	72	CC-BY-3.0	706
pangaea-691555	PANGAEA	1	72	CC-BY-3.0	707
pangaea-691556	PANGAEA	1	29	CC-BY-3.0	708
pangaea-691557	PANGAEA	1	25	CC-BY-3.0	709
pangaea-691558	PANGAEA	1	42	CC-BY-3.0	710
pangaea-691559	PANGAEA	1	48	CC-BY-3.0	711
pangaea-691560	PANGAEA	1	14	CC-BY-3.0	712
pangaea-691561	PANGAEA	1	73	CC-BY-3.0	713
pangaea-691562	PANGAEA	1	50	CC-BY-3.0	714
pangaea-691563	PANGAEA	1	74	CC-BY-3.0	715
pangaea-691564	PANGAEA	1	77	CC-BY-3.0	716
pangaea-691565	PANGAEA	1	74	CC-BY-3.0	717
pangaea-691566	PANGAEA	1	73	CC-BY-3.0	718
pangaea-691567	PANGAEA	1	75	CC-BY-3.0	719
pangaea-691568	PANGAEA	1	51	CC-BY-3.0	720
pangaea-691569	PANGAEA	1	28	CC-BY-3.0	721
pangaea-691570	PANGAEA	1	53	CC-BY-3.0	722
pangaea-691571	PANGAEA	1	78	CC-BY-3.0	723
pangaea-691572	PANGAEA	1	74	CC-BY-3.0	724
pangaea-691573	PANGAEA	1	75	CC-BY-3.0	725
pangaea-691574	PANGAEA	1	60	CC-BY-3.0	726
pangaea-691575	PANGAEA	1	61	CC-BY-3.0	727
pangaea-691576	PANGAEA	1	66	CC-BY-3.0	728

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-691577	PANGAEA	1	66	CC-BY-3.0	729
pangaea-691578	PANGAEA	1	77	CC-BY-3.0	730
pangaea-691579	PANGAEA	1	74	CC-BY-3.0	731
pangaea-691580	PANGAEA	1	66	CC-BY-3.0	732
pangaea-691581	PANGAEA	1	65	CC-BY-3.0	733
pangaea-702059	PANGAEA	1	189	CC-BY-3.0	734, 735
pangaea-702062	PANGAEA	1	67	CC-BY-3.0	735, 736
pangaea-702064	PANGAEA	1	266	CC-BY-3.0	735, 737
pangaea-702065	PANGAEA	1	195	CC-BY-3.0	735, 738
pangaea-702066	PANGAEA	1	143	CC-BY-3.0	735, 739
pangaea-702067	PANGAEA	1	260	CC-BY-3.0	735, 740
pangaea-702069	PANGAEA	1	185	CC-BY-3.0	735, 741
pangaea-702070	PANGAEA	1	153	CC-BY-3.0	735, 742
pangaea-702072	PANGAEA	1	116	CC-BY-3.0	735, 743
pangaea-702073	PANGAEA	1	70	CC-BY-3.0	735, 744
pangaea-702074	PANGAEA	1	152	CC-BY-3.0	735, 745
pangaea-702075	PANGAEA	1	150	CC-BY-3.0	735, 746
pangaea-702076	PANGAEA	1	288	CC-BY-3.0	735, 747
pangaea-702077	PANGAEA	1	137	CC-BY-3.0	735, 748
pangaea-702078	PANGAEA	1	257	CC-BY-3.0	735, 749
pangaea-702079	PANGAEA	1	288	CC-BY-3.0	735, 750
pangaea-702080	PANGAEA	1	222	CC-BY-3.0	735, 751
pangaea-713323	PANGAEA	1	16	CC-BY-3.0	752
pangaea-713324	PANGAEA	1	16	CC-BY-3.0	753
pangaea-713325	PANGAEA	1	30	CC-BY-3.0	754
pangaea-713326	PANGAEA	1	66	CC-BY-3.0	755
pangaea-713327	PANGAEA	1	63	CC-BY-3.0	756
pangaea-713328	PANGAEA	1	65	CC-BY-3.0	757
pangaea-713329	PANGAEA	1	53	CC-BY-3.0	758
pangaea-713330	PANGAEA	1	62	CC-BY-3.0	759
pangaea-713331	PANGAEA	1	65	CC-BY-3.0	760
pangaea-713332	PANGAEA	1	64	CC-BY-3.0	761
pangaea-714871	PANGAEA	1	7	CC-BY-3.0	762
pangaea-714903	PANGAEA	1	3	CC-BY-3.0	763
pangaea-714904	PANGAEA	1	8	CC-BY-3.0	764
pangaea-714905	PANGAEA	1	3	CC-BY-3.0	765
pangaea-714906	PANGAEA	1	7	CC-BY-3.0	766
pangaea-714907	PANGAEA	1	7	CC-BY-3.0	767
pangaea-714908	PANGAEA	1	4	CC-BY-3.0	768
pangaea-714909	PANGAEA	1	4	CC-BY-3.0	769
pangaea-714910	PANGAEA	1	6	CC-BY-3.0	770
pangaea-714911	PANGAEA	1	4	CC-BY-3.0	771
pangaea-714912	PANGAEA	1	2	CC-BY-3.0	772
pangaea-714913	PANGAEA	1	4	CC-BY-3.0	773
pangaea-714914	PANGAEA	1	1	CC-BY-3.0	774
pangaea-714915	PANGAEA	1	1	CC-BY-3.0	775
pangaea-714916	PANGAEA	1	1	CC-BY-3.0	776
pangaea-714917	PANGAEA	1	1	CC-BY-3.0	777
pangaea-714918	PANGAEA	1	2	CC-BY-3.0	778
pangaea-714919	PANGAEA	1	2	CC-BY-3.0	779
pangaea-714920	PANGAEA	1	1	CC-BY-3.0	780

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-714921	PANGAEA	1	6	CC-BY-3.0	781
pangaea-714922	PANGAEA	1	5	CC-BY-3.0	782
pangaea-714923	PANGAEA	1	6	CC-BY-3.0	783
pangaea-714924	PANGAEA	1	1	CC-BY-3.0	784
pangaea-714925	PANGAEA	1	1	CC-BY-3.0	785
pangaea-714926	PANGAEA	1	3	CC-BY-3.0	786
pangaea-714927	PANGAEA	1	2	CC-BY-3.0	787
pangaea-714928	PANGAEA	1	2	CC-BY-3.0	788
pangaea-714929	PANGAEA	1	2	CC-BY-3.0	789
pangaea-714930	PANGAEA	1	3	CC-BY-3.0	790
pangaea-714931	PANGAEA	1	6	CC-BY-3.0	791
pangaea-714932	PANGAEA	1	3	CC-BY-3.0	792
pangaea-714933	PANGAEA	1	5	CC-BY-3.0	793
pangaea-714948	PANGAEA	1	250	CC-BY-3.0	794, 795
pangaea-714949	PANGAEA	1	250	CC-BY-3.0	795, 796
pangaea-714950	PANGAEA	1	250	CC-BY-3.0	795, 797
pangaea-714951	PANGAEA	1	250	CC-BY-3.0	795, 798
pangaea-714952	PANGAEA	1	250	CC-BY-3.0	795, 799
pangaea-714953	PANGAEA	1	250	CC-BY-3.0	795, 800
pangaea-714954	PANGAEA	1	250	CC-BY-3.0	795, 801
pangaea-738588	PANGAEA	1	44	CC-BY-3.0	802
pangaea-738589	PANGAEA	1	43	CC-BY-3.0	803
pangaea-738590	PANGAEA	1	47	CC-BY-3.0	804
pangaea-738591	PANGAEA	1	45	CC-BY-3.0	805
pangaea-738592	PANGAEA	1	47	CC-BY-3.0	806
pangaea-738593	PANGAEA	1	26	CC-BY-3.0	807
pangaea-738594	PANGAEA	1	25	CC-BY-3.0	808
pangaea-738595	PANGAEA	1	21	CC-BY-3.0	809
pangaea-738596	PANGAEA	1	46	CC-BY-3.0	810
pangaea-738597	PANGAEA	1	8	CC-BY-3.0	811
pangaea-738598	PANGAEA	1	28	CC-BY-3.0	812
pangaea-738599	PANGAEA	1	41	CC-BY-3.0	813
pangaea-738600	PANGAEA	1	40	CC-BY-3.0	814
pangaea-738601	PANGAEA	1	46	CC-BY-3.0	815
pangaea-738602	PANGAEA	1	39	CC-BY-3.0	816
pangaea-738603	PANGAEA	1	41	CC-BY-3.0	817
pangaea-740036	PANGAEA	1	71	CC-BY-3.0	818
pangaea-753197	PANGAEA	1	171	CC-BY-3.0	819, 820
pangaea-771021	PANGAEA	1	250	CC-BY-3.0	821
pangaea-771641	PANGAEA	1	250	CC-BY-3.0	822
pangaea-771642	PANGAEA	1	250	CC-BY-3.0	823
pangaea-771643	PANGAEA	1	250	CC-BY-3.0	824
pangaea-771644	PANGAEA	1	250	CC-BY-3.0	825
pangaea-785104	PANGAEA	1	4	CC-BY-3.0	826
pangaea-785105	PANGAEA	1	23	CC-BY-3.0	827
pangaea-785106	PANGAEA	1	13	CC-BY-3.0	828
pangaea-785107	PANGAEA	1	23	CC-BY-3.0	829
pangaea-785108	PANGAEA	1	19	CC-BY-3.0	830
pangaea-785109	PANGAEA	1	21	CC-BY-3.0	831
pangaea-785110	PANGAEA	1	11	CC-BY-3.0	832
pangaea-789211	PANGAEA	1	10	CC-BY-3.0	833

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-789212	PANGAEA	1	15	CC-BY-3.0	834
pangaea-789214	PANGAEA	1	17	CC-BY-3.0	835
pangaea-789215	PANGAEA	1	22	CC-BY-3.0	836
pangaea-789216	PANGAEA	1	17	CC-BY-3.0	837
pangaea-789217	PANGAEA	1	99	CC-BY-3.0	838
pangaea-789219	PANGAEA	1	14	CC-BY-3.0	839
pangaea-793210	PANGAEA	1	26	CC-BY-3.0	840
pangaea-793211	PANGAEA	1	73	CC-BY-3.0	841
pangaea-805605	PANGAEA	1	27	CC-BY-3.0	842
pangaea-805606	PANGAEA	1	7	CC-BY-3.0	843
pangaea-805607	PANGAEA	1	108	CC-BY-3.0	844
pangaea-805608	PANGAEA	1	38	CC-BY-3.0	845
pangaea-805609	PANGAEA	1	18	CC-BY-3.0	846
pangaea-805610	PANGAEA	1	12	CC-BY-3.0	847
pangaea-805611	PANGAEA	1	71	CC-BY-3.0	848
pangaea-805612	PANGAEA	1	31	CC-BY-3.0	849
pangaea-811835	PANGAEA	1	250	CC-BY-3.0	850,851
pangaea-811836	PANGAEA	1	80	CC-BY-3.0	851,852
pangaea-811837	PANGAEA	1	179	CC-BY-3.0	851,853
pangaea-811838	PANGAEA	1	250	CC-BY-3.0	851,854
pangaea-811839	PANGAEA	1	250	CC-BY-3.0	851,855
pangaea-811840	PANGAEA	1	250	CC-BY-3.0	851,856
pangaea-811841	PANGAEA	1	237	CC-BY-3.0	851,857
pangaea-818400	PANGAEA	1	252	CC-BY-3.0	858
pangaea-818478	PANGAEA	1	309	CC-BY-3.0	859
pangaea-818479	PANGAEA	1	318	CC-BY-3.0	860
pangaea-818480	PANGAEA	1	302	CC-BY-3.0	861
pangaea-818481	PANGAEA	1	267	CC-BY-3.0	862
pangaea-818482	PANGAEA	1	330	CC-BY-3.0	863
pangaea-818483	PANGAEA	1	257	CC-BY-3.0	864
pangaea-818484	PANGAEA	1	289	CC-BY-3.0	865
pangaea-818485	PANGAEA	1	313	CC-BY-3.0	866
pangaea-818486	PANGAEA	1	269	CC-BY-3.0	867
pangaea-818487	PANGAEA	1	165	CC-BY-3.0	868
pangaea-818488	PANGAEA	1	262	CC-BY-3.0	869
pangaea-818489	PANGAEA	1	302	CC-BY-3.0	870
pangaea-818490	PANGAEA	1	323	CC-BY-3.0	871
pangaea-818491	PANGAEA	1	320	CC-BY-3.0	872
pangaea-818492	PANGAEA	1	278	CC-BY-3.0	873
pangaea-818493	PANGAEA	1	279	CC-BY-3.0	874
pangaea-818494	PANGAEA	1	202	CC-BY-3.0	875
pangaea-818495	PANGAEA	1	311	CC-BY-3.0	876
pangaea-818496	PANGAEA	1	275	CC-BY-3.0	877
pangaea-818500	PANGAEA	1	219	CC-BY-3.0	878
pangaea-818501	PANGAEA	1	265	CC-BY-3.0	879
pangaea-818502	PANGAEA	1	259	CC-BY-3.0	880
pangaea-818503	PANGAEA	1	309	CC-BY-3.0	881
pangaea-818504	PANGAEA	1	279	CC-BY-3.0	882
pangaea-818505	PANGAEA	1	269	CC-BY-3.0	883
pangaea-818506	PANGAEA	1	270	CC-BY-3.0	884
pangaea-818507	PANGAEA	1	257	CC-BY-3.0	885

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-818509	PANGAEA	1	300	CC-BY-3.0	886
pangaea-818513	PANGAEA	1	258	CC-BY-3.0	887
pangaea-818515	PANGAEA	1	256	CC-BY-3.0	888
pangaea-818906	PANGAEA	1	71	CC-BY-3.0	889
pangaea-818907	PANGAEA	1	94	CC-BY-3.0	890
pangaea-819234	PANGAEA	1	54	CC-BY-3.0	891
pangaea-820519	PANGAEA	1	8	CC-BY-3.0	892
pangaea-820520	PANGAEA	1	19	CC-BY-3.0	893
pangaea-820690	PANGAEA	1	127	CC-BY-3.0	894
pangaea-820691	PANGAEA	1	161	CC-BY-3.0	895
pangaea-820692	PANGAEA	1	31	CC-BY-3.0	896
pangaea-820693	PANGAEA	1	170	CC-BY-3.0	897
pangaea-820694	PANGAEA	1	158	CC-BY-3.0	898
pangaea-820696	PANGAEA	1	81	CC-BY-3.0	899
pangaea-820697	PANGAEA	1	43	CC-BY-3.0	900
pangaea-820698	PANGAEA	1	118	CC-BY-3.0	901
pangaea-820699	PANGAEA	1	96	CC-BY-3.0	902
pangaea-820700	PANGAEA	1	77	CC-BY-3.0	903
pangaea-820701	PANGAEA	1	84	CC-BY-3.0	904
pangaea-820702	PANGAEA	1	73	CC-BY-3.0	905
pangaea-820703	PANGAEA	1	73	CC-BY-3.0	906
pangaea-820704	PANGAEA	1	92	CC-BY-3.0	907
pangaea-820705	PANGAEA	1	92	CC-BY-3.0	908
pangaea-820706	PANGAEA	1	86	CC-BY-3.0	909
pangaea-820707	PANGAEA	1	78	CC-BY-3.0	910
pangaea-820708	PANGAEA	1	164	CC-BY-3.0	911
pangaea-820710	PANGAEA	1	130	CC-BY-3.0	912
pangaea-820713	PANGAEA	1	105	CC-BY-3.0	913
pangaea-820714	PANGAEA	1	119	CC-BY-3.0	914
pangaea-820715	PANGAEA	1	105	CC-BY-3.0	915
pangaea-820716	PANGAEA	1	69	CC-BY-3.0	916
pangaea-820717	PANGAEA	1	72	CC-BY-3.0	917
pangaea-820718	PANGAEA	1	170	CC-BY-3.0	918
pangaea-820719	PANGAEA	1	86	CC-BY-3.0	919
pangaea-820720	PANGAEA	1	110	CC-BY-3.0	920
pangaea-820721	PANGAEA	1	61	CC-BY-3.0	921
pangaea-820722	PANGAEA	1	127	CC-BY-3.0	922
pangaea-820723	PANGAEA	1	35	CC-BY-3.0	923
pangaea-820724	PANGAEA	1	118	CC-BY-3.0	924
pangaea-820725	PANGAEA	1	63	CC-BY-3.0	925
pangaea-820726	PANGAEA	1	55	CC-BY-3.0	926
pangaea-824860	PANGAEA	3	63	CC-BY-3.0	927
pangaea-835361	PANGAEA	1	332	CC-BY-3.0	928
pangaea-835362	PANGAEA	1	269	CC-BY-3.0	929
pangaea-835364	PANGAEA	1	26	CC-BY-3.0	930
pangaea-835365	PANGAEA	1	192	CC-BY-3.0	931,932
pangaea-835367	PANGAEA	1	55	CC-BY-3.0	933
pangaea-836024	PANGAEA	1	250	CC-BY-3.0	934
pangaea-836025	PANGAEA	1	230	CC-BY-3.0	935
pangaea-836263	PANGAEA	1	32	CC-BY-3.0	936
pangaea-836264	PANGAEA	1	40	CC-BY-3.0	937

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-836265	PANGAEA	1	31	CC-BY-3.0	938
pangaea-836266	PANGAEA	1	97	CC-BY-3.0	939
pangaea-836457	PANGAEA	1	28	CC-BY-3.0	940
pangaea-837653	PANGAEA	1	27	CC-BY-3.0	941
pangaea-839012	PANGAEA	1	346	CC-BY-3.0	942
pangaea-839013	PANGAEA	1	387	CC-BY-3.0	943
pangaea-839014	PANGAEA	1	430	CC-BY-3.0	944
pangaea-839015	PANGAEA	1	348	CC-BY-3.0	945
pangaea-839016	PANGAEA	1	260	CC-BY-3.0	946
pangaea-839017	PANGAEA	1	362	CC-BY-3.0	947
pangaea-839018	PANGAEA	1	323	CC-BY-3.0	948
pangaea-839019	PANGAEA	1	253	CC-BY-3.0	949
pangaea-839020	PANGAEA	1	327	CC-BY-3.0	950
pangaea-839021	PANGAEA	1	389	CC-BY-3.0	951
pangaea-839022	PANGAEA	1	323	CC-BY-3.0	952
pangaea-839023	PANGAEA	1	238	CC-BY-3.0	953
pangaea-839024	PANGAEA	1	326	CC-BY-3.0	954
pangaea-839025	PANGAEA	1	303	CC-BY-3.0	955
pangaea-839026	PANGAEA	1	242	CC-BY-3.0	956
pangaea-839027	PANGAEA	1	268	CC-BY-3.0	957
pangaea-840699	PANGAEA	1	84	CC-BY-3.0	958
pangaea-840700	PANGAEA	1	39	CC-BY-3.0	959
pangaea-840701	PANGAEA	1	250	CC-BY-3.0	960
pangaea-840702	PANGAEA	1	118	CC-BY-3.0	961
pangaea-840703	PANGAEA	1	250	CC-BY-3.0	962
pangaea-840742	PANGAEA	1	46	CC-BY-3.0	963
pangaea-840743	PANGAEA	1	39	CC-BY-3.0	964
pangaea-846142	PANGAEA	1	1172	CC-BY-3.0	965,966
pangaea-846143	PANGAEA	1	3920	CC-BY-3.0	966,967
pangaea-846144	PANGAEA	1	2407	CC-BY-3.0	966,968
pangaea-846146	PANGAEA	1	2938	CC-BY-3.0	966,969
pangaea-846185	PANGAEA	1	2435	CC-BY-3.0	966,970
pangaea-846186	PANGAEA	1	3363	CC-BY-3.0	966,971
pangaea-846264	PANGAEA	1	2210	CC-BY-3.0	966,972
pangaea-846266	PANGAEA	1	2694	CC-BY-3.0	966,973
pangaea-849298	PANGAEA	1	250	CC-BY-3.0	974
pangaea-849814	PANGAEA	1	364	CC-BY-3.0	975
pangaea-849815	PANGAEA	1	251	CC-BY-3.0	976
pangaea-849816	PANGAEA	1	333	CC-BY-3.0	977
pangaea-862082	PANGAEA	1	201	CC-BY-3.0	978
pangaea-862083	PANGAEA	1	208	CC-BY-3.0	979
pangaea-862084	PANGAEA	1	245	CC-BY-3.0	980
pangaea-862085	PANGAEA	1	258	CC-BY-3.0	981
pangaea-862086	PANGAEA	1	259	CC-BY-3.0	982
pangaea-862087	PANGAEA	1	108	CC-BY-3.0	983
pangaea-862088	PANGAEA	1	132	CC-BY-3.0	984
pangaea-862089	PANGAEA	1	250	CC-BY-3.0	985
pangaea-862090	PANGAEA	1	129	CC-BY-3.0	986
pangaea-862091	PANGAEA	1	179	CC-BY-3.0	987
pangaea-862092	PANGAEA	1	190	CC-BY-3.0	988
pangaea-862094	PANGAEA	1	126	CC-BY-3.0	989

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-862096	PANGAEA	1	271	CC-BY-3.0	990
pangaea-864257	PANGAEA	1	250	CC-BY-3.0	991
pangaea-865438	PANGAEA	16	33	CC-BY-NC-3.0	992,993
pangaea-867188	PANGAEA	1	2935	CC-BY-3.0	966,994
pangaea-867771	PANGAEA	1	41	CC-BY-3.0	995
pangaea-867772	PANGAEA	1	116	CC-BY-3.0	996
pangaea-867773	PANGAEA	1	88	CC-BY-3.0	997
pangaea-867774	PANGAEA	1	95	CC-BY-3.0	998
pangaea-867775	PANGAEA	1	79	CC-BY-3.0	999
pangaea-867776	PANGAEA	1	89	CC-BY-3.0	1000
pangaea-867777	PANGAEA	1	88	CC-BY-3.0	1001
pangaea-867778	PANGAEA	1	110	CC-BY-3.0	1002
pangaea-867806	PANGAEA	1	250	CC-BY-3.0	1003
pangaea-867807	PANGAEA	1	63	CC-BY-3.0	1004
pangaea-867808	PANGAEA	1	51	CC-BY-3.0	1005
pangaea-867852	PANGAEA	1	44	CC-BY-3.0	1006
pangaea-867853	PANGAEA	1	119	CC-BY-3.0	1007
pangaea-867861	PANGAEA	1	99	CC-BY-3.0	1008
pangaea-871536	PANGAEA	1	119	CC-BY-3.0	1009
pangaea-871537	PANGAEA	1	156	CC-BY-3.0	1010
pangaea-871538	PANGAEA	1	583	CC-BY-3.0	1011
pangaea-871539	PANGAEA	1	445	CC-BY-3.0	1012
pangaea-871540	PANGAEA	1	343	CC-BY-3.0	1013
pangaea-871541	PANGAEA	1	199	CC-BY-3.0	1014
pangaea-871542	PANGAEA	1	582	CC-BY-3.0	1015
pangaea-871543	PANGAEA	1	432	CC-BY-3.0	1016
pangaea-871544	PANGAEA	1	374	CC-BY-3.0	1017
pangaea-871545	PANGAEA	1	358	CC-BY-3.0	1018
pangaea-871546	PANGAEA	1	330	CC-BY-3.0	1019
pangaea-871547	PANGAEA	1	270	CC-BY-3.0	1020
pangaea-871548	PANGAEA	1	445	CC-BY-3.0	1021
pangaea-871549	PANGAEA	1	315	CC-BY-3.0	1022
pangaea-872385	PANGAEA	1	593	CC-BY-3.0	1023
pangaea-872407	PANGAEA	1	118	CC-BY-3.0	1024
pangaea-872408	PANGAEA	1	54	CC-BY-3.0	1025
pangaea-872409	PANGAEA	1	250	CC-BY-3.0	1026
pangaea-872410	PANGAEA	1	110	CC-BY-3.0	1027
pangaea-872411	PANGAEA	1	250	CC-BY-3.0	1028
pangaea-873541	PANGAEA	1	37	CC-BY-3.0	1029
pangaea-873995	PANGAEA	1	410	CC-BY-3.0	1030
pangaea-873996	PANGAEA	1	300	CC-BY-3.0	1031
pangaea-873997	PANGAEA	1	309	CC-BY-3.0	1032
pangaea-873998	PANGAEA	1	453	CC-BY-3.0	1033
pangaea-873999	PANGAEA	1	255	CC-BY-3.0	1034
pangaea-874000	PANGAEA	1	360	CC-BY-3.0	1035
pangaea-874001	PANGAEA	1	275	CC-BY-3.0	1036
pangaea-874002	PANGAEA	1	293	CC-BY-3.0	1037
pangaea-874273	PANGAEA	1	31	CC-BY-3.0	1038
pangaea-874274	PANGAEA	1	36	CC-BY-3.0	1039
pangaea-874275	PANGAEA	1	18	CC-BY-3.0	1040
pangaea-874276	PANGAEA	1	17	CC-BY-3.0	1041

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-875071	PANGAEA	1	475	CC-BY-3.0	1042
pangaea-875072	PANGAEA	1	304	CC-BY-3.0	1043
pangaea-875073	PANGAEA	1	348	CC-BY-3.0	1044
pangaea-875074	PANGAEA	1	251	CC-BY-3.0	1045
pangaea-875080	PANGAEA	1	250	CC-BY-3.0	1046
pangaea-875081	PANGAEA	1	647	CC-BY-3.0	1047
pangaea-875082	PANGAEA	1	1008	CC-BY-3.0	1048
pangaea-875083	PANGAEA	1	298	CC-BY-3.0	1049
pangaea-875084	PANGAEA	1	749	CC-BY-3.0	1050
pangaea-875085	PANGAEA	1	1115	CC-BY-3.0	1051
pangaea-875148	PANGAEA	1	355	CC-BY-3.0	1052
pangaea-875149	PANGAEA	1	362	CC-BY-3.0	1053
pangaea-875175	PANGAEA	1	294	CC-BY-3.0	1054
pangaea-875176	PANGAEA	1	301	CC-BY-3.0	1055
pangaea-875177	PANGAEA	1	260	CC-BY-3.0	1056
pangaea-875178	PANGAEA	1	24	CC-BY-3.0	1057
pangaea-875179	PANGAEA	1	281	CC-BY-3.0	1058
pangaea-875180	PANGAEA	1	288	CC-BY-3.0	1059
pangaea-875198	PANGAEA	1	254	CC-BY-3.0	1060
pangaea-875199	PANGAEA	1	308	CC-BY-3.0	1061
pangaea-875200	PANGAEA	1	262	CC-BY-3.0	1062
pangaea-875201	PANGAEA	1	267	CC-BY-3.0	1063
pangaea-875713	PANGAEA	1	80	CC-BY-3.0	1064
pangaea-875714	PANGAEA	1	22	CC-BY-3.0	1065
pangaea-876422	PANGAEA	1	176	CC-BY-3.0	1066
pangaea-876423	PANGAEA	1	94	CC-BY-3.0	1067
pangaea-876511	PANGAEA	1	23	CC-BY-3.0	1068
pangaea-876512	PANGAEA	1	36	CC-BY-3.0	1069
pangaea-876513	PANGAEA	1	80	CC-BY-3.0	1070
pangaea-876514	PANGAEA	1	59	CC-BY-3.0	1071
pangaea-876515	PANGAEA	1	46	CC-BY-3.0	1072
pangaea-876516	PANGAEA	1	82	CC-BY-3.0	1073
pangaea-876517	PANGAEA	1	125	CC-BY-3.0	1074
pangaea-876518	PANGAEA	1	19	CC-BY-3.0	1075
pangaea-877551	PANGAEA	1	268	CC-BY-3.0	1076
pangaea-877552	PANGAEA	1	1909	CC-BY-3.0	1077
pangaea-877553	PANGAEA	1	1956	CC-BY-3.0	1078
pangaea-877554	PANGAEA	1	753	CC-BY-3.0	1079
pangaea-877555	PANGAEA	1	919	CC-BY-3.0	1080
pangaea-877556	PANGAEA	1	2015	CC-BY-3.0	1081
pangaea-877557	PANGAEA	1	562	CC-BY-3.0	1082
pangaea-877558	PANGAEA	1	751	CC-BY-3.0	1083
pangaea-877559	PANGAEA	1	1752	CC-BY-3.0	1084
pangaea-877560	PANGAEA	1	1745	CC-BY-3.0	1085
pangaea-877561	PANGAEA	1	994	CC-BY-3.0	1086
pangaea-877562	PANGAEA	1	45	CC-BY-3.0	1087
pangaea-877563	PANGAEA	1	2099	CC-BY-3.0	1088
pangaea-877564	PANGAEA	1	608	CC-BY-3.0	1089
pangaea-877565	PANGAEA	1	169	CC-BY-3.0	1090
pangaea-877566	PANGAEA	1	356	CC-BY-3.0	1091
pangaea-877567	PANGAEA	1	613	CC-BY-3.0	1092

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-877568	PANGAEA	1	756	CC-BY-3.0	1093
pangaea-877569	PANGAEA	1	1771	CC-BY-3.0	1094
pangaea-877570	PANGAEA	1	263	CC-BY-3.0	1095
pangaea-877571	PANGAEA	1	626	CC-BY-3.0	1096
pangaea-877572	PANGAEA	1	620	CC-BY-3.0	1097
pangaea-877573	PANGAEA	1	1372	CC-BY-3.0	1098
pangaea-877574	PANGAEA	1	579	CC-BY-3.0	1099
pangaea-877575	PANGAEA	1	2284	CC-BY-3.0	1100
pangaea-877576	PANGAEA	1	780	CC-BY-3.0	1101
pangaea-878000	PANGAEA	1	85	CC-BY-3.0	1102
pangaea-878001	PANGAEA	1	299	CC-BY-3.0	1103
pangaea-878002	PANGAEA	1	158	CC-BY-3.0	1104
pangaea-878003	PANGAEA	1	36	CC-BY-3.0	1105
pangaea-878004	PANGAEA	1	33	CC-BY-3.0	1106
pangaea-878005	PANGAEA	1	6	CC-BY-3.0	1107
pangaea-878006	PANGAEA	1	183	CC-BY-3.0	1108
pangaea-878007	PANGAEA	1	266	CC-BY-3.0	1109
pangaea-878008	PANGAEA	1	42	CC-BY-3.0	1110
pangaea-878009	PANGAEA	1	59	CC-BY-3.0	1111
pangaea-878010	PANGAEA	1	39	CC-BY-3.0	1112
pangaea-878011	PANGAEA	1	133	CC-BY-3.0	1113
pangaea-878012	PANGAEA	1	68	CC-BY-3.0	1114
pangaea-878013	PANGAEA	1	193	CC-BY-3.0	1115
pangaea-878014	PANGAEA	1	139	CC-BY-3.0	1116
pangaea-878015	PANGAEA	1	44	CC-BY-3.0	1117
pangaea-878017	PANGAEA	1	49	CC-BY-3.0	1118
pangaea-878018	PANGAEA	1	289	CC-BY-3.0	1119
pangaea-878019	PANGAEA	1	131	CC-BY-3.0	1120
pangaea-879298	PANGAEA	1	311	CC-BY-3.0	1121, 1122
pangaea-880043	PANGAEA	1	70	CC-BY-3.0	1123
pangaea-880044	PANGAEA	1	19	CC-BY-3.0	1124
pangaea-881638	PANGAEA	1	268	CC-BY-3.0	1122, 1125
pangaea-881844	PANGAEA	1	647	CC-BY-3.0	1122, 1126
pangaea-881850	PANGAEA	1	1099	CC-BY-3.0	1122, 1127
pangaea-881882	PANGAEA	1	2246	CC-BY-3.0	1122, 1128
pangaea-881886	PANGAEA	1	1678	CC-BY-3.0	1122, 1129
pangaea-881887	PANGAEA	1	1765	CC-BY-3.0	1122, 1130
pangaea-881896	PANGAEA	1	2011	CC-BY-3.0	1122, 1131
pangaea-881948	PANGAEA	1	1619	CC-BY-3.0	1122, 1132
pangaea-882056	PANGAEA	1	2883	CC-BY-3.0	1122, 1133
pangaea-882057	PANGAEA	1	1096	CC-BY-3.0	1122, 1134
pangaea-882062	PANGAEA	1	382	CC-BY-3.0	1122, 1135
pangaea-882063	PANGAEA	1	578	CC-BY-3.0	1122, 1136
pangaea-882068	PANGAEA	1	1381	CC-BY-3.0	1122, 1137
pangaea-882069	PANGAEA	1	1330	CC-BY-3.0	1122, 1138
pangaea-882073	PANGAEA	1	2365	CC-BY-3.0	1122, 1139
pangaea-882074	PANGAEA	1	2840	CC-BY-3.0	1122, 1140
pangaea-882076	PANGAEA	1	3227	CC-BY-3.0	1122, 1141
pangaea-882077	PANGAEA	1	642	CC-BY-3.0	1122, 1142
pangaea-882182	PANGAEA	1	2784	CC-BY-3.0	1122, 1143
pangaea-882183	PANGAEA	1	2921	CC-BY-3.0	1122, 1144

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-885666	PANGAEA	1	52	CC-BY-3.0	1145
pangaea-885667	PANGAEA	1	54	CC-BY-3.0	1146
pangaea-885668	PANGAEA	1	96	CC-BY-3.0	1147
pangaea-885669	PANGAEA	1	20	CC-BY-3.0	1148
pangaea-885670	PANGAEA	1	65	CC-BY-3.0	1149
pangaea-885672	PANGAEA	1	82	CC-BY-3.0	1150
pangaea-885674	PANGAEA	1	100	CC-BY-3.0	1151
pangaea-885675	PANGAEA	1	20	CC-BY-3.0	1152
pangaea-885709	PANGAEA	1	24	CC-BY-3.0	1153
pangaea-885712	PANGAEA	1	10	CC-BY-3.0	1154
pangaea-885713	PANGAEA	1	22	CC-BY-3.0	1155
pangaea-885714	PANGAEA	1	61	CC-BY-3.0	1156
pangaea-885715	PANGAEA	1	48	CC-BY-3.0	1157
pangaea-885716	PANGAEA	1	66	CC-BY-3.0	1158
pangaea-885717	PANGAEA	1	68	CC-BY-3.0	1159
pangaea-885718	PANGAEA	1	60	CC-BY-3.0	1160
pangaea-885719	PANGAEA	1	124	CC-BY-3.0	1161
pangaea-885720	PANGAEA	1	18	CC-BY-3.0	1162
pangaea-889035	PANGAEA	1	5	CC-BY-3.0	1163
pangaea-890615	PANGAEA	1	104	CC-BY-3.0	1164
pangaea-890616	PANGAEA	1	353	CC-BY-3.0	1165
pangaea-890617	PANGAEA	1	288	CC-BY-3.0	1166
pangaea-890618	PANGAEA	1	76	CC-BY-3.0	1167
pangaea-890619	PANGAEA	1	319	CC-BY-3.0	1168
pangaea-890620	PANGAEA	1	338	CC-BY-3.0	1169
pangaea-890621	PANGAEA	1	332	CC-BY-3.0	1170
pangaea-890622	PANGAEA	1	250	CC-BY-3.0	1171
pangaea-890623	PANGAEA	1	344	CC-BY-3.0	1172
pangaea-890624	PANGAEA	1	289	CC-BY-3.0	1173
pangaea-890625	PANGAEA	1	551	CC-BY-3.0	1174
pangaea-890626	PANGAEA	1	462	CC-BY-3.0	1175
pangaea-890627	PANGAEA	1	274	CC-BY-3.0	1176
pangaea-890628	PANGAEA	1	255	CC-BY-3.0	1177
pangaea-890629	PANGAEA	1	283	CC-BY-3.0	1178
pangaea-890630	PANGAEA	1	527	CC-BY-3.0	1179
pangaea-890631	PANGAEA	1	528	CC-BY-3.0	1180
pangaea-890632	PANGAEA	1	555	CC-BY-3.0	1181
pangaea-890633	PANGAEA	1	329	CC-BY-3.0	1182
pangaea-890964	PANGAEA	1	488	CC-BY-3.0	1183
pangaea-891490	PANGAEA	1	597	CC-BY-3.0	1184
pangaea-891491	PANGAEA	1	970	CC-BY-3.0	1185
pangaea-891492	PANGAEA	1	719	CC-BY-3.0	1186
pangaea-891493	PANGAEA	1	1210	CC-BY-3.0	1187
pangaea-891494	PANGAEA	1	519	CC-BY-3.0	1188
pangaea-891495	PANGAEA	1	222	CC-BY-3.0	1189
pangaea-891496	PANGAEA	1	405	CC-BY-3.0	1190
pangaea-891497	PANGAEA	1	637	CC-BY-3.0	1191
pangaea-891501	PANGAEA	1	566	CC-BY-3.0	1192
pangaea-891502	PANGAEA	1	666	CC-BY-3.0	1193
pangaea-891503	PANGAEA	1	642	CC-BY-3.0	1194
pangaea-891523	PANGAEA	1	668	CC-BY-3.0	1195

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-892604	PANGAEA	1	1	CC-BY-3.0	1196
pangaea-892610	PANGAEA	1	1	CC-BY-3.0	1197
pangaea-892611	PANGAEA	1	72	CC-BY-3.0	1198
pangaea-892619	PANGAEA	1	1	CC-BY-3.0	1199
pangaea-892623	PANGAEA	7	7	CC-BY-3.0	1200
pangaea-892625	PANGAEA	1	1	CC-BY-3.0	1201
pangaea-894725	PANGAEA	1	424	CC-BY-4.0	1202
pangaea-894726	PANGAEA	1	291	CC-BY-4.0	1203
pangaea-894729	PANGAEA	1	360	CC-BY-4.0	1204
pangaea-894730	PANGAEA	1	315	CC-BY-4.0	1205
pangaea-894731	PANGAEA	1	34	CC-BY-4.0	1206
pangaea-894732	PANGAEA	1	94	CC-BY-4.0	1207
pangaea-894733	PANGAEA	1	259	CC-BY-4.0	1208
pangaea-894796	PANGAEA	1	280	CC-BY-4.0	1209
pangaea-894797	PANGAEA	1	2128	CC-BY-4.0	1210
pangaea-894800	PANGAEA	1	2034	CC-BY-4.0	1211
pangaea-894801	PANGAEA	1	1	CC-BY-4.0	1212
pangaea-895102	PANGAEA	1	248	CC-BY-4.0	1213
pangaea-895103	PANGAEA	1	250	CC-BY-4.0	1214
pangaea-895104	PANGAEA	1	248	CC-BY-4.0	1215
pangaea-895121	PANGAEA	1	1602	CC-BY-4.0	1216
pangaea-895124	PANGAEA	1	1723	CC-BY-4.0	1217
pangaea-895147	PANGAEA	1	1713	CC-BY-4.0	1218
pangaea-895154	PANGAEA	1	1665	CC-BY-4.0	1219
pangaea-895157	PANGAEA	1	972	CC-BY-4.0	1220
pangaea-895160	PANGAEA	1	1048	CC-BY-4.0	1221
pangaea-895556	PANGAEA	1	485	CC-BY-4.0	1222
pangaea-895557	PANGAEA	1	245	CC-BY-4.0	1223
pangaea-895558	PANGAEA	1	417	CC-BY-4.0	1224
pangaea-895563	PANGAEA	1	1228	CC-BY-4.0	1225
pangaea-895569	PANGAEA	1	1353	CC-BY-4.0	1226
pangaea-895570	PANGAEA	1	1523	CC-BY-4.0	1227
pangaea-896157	PANGAEA	1	250	CC-BY-4.0	1228, 1229
pangaea-896545	PANGAEA	1	248	CC-BY-4.0	1230
pangaea-896546	PANGAEA	1	249	CC-BY-4.0	1231
pangaea-896547	PANGAEA	1	248	CC-BY-4.0	1232
pangaea-896548	PANGAEA	1	250	CC-BY-4.0	1233
pangaea-896549	PANGAEA	1	248	CC-BY-4.0	1234
pangaea-896653	PANGAEA	1	250	CC-BY-4.0	1235
pangaea-896654	PANGAEA	1	248	CC-BY-4.0	1236
pangaea-896655	PANGAEA	1	249	CC-BY-4.0	1237
pangaea-896656	PANGAEA	1	249	CC-BY-4.0	1238
pangaea-896657	PANGAEA	1	249	CC-BY-4.0	1239
pangaea-896695	PANGAEA	1	50	CC-BY-4.0	1240
pangaea-896696	PANGAEA	1	50	CC-BY-4.0	1241
pangaea-896697	PANGAEA	1	50	CC-BY-4.0	1242
pangaea-896698	PANGAEA	1	51	CC-BY-4.0	1243
pangaea-896699	PANGAEA	1	61	CC-BY-4.0	1244
pangaea-896700	PANGAEA	1	53	CC-BY-4.0	1245
pangaea-896701	PANGAEA	1	50	CC-BY-4.0	1246
pangaea-896702	PANGAEA	1	50	CC-BY-4.0	1247

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-896703	PANGAEA	1	52	CC-BY-4.0	1248
pangaea-896704	PANGAEA	1	50	CC-BY-4.0	1249
pangaea-896724	PANGAEA	1	73	CC-BY-4.0	1250
pangaea-896725	PANGAEA	1	75	CC-BY-4.0	1251
pangaea-896726	PANGAEA	1	74	CC-BY-4.0	1252
pangaea-896727	PANGAEA	1	79	CC-BY-4.0	1253
pangaea-896728	PANGAEA	1	70	CC-BY-4.0	1254
pangaea-897590	PANGAEA	7	285	CC-BY-4.0	1255
pangaea-899670	PANGAEA	1	1604	CC-BY-4.0	1256
pangaea-903580	PANGAEA	1	563	CC-BY-4.0	1257, 1258
pangaea-903788	PANGAEA	1	2	CC-BY-4.0	1259
pangaea-907025	PANGAEA	1	122	CC-BY-4.0	1260
pangaea-911902	PANGAEA	1	284	CC-BY-4.0	1261
pangaea-911903	PANGAEA	1	249	CC-BY-4.0	1262
pangaea-911910	PANGAEA	1	373	CC-BY-4.0	1263
pangaea-911911	PANGAEA	1	692	CC-BY-4.0	1264
pangaea-911912	PANGAEA	1	310	CC-BY-4.0	1265
pangaea-911914	PANGAEA	1	1258	CC-BY-4.0	1266
pangaea-911915	PANGAEA	1	143	CC-BY-4.0	1267
pangaea-912471	PANGAEA	4	4	CC-BY-4.0	1268
pangaea-914151	PANGAEA	1	38	CC-BY-4.0	1269
pangaea-914152	PANGAEA	1	25	CC-BY-4.0	1270
pangaea-914154	PANGAEA	1	37	CC-BY-4.0	1271
pangaea-914155	PANGAEA	1	32	CC-BY-4.0	1272
pangaea-914156	PANGAEA	1	57	CC-BY-4.0	1273
pangaea-914158	PANGAEA	1	19	CC-BY-4.0	1274
pangaea-914159	PANGAEA	1	58	CC-BY-4.0	1275
pangaea-914160	PANGAEA	1	37	CC-BY-4.0	1276
pangaea-914161	PANGAEA	1	24	CC-BY-4.0	1277
pangaea-914162	PANGAEA	1	36	CC-BY-4.0	1278
pangaea-914163	PANGAEA	1	41	CC-BY-4.0	1279
pangaea-914164	PANGAEA	1	18	CC-BY-4.0	1280
pangaea-914166	PANGAEA	1	50	CC-BY-4.0	1281
pangaea-914167	PANGAEA	1	37	CC-BY-4.0	1282
pangaea-914168	PANGAEA	1	75	CC-BY-4.0	1283
pangaea-914169	PANGAEA	1	93	CC-BY-4.0	1284
pangaea-914170	PANGAEA	1	46	CC-BY-4.0	1285
pangaea-914171	PANGAEA	1	42	CC-BY-4.0	1286
pangaea-914172	PANGAEA	1	48	CC-BY-4.0	1287
pangaea-914173	PANGAEA	1	67	CC-BY-4.0	1288
pangaea-914174	PANGAEA	1	62	CC-BY-4.0	1289
pangaea-914175	PANGAEA	1	47	CC-BY-4.0	1290
pangaea-914176	PANGAEA	1	147	CC-BY-4.0	1291
pangaea-914177	PANGAEA	1	117	CC-BY-4.0	1292
pangaea-914179	PANGAEA	1	73	CC-BY-4.0	1293
pangaea-914180	PANGAEA	1	102	CC-BY-4.0	1294
pangaea-914181	PANGAEA	1	40	CC-BY-4.0	1295
pangaea-914182	PANGAEA	1	33	CC-BY-4.0	1296
pangaea-914183	PANGAEA	1	49	CC-BY-4.0	1297
pangaea-914184	PANGAEA	1	29	CC-BY-4.0	1298
pangaea-914185	PANGAEA	1	43	CC-BY-4.0	1299

Table 17 (cont.): PANGAEA dataset details.

Dataset	Source	Nº Sites	Nº Images	License	Citations
pangaea-914189	PANGAEA	1	81	CC-BY-4.0	1300
pangaea-914192	PANGAEA	1	111	CC-BY-4.0	1301
pangaea-914212	PANGAEA	1	34	CC-BY-4.0	1302
pangaea-918232	PANGAEA	1	17	CC-BY-4.0	1303
pangaea-918233	PANGAEA	1	66	CC-BY-4.0	1304
pangaea-918327	PANGAEA	1	8	CC-BY-4.0	1305
pangaea-918340	PANGAEA	1	24	CC-BY-4.0	1306
pangaea-918341	PANGAEA	1	20	CC-BY-4.0	1307
pangaea-918382	PANGAEA	1	10	CC-BY-4.0	1308
pangaea-918383	PANGAEA	1	23	CC-BY-4.0	1309
pangaea-918385	PANGAEA	1	22	CC-BY-4.0	1310
pangaea-918924	PANGAEA	1	1094	CC-BY-4.0	1311
pangaea-918925	PANGAEA	1	329	CC-BY-4.0	1312
pangaea-918926	PANGAEA	1	182	CC-BY-4.0	1313
pangaea-919348	PANGAEA	1	519	CC-BY-4.0	1314
pangaea-919826	PANGAEA	1	169	CC-BY-4.0	1315
pangaea-919827	PANGAEA	1	250	CC-BY-4.0	1316
pangaea-919828	PANGAEA	1	193	CC-BY-4.0	1317
pangaea-919836	PANGAEA	1	246	CC-BY-4.0	1318
pangaea-919843	PANGAEA	1	250	CC-BY-4.0	1319

Supplementary References

113. Mackin-McLaughlin, J. *et al.* Spatial distribution of benthic flora and fauna of coastal Placentia Bay, an ecologically and biologically significant area of the island of Newfoundland, Atlantic Canada. *Front. Environ. Sci.* **10**, 999483, doi:[10.3389/fenvs.2022.999483](https://doi.org/10.3389/fenvs.2022.999483) (2022).
114. Nemaní, S. *et al.* A multi-scale feature selection approach for predicting benthic assemblages. *Estuarine, Coast. Shelf Sci.* **108053**, doi:[10.1016/j.ecss.2022.108053](https://doi.org/10.1016/j.ecss.2022.108053) (2022).
115. O'Brien, J., Wong, M. & Roethlisberger, B. Benthic imagery from nearshore drop camera surveys along Eastern Shore (Nova Scotia, Canada) to characterize shallow subtidal habitats. Mendeley Data, doi:[10.17632/xfby2gf6kp.1](https://doi.org/10.17632/xfby2gf6kp.1) (2022). Available at <https://data.mendeley.com/datasets/xfby2gf6kp/1>.
116. Todd, B. *et al.* Expedition report 2000-047: CCGS *Hudson*, southern Scotian Shelf. Tech. Rep. Open File 3911, Geological Survey of Canada (2001). doi:[10.4095/212966](https://doi.org/10.4095/212966).
117. Todd, B. *et al.* Expedition report CCGS *Hudson* 2002-026: Gulf of Maine. Tech. Rep. Open File 1468, Geological Survey of Canada (2003). doi:[10.4095/214143](https://doi.org/10.4095/214143).
118. Todd, B. *et al.* Expedition report CCGS *Hudson* 2003-054: German Bank, Gulf of Maine. Tech. Rep. Open File 4728, Geological Survey of Canada (2005). doi:[10.4095/216676](https://doi.org/10.4095/216676).
119. Tremblay, M. J., Smith, S. J., Todd, B. J., Clement, P. M. & McKeown, D. L. Associations of lobsters (*Homarus americanus*) off southwestern Nova Scotia with bottom type from images and geophysical maps. *ICES J. Mar. Sci.* **66**, 2060–2067, doi:[10.1093/icesjms/fsp178](https://doi.org/10.1093/icesjms/fsp178) (2009).
120. Brown, C. J., Sameoto, J. A. & Smith, S. J. Multiple methods, maps, and management applications: Purpose made seafloor maps in support of ocean management. *J. Sea Res.* **72**, 1–13, doi:[10.1016/j.seares.2012.04.009](https://doi.org/10.1016/j.seares.2012.04.009) (2012).
121. Menandro, P. S. *et al.* The role of benthic habitat mapping for science and managers: A multi-design approach in the Southeast Brazilian Shelf after a major man-induced disaster. *Front. Mar. Sci.* **9**, 1004083, doi:[10.3389/fmars.2022.1004083](https://doi.org/10.3389/fmars.2022.1004083) (2022).

122. Menandro, P. S., Misiuk, B., Brown, C. J. & Bastos, A. C. Multispectral multibeam backscatter response of heterogeneous rhodolith beds. *Sci. Reports* **13**, 20220, doi:[10.1038/s41598-023-46240-7](https://doi.org/10.1038/s41598-023-46240-7) (2023).
123. Misiuk, B., Bell, T., Aitken, A., Brown, C. J. & Edinger, E. N. Mapping Arctic clam abundance using multiple datasets, models, and a spatially explicit accuracy assessment. *ICES J. Mar. Sci.* **76**, 2349–2361, doi:[10.1093/icesjms/fsz099](https://doi.org/10.1093/icesjms/fsz099) (2019).
124. Misiuk, B. *et al.* A spatially explicit comparison of quantitative and categorical modelling approaches for mapping seabed sediments using random forest. *Geosciences* **9**, 254, doi:[10.3390/geosciences9060254](https://doi.org/10.3390/geosciences9060254) (2019).
125. Wilson, B. R. *et al.* Mapping seafloor habitats in the Bay of Fundy to assess megafaunal assemblages associated with *Modiolus modiolus* beds. *Estuarine, Coast. Shelf Sci.* **252**, 107294, doi:[10.1016/j.ecss.2021.107294](https://doi.org/10.1016/j.ecss.2021.107294) (2021).
126. Brown, C. J., Beaudoin, J., Brissette, M. & Gazzola, V. Multispectral multibeam echo sounder backscatter as a tool for improved seafloor characterization. *Geosciences* **9**, 126, doi:[10.3390/geosciences9030126](https://doi.org/10.3390/geosciences9030126) (2019).
127. Lacharité, M., Brown, C. J. & Gazzola, V. Multisource multibeam backscatter data: Developing a strategy for the production of benthic habitat maps using semi-automated seafloor classification methods. *Mar. Geophys. Res.* **39**, 307–322, doi:[10.1007/s11001-017-9331-6](https://doi.org/10.1007/s11001-017-9331-6) (2018).
128. Zajac, R. N. *et al.* Chapter 10 - An integrated seafloor habitat map to inform marine spatial planning and management: a case study from Long Island Sound (Northwest Atlantic). In Harris, P. T. & Baker, E. (eds.) *Seafloor Geomorphology as Benthic Habitat*, 199–217, doi:[10.1016/B978-0-12-814960-7.00010-5](https://doi.org/10.1016/B978-0-12-814960-7.00010-5) (Elsevier, 2020), 2nd edn.
129. Zajac, R. & Poppe, L. Processed near-bottom sled SEABOSS photograph data from the Long Island Sound Estuary acquired during R/V Connecticut expedition LISMARC12:SEABOSS. Marine Geoscience Data System, doi:[10.26022/IEDA/321090](https://doi.org/10.26022/IEDA/321090) (2012). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=21090.
130. Auster, P. & Stefaniak, L. Processed near-bottom ROV Isis photograph data from the Long Island Sound Estuary acquired during R/V Victor Loosanoff expedition LISMARC12:ISIS. Marine Geoscience Data System, doi:[10.26022/IEDA/321062](https://doi.org/10.26022/IEDA/321062) (2013). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=21062.
131. Zajac, R., Auster, P. & Stefaniak, L. Processed near-bottom photograph data collected by sled SEABOSS from the Long Island Sound Estuary acquired during R/V Connecticut expedition LISMARC13:SEABOSS. Marine Geoscience Data System, doi:[10.26022/IEDA/321398](https://doi.org/10.26022/IEDA/321398) (2013). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=21398.
132. Auster, P. & Stefaniak, L. Processed photograph data from the Long Island Sound Estuary acquired during R/V Connecticut expedition LISMARC13:ROV. Marine Geoscience Data System, doi:[10.26022/IEDA/321399](https://doi.org/10.26022/IEDA/321399) (2013). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=21399.
133. Nooner, S. & Webb, S. Raw near-bottom digital camera images (JPEG format) from the East Pacific Rise Spreading Center acquired during the Atlantis expedition AT18-12. Marine Geoscience Data System, doi:[10.26022/IEDA/321130](https://doi.org/10.26022/IEDA/321130) (2011). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=21130.
134. SOI Data Manager. Raw video frame grab images data acquired during R/V Falkor expedition FK200429. Marine Geoscience Data System, doi:[10.26022/IEDA/329944](https://doi.org/10.26022/IEDA/329944) (2020). Available at https://www.marine-geo.org/tools/search/Files.php?data_set_uid=29944.
135. Coral Reef Ecosystem Program & Pacific Islands Fisheries Science Center. Benthic images collected at coral reef sites in Batangas, Philippines from 2012-03-13 to 2012-03-15 and from 2015-05-24 to 2015-06-03 (NCEI Accession 0162830). NOAA National Centers for Environmental Information Dataset (2017). Available at <https://www.ncei.noaa.gov/archive/acquisition/0162830>.
136. Manzello, L. D. & Post, Buckley, Schuh and Jernigan, Inc. (PBS&J). Long-Term Monitoring at the East and West Flower Garden Banks National Marine Sanctuary in the Gulf of Mexico, November 2004 (NCEI Accession 0127073). NOAA National Centers for Environmental Information Dataset (2016). Available at <https://www.ncei.noaa.gov/archive/acquisition/0127073>.
137. Coral Reef Ecosystem Program & Pacific Islands Fisheries Science Center. Benthic Surveys in Faga’alu, American Samoa: benthic images collected during belt transect surveys in 2012 and 2015 (NCEI Accession 0146682). NOAA National Centers for Environmental Information Dataset (2016). Available at <https://www.ncei.noaa.gov/archive/acquisition/0146682>.

138. NOAA Pacific Islands Fisheries Science Center, Ecosystem Sciences Division. National Coral Reef Monitoring Program: Benthic cover derived from analysis of images collected during stratified random surveys (StRS) of the Hawaiian Archipelago. NOAA National Centers for Environmental Information Dataset, doi:[10.7289/v5js9nr4](https://doi.org/10.7289/v5js9nr4) (2018).
139. Rodgers, K., Jokiel, P., Hau, S. & Sparks, R. Coral reef digital still images and benthic species of the Hawaii Coral Reef Assessment and Monitoring Program (CRAMP) on Maui in 2015 (NCEI Accession 0157539). NOAA National Centers for Environmental Information Dataset (2017). Available at <https://www.ncei.noaa.gov/archive/accession/0157539>.
140. Coral Reef Ecosystem Program & Pacific Islands Fisheries Science Center. Benthic Images from Towed-Diver Surveys in the Main Hawaiian Islands to Assess the Mass Coral Bleaching Event from 2015-11-03 to 2015-11-18 (NCEI Accession 0157611). NOAA National Centers for Environmental Information Dataset (2017). Available at <https://www.ncei.noaa.gov/archive/accession/0157611>.
141. Field, D., Malhotra, A., Holderied, K. & Taylor, C. NCCOS mapping: seafloor mapping products for Kachemak Bay, Cook Inlet, AK, from 2005-07-06 to 2017-07-19 (NCEI Accession 0209109). NOAA National Centers for Environmental Information Dataset, doi:[10.25921/2nha-4780](https://doi.org/10.25921/2nha-4780) (2020).
142. Claisse, J. & Vantuna Research Group. Benthic habitat data for Wawaloai and Keei, Kona Coast, Island of Hawaii, August 2004 (NCEI Accession 0070530). NOAA National Centers for Environmental Information Dataset (2011). Available at <https://www.ncei.noaa.gov/archive/accession/0070530>.
143. NOAA Pacific Islands Fisheries Science Center, Ecosystem Sciences Division. National Coral Reef Monitoring Program: Benthic cover derived from analysis of images collected during stratified random surveys (StRS) across the Mariana Archipelago. NOAA National Centers for Environmental Information Dataset, doi:[10.7289/v57m0673](https://doi.org/10.7289/v57m0673) (2018).
144. Ecosystem Sciences Division, Pacific Islands Fisheries Science Center. Structure from motion images collected at control sites during marine debris surveys of coral reefs entangled with fishing nets at Pearl and Hermes Atoll in the Northwestern Hawaiian Islands from 2018-09-24 to 2018-10-03 (NCEI Accession 0210740). NOAA National Centers for Environmental Information Dataset (2020). Available at <https://www.ncei.noaa.gov/archive/accession/0210740>.
145. Ecosystem Sciences Division, Pacific Islands Fisheries Science Center. Structure from motion images collected after removal of entangled fishing nets from the reef during marine debris surveys at Pearl and Hermes Atoll in the Northwestern Hawaiian Islands from 2018-09-24 to 2018-10-03 (NCEI Accession 0210812). NOAA National Centers for Environmental Information Dataset (2020). Available at <https://www.ncei.noaa.gov/archive/accession/0210812>.
146. Ecosystem Sciences Division, Pacific Islands Fisheries Science Center. Structure from motion images collected before removal of entangled fishing nets from the reef during marine debris surveys at Pearl and Hermes Atoll in the Northwestern Hawaiian Islands from 2018-09-24 to 2018-10-03 (NCEI Accession 0210811). NOAA National Centers for Environmental Information Dataset (2020). Available at <https://www.ncei.noaa.gov/archive/accession/0210811>.
147. Stender, Y., Jokiel, P. & Rodgers, K. Digital still images of a shallow coral habitat at Pelekane Bay, Island of Hawaii on 2012-06-18 (NCEI Accession 0145644). NOAA National Centers for Environmental Information Dataset (2016). Available at <https://www.ncei.noaa.gov/archive/accession/0145644>.
148. NOAA Pacific Islands Fisheries Science Center, Ecosystem Sciences Division. National Coral Reef Monitoring Program: Benthic cover derived from analysis of images collected from climate stations across American Samoa. NOAA National Centers for Environmental Information Dataset, doi:[10.7289/v5z31wzh](https://doi.org/10.7289/v5z31wzh) (2018).
149. Coral Reef Ecosystem Program & Pacific Islands Fisheries Science Center. Benthic images collected at coral reef sites in Timor-Leste from 2012-10-15 to 2014-10-09 (NCEI Accession 0166378). NOAA National Centers for Environmental Information Dataset (2017). Available at <https://www.ncei.noaa.gov/archive/accession/0166378>.
150. Coral Reef Ecosystem Program & Pacific Islands Fisheries Science Center. Benthic Surveys in Vatia, American Samoa: benthic images collected during belt transect surveys from 2015-11-2 to 2015-11-12 (NCEI Accession 0146680). NOAA National Centers for Environmental Information Dataset (2016). Available at <https://www.ncei.noaa.gov/archive/accession/0146680>.
151. NOAA Pacific Islands Fisheries Science Center, Ecosystem Sciences Division. National Coral Reef Monitoring Program: Benthic cover derived from analysis of images collected during stratified random surveys (StRS) across the Pacific Remote Island Areas. Wake Island. NOAA National Centers for Environmental Information Dataset, doi:[10.7289/v5154fbh](https://doi.org/10.7289/v5154fbh) (2016).
152. Walsh, W., Kramer, K. & Williams, I. Fish, invertebrate and benthic surveys along the West coast of Hawaii from 1999-03-09 to 2021-11-30 (NCEI Accession 0164965). NOAA National Centers for Environmental Information Dataset (2018). Available at <https://www.ncei.noaa.gov/archive/accession/0164965>.

153. Zawada, D. G., Thornton, L. E., Thompson, P. R. & Resnick, J. P. ATRIS Seafloor Images—Crocker Reef, Florida, 2014. U.S. Geological Survey data release, doi:[10.5066/F7SF2T9Z](https://doi.org/10.5066/F7SF2T9Z) (2016).
154. Zawada, D. G., Ruzicka, R., Colella, M. A. & Resnick, J. P. ATRIS Seafloor Images—West Turtle Shoal Patch Reef, Rawa Patch Reef, Dustan Rocks Patch Reef, and Thor Patch Reef, Florida, 2011. U.S. Geological Survey data release, doi:[10.5066/F73N21H0](https://doi.org/10.5066/F73N21H0) (2016).
155. Cross, V. A., Blackwood, D. S., Halley, R. B. & Twichell, D. C. Bottom Photographs from the Pulley Ridge Deep Coral Reef. USGS Open-File Report 2004-1228, doi:[10.3133/ofr20041228](https://doi.org/10.3133/ofr20041228) (2020).
156. Zawada, D. G. & Resnick, J. P. Shallow ATRIS (sATRIS) images—Dry Tortugas National Park, Florida, 2009. U.S. Geological Survey data release, doi:[10.5066/F7CZ35CT](https://doi.org/10.5066/F7CZ35CT) (2018).
157. Zawada, D. G., Reich, C. D. & Resnick, J. P. Shallow ATRIS (sATRIS) images—Dry Tortugas National Park, Florida, 2011. U.S. Geological Survey data release, doi:[10.5066/F7862DND](https://doi.org/10.5066/F7862DND) (2018).
158. Smith, C. & Ziegler, A. Yoyo camera survey transects, King George Island and Bransfield Strait. U.S. Antarctic Program (USAP) Data Center, doi:[10.15784/601199](https://doi.org/10.15784/601199) (2019).
159. Domack, E. Processed Camera Images acquired during the Laurence M. Gould expedition LMG1311. U.S. Antarctic Program (USAP) Data Center, doi:[10.15784/601311](https://doi.org/10.15784/601311) (2020).
160. Girton, J. Bottom Photographs from the Antarctic Peninsula acquired during R/V Laurence M. Gould expedition LMG1703 (2017). U.S. Antarctic Program (USAP) Data Center, doi:[10.1594/IEDA/324207](https://doi.org/10.1594/IEDA/324207) (2019).
161. Leventer, A. *et al.* Bottom photos from the Southern Ocean acquired during R/V Nathaniel B. Palmer expedition NBP1402. U.S. Antarctic Program (USAP) Data Center, doi:[10.1594/IEDA/324208](https://doi.org/10.1594/IEDA/324208) (2020).
162. Bart, P. NBP1502 YoYo camera benthic images from Ross Sea. U.S. Antarctic Program (USAP) Data Center, doi:[10.15784/601182](https://doi.org/10.15784/601182) (2019).
163. Post, A., O'Brien, P. E., Armand, L. K. & Carroll, A. Seafloor image annotations from the Sabrina upper slope, East Antarctica, Ver. 1. Australian Antarctic Data Centre Dataset, doi:[10.26179/5caed60a7b076](https://doi.org/10.26179/5caed60a7b076) (2020).
164. Smith, J. High resolution still photographs of the seafloor across the Mertz Glacier Region, Ver. 1. Australian Antarctic Data Centre Dataset, doi:[10.4225/15/59acda196ccfb](https://doi.org/10.4225/15/59acda196ccfb) (2017).
165. González-Rivero, M. *et al.* The Catlin Seaview Survey—kilometre-scale seascape assessment, and monitoring of coral reef ecosystems. *Aquatic Conserv. Mar. Freshw. Ecosyst.* **24**, 184–198, doi:<https://doi.org/10.1002/aqc.2505> (2014).
166. González-Rivero, M. *et al.* Scaling up ecological measurements of coral reefs using semi-automated field image collection and analysis. *Remote. Sens.* **8**, 30, doi:[10.3390/rs8010030](https://doi.org/10.3390/rs8010030) (2016).
167. Katija, K. *et al.* FathomNet: A global image database for enabling artificial intelligence in the ocean. *Sci. Reports* **12**, 15914, doi:[10.1038/s41598-022-19939-2](https://doi.org/10.1038/s41598-022-19939-2) (2022).
168. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/040-2, doi:[10.1594/PANGAEA.73613](https://doi.org/10.1594/PANGAEA.73613) (2002).
169. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/114-3, doi:[10.1594/PANGAEA.73617](https://doi.org/10.1594/PANGAEA.73617) (2002).
170. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/116-2, doi:[10.1594/PANGAEA.73618](https://doi.org/10.1594/PANGAEA.73618) (2002).
171. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/120-3, doi:[10.1594/PANGAEA.73619](https://doi.org/10.1594/PANGAEA.73619) (2002).
172. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/125-2, doi:[10.1594/PANGAEA.73620](https://doi.org/10.1594/PANGAEA.73620) (2002).
173. Brandt, A. & Fütterer, D. K. Documentation of sediment surface at station PS61/129-1, doi:[10.1594/PANGAEA.73621](https://doi.org/10.1594/PANGAEA.73621) (2002).
174. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/005-5. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198643](https://doi.org/10.1594/PANGAEA.198643) (PANGAEA, 2004).

175. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/006-18. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198644](https://doi.org/10.1594/PANGAEA.198644) (PANGAEA, 2004).
176. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/006-22. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198645](https://doi.org/10.1594/PANGAEA.198645) (PANGAEA, 2004).
177. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/006-9. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198646](https://doi.org/10.1594/PANGAEA.198646) (PANGAEA, 2004).
178. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/007-7. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198647](https://doi.org/10.1594/PANGAEA.198647) (PANGAEA, 2004).
179. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/008-3. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198648](https://doi.org/10.1594/PANGAEA.198648) (PANGAEA, 2004).
180. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/009-8. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198649](https://doi.org/10.1594/PANGAEA.198649) (PANGAEA, 2004).
181. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/010-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198650](https://doi.org/10.1594/PANGAEA.198650) (PANGAEA, 2004).
182. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/019-2. In Gutt, J (2002): *The Antarctic ice shelf: an extreme habitat for notothenioid fish*. *Polar Biology*, 25(4), 320-322, <https://doi.org/10.1007/s00300-001-0352-9>, doi:[10.1594/PANGAEA.198651](https://doi.org/10.1594/PANGAEA.198651) (PANGAEA, 2002).
183. Gutt, J. The Antarctic ice shelf: an extreme habitat for notothenioid fish. *Polar Biol.* **25**, 320–322, doi:[10.1007/s00300-001-0352-9](https://doi.org/10.1007/s00300-001-0352-9) (2002).
184. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/019-3. In Gutt, J (2002): *The Antarctic ice shelf: an extreme habitat for notothenioid fish*. *Polar Biology*, 25(4), 320-322, <https://doi.org/10.1007/s00300-001-0352-9>, doi:[10.1594/PANGAEA.198652](https://doi.org/10.1594/PANGAEA.198652) (PANGAEA, 2002).
185. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/023-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198653](https://doi.org/10.1594/PANGAEA.198653) (PANGAEA, 2004).
186. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/024-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198654](https://doi.org/10.1594/PANGAEA.198654) (PANGAEA, 2004).
187. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/024-12. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198655](https://doi.org/10.1594/PANGAEA.198655) (PANGAEA, 2004).
188. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/024-3. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198656](https://doi.org/10.1594/PANGAEA.198656) (PANGAEA, 2004).

189. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/024-9. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198657](https://doi.org/10.1594/PANGAEA.198657) (PANGAEA, 2004).
190. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/026-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198658](https://doi.org/10.1594/PANGAEA.198658) (PANGAEA, 2004).
191. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/026-2. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198659](https://doi.org/10.1594/PANGAEA.198659) (PANGAEA, 2004).
192. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/026-3. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198660](https://doi.org/10.1594/PANGAEA.198660) (PANGAEA, 2004).
193. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/026-8. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198661](https://doi.org/10.1594/PANGAEA.198661) (PANGAEA, 2004).
194. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/027-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198662](https://doi.org/10.1594/PANGAEA.198662) (PANGAEA, 2004).
195. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/032-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198663](https://doi.org/10.1594/PANGAEA.198663) (PANGAEA, 2004).
196. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/032-2. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198664](https://doi.org/10.1594/PANGAEA.198664) (PANGAEA, 2004).
197. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/032-5. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198665](https://doi.org/10.1594/PANGAEA.198665) (PANGAEA, 2004).
198. Gutt, J. Sea-bed photographs (benthos) along ROV profile PS39/032-6. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.198666](https://doi.org/10.1594/PANGAEA.198666) (PANGAEA, 2004).
199. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/019. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198667](https://doi.org/10.1594/PANGAEA.198667) (PANGAEA, 2004).
200. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/040. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198668](https://doi.org/10.1594/PANGAEA.198668) (PANGAEA, 2004).
201. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/041. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198669](https://doi.org/10.1594/PANGAEA.198669) (PANGAEA, 2004).

215. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/213. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198683](https://doi.org/10.1594/PANGAEA.198683) (PANGAEA, 2004).
216. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/219. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198684](https://doi.org/10.1594/PANGAEA.198684) (PANGAEA, 2004).
217. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/238. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198685](https://doi.org/10.1594/PANGAEA.198685) (PANGAEA, 2004).
218. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/281. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198686](https://doi.org/10.1594/PANGAEA.198686) (PANGAEA, 2004).
219. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/285. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198687](https://doi.org/10.1594/PANGAEA.198687) (PANGAEA, 2004).
220. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/286. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198688](https://doi.org/10.1594/PANGAEA.198688) (PANGAEA, 2004).
221. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/287. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.198689](https://doi.org/10.1594/PANGAEA.198689) (PANGAEA, 2004).
222. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/059-12. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.198690](https://doi.org/10.1594/PANGAEA.198690) (PANGAEA, 2004).
223. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/081-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.198691](https://doi.org/10.1594/PANGAEA.198691) (PANGAEA, 2004).
224. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/084-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.198692](https://doi.org/10.1594/PANGAEA.198692) (PANGAEA, 2004).
225. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/107-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.198693](https://doi.org/10.1594/PANGAEA.198693) (PANGAEA, 2004).
226. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/126-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research,*

Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.198694](#) (PANGAEA, 2004).

227. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/127-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.198695](#) (PANGAEA, 2004).
228. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/154-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.198696](#) (PANGAEA, 2004).
229. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/171-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.198697](#) (PANGAEA, 2004).
230. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/171-2. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.198698](#) (PANGAEA, 2004).
231. Gutt, J. & Starmans, A. Sea-bed photographs (benthos) along ROV profile PS56/171-4. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.198699](#) (PANGAEA, 2004).
232. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along ROV profile PS48/201. In *Gutt, J; Teixidó, N (2004): Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755491*, doi:[10.1594/PANGAEA.206413](#) (PANGAEA, 2004).
233. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/155-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220740](#) (2004).
234. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/165-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220741](#) (2004).
235. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/175-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220742](#) (2004).
236. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/201-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220743](#) (2004).
237. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/202-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220744](#) (2004).
238. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/226-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220745](#) (2004).
239. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/235-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220746](#) (2004).
240. Arntz, W. E. & Gutt, J. Sea-bed photographs (benthos) from the Scotia Arc (Antarctica) along profile PS61/249-1 (©AWI, Arntz and Gutt 2002), doi:[10.1594/PANGAEA.220747](#) (2004).
241. Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Sea-bed photographs (benthos) at Bouvet Island along profile PS65/022-1. In *Gutt, J et al. (2006): Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. Polar Biology, 29(2), 97-105, https://doi.org/10.1007/s00300-005-0012-6*, doi:[10.1594/PANGAEA.227308](#) (PANGAEA, 2006).

- 242.** Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. *Polar Biol.* **29**, 97–105, doi:[10.1007/s00300-005-0012-6](https://doi.org/10.1007/s00300-005-0012-6) (2006).
- 243.** Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Sea-bed photographs (benthos) at Bouvet Island along profile PS65/024-1. In *Gutt, J et al. (2006): Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. Polar Biology*, 29(2), 97-105, <https://doi.org/10.1007/s00300-005-0012-6>, doi:[10.1594/PANGAEA.227309](https://doi.org/10.1594/PANGAEA.227309) (PANGAEA, 2006).
- 244.** Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Sea-bed photographs (benthos) at Bouvet Island along profile PS65/031-1. In *Gutt, J et al. (2006): Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. Polar Biology*, 29(2), 97-105, <https://doi.org/10.1007/s00300-005-0012-6>, doi:[10.1594/PANGAEA.227310](https://doi.org/10.1594/PANGAEA.227310) (PANGAEA, 2006).
- 245.** Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Sea-bed photographs (benthos) at Bouvet Island along profile PS65/032-1. In *Gutt, J et al. (2006): Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. Polar Biology*, 29(2), 97-105, <https://doi.org/10.1007/s00300-005-0012-6>, doi:[10.1594/PANGAEA.227311](https://doi.org/10.1594/PANGAEA.227311) (PANGAEA, 2006).
- 246.** Gutt, J., Fricke, A., Teixidó, N., Potthoff, M. & Arntz, W. E. Sea-bed photographs (benthos) at Bouvet Island along profile PS65/343-1. In *Gutt, J et al. (2006): Mega-epibenthos at Bouvet Island (South Atlantic): a spatially isolated biodiversity hot spot on a tiny geological spot. Polar Biology*, 29(2), 97-105, <https://doi.org/10.1007/s00300-005-0012-6>, doi:[10.1594/PANGAEA.227670](https://doi.org/10.1594/PANGAEA.227670) (PANGAEA, 2006).
- 247.** Soltwedel, T., von Juterzenka, K., Premke, K. & Klages, M. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS62/191-1, doi:[10.1594/PANGAEA.227671](https://doi.org/10.1594/PANGAEA.227671) (2003). Supplement to: Soltwedel, T et al. (2003): What a lucky shot ! Photographic evidence for a medium-sized natural food-fall at the deep seafloor (Heureuse surprise! Évidence photographique de la présence d'un cadavre d'animal nectonique de taille moyenne sur le plancher océanique). *Oceanologica Acta*, 26(5-6), 623-628, [https://doi.org/10.1016/S0399-1784\(03\)00060-4](https://doi.org/10.1016/S0399-1784(03)00060-4).
- 248.** Soltwedel, T., Von Juterzenka, K., Premke, K. & Klages, M. What a lucky shot! Photographic evidence for a medium-sized natural food-fall at the deep seafloor. *Oceanol. Acta* **26**, 623–628, doi:[10.1016/S0399-1784\(03\)00060-4](https://doi.org/10.1016/S0399-1784(03)00060-4) (2003).
- 249.** Jaeckisch, N., von Juterzenka, K. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS62/161-3, transect IV, doi:[10.1594/PANGAEA.227692](https://doi.org/10.1594/PANGAEA.227692) (2005).
- 250.** Jaeckisch, N., von Juterzenka, K. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS62/163-3, transect IV-V, doi:[10.1594/PANGAEA.227693](https://doi.org/10.1594/PANGAEA.227693) (2005).
- 251.** Jaeckisch, N., von Juterzenka, K. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS62/170-3, transect II, doi:[10.1594/PANGAEA.227694](https://doi.org/10.1594/PANGAEA.227694) (2005).
- 252.** Jaeckisch, N., von Juterzenka, K. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS62/191-1, transect I, doi:[10.1594/PANGAEA.227695](https://doi.org/10.1594/PANGAEA.227695) (2005).
- 253.** Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/001 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250203](https://doi.org/10.1594/PANGAEA.250203) (2005).
- 254.** Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/002A (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250204](https://doi.org/10.1594/PANGAEA.250204) (2005).
- 255.** Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/002B (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250205](https://doi.org/10.1594/PANGAEA.250205) (2005).
- 256.** Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/004 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250206](https://doi.org/10.1594/PANGAEA.250206) (2005).
- 257.** Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/005 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250207](https://doi.org/10.1594/PANGAEA.250207) (2005).

258. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/006 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250208](https://doi.org/10.1594/PANGAEA.250208) (2005).
259. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/007 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250209](https://doi.org/10.1594/PANGAEA.250209) (2005).
260. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/008 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250210](https://doi.org/10.1594/PANGAEA.250210) (2005).
261. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/009 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250211](https://doi.org/10.1594/PANGAEA.250211) (2005).
262. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/010 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250212](https://doi.org/10.1594/PANGAEA.250212) (2005).
263. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/011 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250213](https://doi.org/10.1594/PANGAEA.250213) (2005).
264. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/012 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250214](https://doi.org/10.1594/PANGAEA.250214) (2005).
265. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/013 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250215](https://doi.org/10.1594/PANGAEA.250215) (2005).
266. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/014 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250216](https://doi.org/10.1594/PANGAEA.250216) (2005).
267. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/015 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250217](https://doi.org/10.1594/PANGAEA.250217) (2005).
268. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/016 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250218](https://doi.org/10.1594/PANGAEA.250218) (2005).
269. Starmans, A., Clarke, A. & Gutt, J. Sea-bed photographs (benthos) from the Marguarite Bay west of the Antarctic Peninsula along ROV profile JR37/017 (©AWI and BAS, Starmans, Clarke and Gutt 2003), doi:[10.1594/PANGAEA.250219](https://doi.org/10.1594/PANGAEA.250219) (2005).
270. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_740, doi:[10.1594/PANGAEA.250425](https://doi.org/10.1594/PANGAEA.250425) (2005).
271. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_741, doi:[10.1594/PANGAEA.250426](https://doi.org/10.1594/PANGAEA.250426) (2005).
272. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_758, doi:[10.1594/PANGAEA.250427](https://doi.org/10.1594/PANGAEA.250427) (2005).
273. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_759, doi:[10.1594/PANGAEA.250428](https://doi.org/10.1594/PANGAEA.250428) (2005).
274. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_760, doi:[10.1594/PANGAEA.250429](https://doi.org/10.1594/PANGAEA.250429) (2005).
275. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_784, doi:[10.1594/PANGAEA.250430](https://doi.org/10.1594/PANGAEA.250430) (2005).
276. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_786, doi:[10.1594/PANGAEA.250431](https://doi.org/10.1594/PANGAEA.250431) (2005).

277. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_792, doi:[10.1594/PANGAEA.250432](https://doi.org/10.1594/PANGAEA.250432) (2005).
278. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_797, doi:[10.1594/PANGAEA.250433](https://doi.org/10.1594/PANGAEA.250433) (2005).
279. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_798, doi:[10.1594/PANGAEA.250434](https://doi.org/10.1594/PANGAEA.250434) (2005).
280. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_799, doi:[10.1594/PANGAEA.250435](https://doi.org/10.1594/PANGAEA.250435) (2005).
281. Gutt, J. Sea-bed photographs (benthos) from the North Sea along ROV profile HE169_800, doi:[10.1594/PANGAEA.250436](https://doi.org/10.1594/PANGAEA.250436) (2005).
282. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-27-OFOS, doi:[10.1594/PANGAEA.305485](https://doi.org/10.1594/PANGAEA.305485) (2005).
283. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-40-OFOS, doi:[10.1594/PANGAEA.309942](https://doi.org/10.1594/PANGAEA.309942) (2005).
284. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-42-OFOS, doi:[10.1594/PANGAEA.309945](https://doi.org/10.1594/PANGAEA.309945) (2005).
285. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-46-OFOS, doi:[10.1594/PANGAEA.309947](https://doi.org/10.1594/PANGAEA.309947) (2005).
286. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-47-OFOS, doi:[10.1594/PANGAEA.309948](https://doi.org/10.1594/PANGAEA.309948) (2005).
287. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-50-OFOS, doi:[10.1594/PANGAEA.309949](https://doi.org/10.1594/PANGAEA.309949) (2005).
288. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-60-OFOS, doi:[10.1594/PANGAEA.309954](https://doi.org/10.1594/PANGAEA.309954) (2005).
289. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-61-OFOS, doi:[10.1594/PANGAEA.309955](https://doi.org/10.1594/PANGAEA.309955) (2005).
290. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-70-OFOS, doi:[10.1594/PANGAEA.309956](https://doi.org/10.1594/PANGAEA.309956) (2005).
291. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-72-OFOS, doi:[10.1594/PANGAEA.309957](https://doi.org/10.1594/PANGAEA.309957) (2005).
292. Kuhn, T. & Shipboard Scientific Party. Sea floor images from Mid Atlantic Ridge at 14°53N, dive M60/3-80-OFOS, doi:[10.1594/PANGAEA.309959](https://doi.org/10.1594/PANGAEA.309959) (2005).
293. Gutt, J. Sea-bed photographs (benthos) along profile PS39/005-10. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319888](https://doi.org/10.1594/PANGAEA.319888) (PANGAEA, 2005).
294. Gutt, J. Sea-bed photographs (benthos) along profile PS39/006-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319889](https://doi.org/10.1594/PANGAEA.319889) (PANGAEA, 2005).
295. Gutt, J. Sea-bed photographs (benthos) along profile PS39/007-1. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319890](https://doi.org/10.1594/PANGAEA.319890) (PANGAEA, 2005).
296. Gutt, J. Sea-bed photographs (benthos) along profile PS39/008-11. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319891](https://doi.org/10.1594/PANGAEA.319891) (PANGAEA, 2005).

297. Gutt, J. Sea-bed photographs (benthos) along profile PS39/009-3. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319892](https://doi.org/10.1594/PANGAEA.319892) (PANGAEA, 2005).
298. Gutt, J. Sea-bed photographs (benthos) along profile PS39/025-15. In Gutt, J (2010): *Sea-floor images during POLARSTERN cruise ANT-XIII/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755488>, doi:[10.1594/PANGAEA.319893](https://doi.org/10.1594/PANGAEA.319893) (PANGAEA, 2005).
299. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/016. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319894](https://doi.org/10.1594/PANGAEA.319894) (PANGAEA, 2004).
300. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/020. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319895](https://doi.org/10.1594/PANGAEA.319895) (PANGAEA, 2004).
301. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/021. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319896](https://doi.org/10.1594/PANGAEA.319896) (PANGAEA, 2004).
302. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/072. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319897](https://doi.org/10.1594/PANGAEA.319897) (PANGAEA, 2004).
303. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/073. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319898](https://doi.org/10.1594/PANGAEA.319898) (PANGAEA, 2004).
304. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/173. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319899](https://doi.org/10.1594/PANGAEA.319899) (PANGAEA, 2004).
305. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/185. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319900](https://doi.org/10.1594/PANGAEA.319900) (PANGAEA, 2004).
306. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/192. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319901](https://doi.org/10.1594/PANGAEA.319901) (PANGAEA, 2004).
307. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/200. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319902](https://doi.org/10.1594/PANGAEA.319902) (PANGAEA, 2004).
308. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/215. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319903](https://doi.org/10.1594/PANGAEA.319903) (PANGAEA, 2004).
309. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/221. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319904](https://doi.org/10.1594/PANGAEA.319904) (PANGAEA, 2004).

- 310.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/226. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319905](https://doi.org/10.1594/PANGAEA.319905) (PANGAEA, 2004).
- 311.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/229. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319906](https://doi.org/10.1594/PANGAEA.319906) (PANGAEA, 2004).
- 312.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/232. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319907](https://doi.org/10.1594/PANGAEA.319907) (PANGAEA, 2004).
- 313.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/239. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319908](https://doi.org/10.1594/PANGAEA.319908) (PANGAEA, 2004).
- 314.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/242. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319909](https://doi.org/10.1594/PANGAEA.319909) (PANGAEA, 2004).
- 315.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS48/278. In Gutt, J; Teixidó, N (2004): *Sea-floor images from during POLARSTERN cruise ANT-XV/3 to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755491>, doi:[10.1594/PANGAEA.319910](https://doi.org/10.1594/PANGAEA.319910) (PANGAEA, 2004).
- 316.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/059-5. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319912](https://doi.org/10.1594/PANGAEA.319912) (PANGAEA, 2005).
- 317.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/082-1. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319913](https://doi.org/10.1594/PANGAEA.319913) (PANGAEA, 2005).
- 318.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/083-1. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319914](https://doi.org/10.1594/PANGAEA.319914) (PANGAEA, 2005).
- 319.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/094-1. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319915](https://doi.org/10.1594/PANGAEA.319915) (PANGAEA, 2005).
- 320.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/111-26. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319916](https://doi.org/10.1594/PANGAEA.319916) (PANGAEA, 2005).
- 321.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/111-2. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319917](https://doi.org/10.1594/PANGAEA.319917) (PANGAEA, 2005).
- 322.** Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/111-4. In Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): *Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.755490>, doi:[10.1594/PANGAEA.319918](https://doi.org/10.1594/PANGAEA.319918) (PANGAEA, 2005).

323. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/125-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.319919](https://doi.org/10.1594/PANGAEA.319919) (PANGAEA, 2005).
324. Gutt, J. & Teixidó, N. Sea-bed photographs (benthos) along profile PS56/197-1. In *Gutt, Julian; Starmans, Andreas; Teixidó, Núria (2010): Sea-floor images from ROV transects during POLARSTERN cruise ANT-XVII/3 (EASIZ III) to the Weddell Sea, Antarctica. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.755490*, doi:[10.1594/PANGAEA.319920](https://doi.org/10.1594/PANGAEA.319920) (PANGAEA, 2005).
325. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1239-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320043](https://doi.org/10.1594/PANGAEA.320043) (PANGAEA, 2005).
326. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1241-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320044](https://doi.org/10.1594/PANGAEA.320044) (PANGAEA, 2005).
327. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1243-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320045](https://doi.org/10.1594/PANGAEA.320045) (PANGAEA, 2005).
328. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1244-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320046](https://doi.org/10.1594/PANGAEA.320046) (PANGAEA, 2005).
329. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1245-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320047](https://doi.org/10.1594/PANGAEA.320047) (PANGAEA, 2005).
330. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1257-2. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320048](https://doi.org/10.1594/PANGAEA.320048) (PANGAEA, 2005).
331. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1258-2. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320049](https://doi.org/10.1594/PANGAEA.320049) (PANGAEA, 2005).
332. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1259-1. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320050](https://doi.org/10.1594/PANGAEA.320050) (PANGAEA, 2005).
333. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1264-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320051](https://doi.org/10.1594/PANGAEA.320051) (PANGAEA, 2005).
334. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1265-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320052](https://doi.org/10.1594/PANGAEA.320052) (PANGAEA, 2005).
335. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1269-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.663170*, doi:[10.1594/PANGAEA.320053](https://doi.org/10.1594/PANGAEA.320053) (PANGAEA, 2005).

349. Gutt, J. Sea-bed photographs (benthos) from the shelf west of Svalbard along ROV profile HE153_1255-3. In *Gutt, J (2007): Sea bed photographs of the Remote Operated Vehicle SPRINT from the shelf west of Spitzbergen along 25 profiles during cruise Heincke 153. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.663170>, doi:[10.1594/PANGAEA.320309](https://doi.org/10.1594/PANGAEA.320309) (PANGAEA, 2005).
350. Christiansen, B. Underwater images from Seine Seamount at station POS309_41-1. In *Christiansen, Bernd; Arístegui Ruiz, Javier; Bett, Brian J; Kiriakoulakis, Kostas; Martins, Ana; Menezes, Gui M; White, Martin (2015): Compilation of scientific results of the OASIS project. PANGAEA*, <https://doi.org/10.1594/PANGAEA.842709>, doi:[10.1594/PANGAEA.371062](https://doi.org/10.1594/PANGAEA.371062) (PANGAEA, 2006).
351. Christiansen, B. Underwater images from Seine Seamount at station POS309_41-2. In *Christiansen, Bernd; Arístegui Ruiz, Javier; Bett, Brian J; Kiriakoulakis, Kostas; Martins, Ana; Menezes, Gui M; White, Martin (2015): Compilation of scientific results of the OASIS project. PANGAEA*, <https://doi.org/10.1594/PANGAEA.842709>, doi:[10.1594/PANGAEA.371063](https://doi.org/10.1594/PANGAEA.371063) (PANGAEA, 2006).
352. Christiansen, B. Underwater images from Seine Seamount at station POS322_211-4. In *Christiansen, Bernd; Arístegui Ruiz, Javier; Bett, Brian J; Kiriakoulakis, Kostas; Martins, Ana; Menezes, Gui M; White, Martin (2015): Compilation of scientific results of the OASIS project. PANGAEA*, <https://doi.org/10.1594/PANGAEA.842709>, doi:[10.1594/PANGAEA.371064](https://doi.org/10.1594/PANGAEA.371064) (PANGAEA, 2006).
353. Ratmeyer, V. Quest ROV profile M60/3-53, dive 11, doi:[10.1594/PANGAEA.398985](https://doi.org/10.1594/PANGAEA.398985) (2006).
354. Ratmeyer, V. Quest ROV profile M60/3-66, dive 14, doi:[10.1594/PANGAEA.418252](https://doi.org/10.1594/PANGAEA.418252) (2006).
355. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS66/099-1, doi:[10.1594/PANGAEA.615386](https://doi.org/10.1594/PANGAEA.615386) (2007).
356. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS66/106-1, doi:[10.1594/PANGAEA.615723](https://doi.org/10.1594/PANGAEA.615723) (2007).
357. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS66/120-1, doi:[10.1594/PANGAEA.615724](https://doi.org/10.1594/PANGAEA.615724) (2007).
358. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS66/127-4, doi:[10.1594/PANGAEA.615725](https://doi.org/10.1594/PANGAEA.615725) (2007).
359. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the AWI-Hausgarten area along OFOS profile PS66/133-1, doi:[10.1594/PANGAEA.615726](https://doi.org/10.1594/PANGAEA.615726) (2007).
360. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS62/029-1 during POLARSTERN cruise ARK-XVIII/1, doi:[10.1594/PANGAEA.615800](https://doi.org/10.1594/PANGAEA.615800) (2007).
361. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS62/036-1 during POLARSTERN cruise ARK-XVIII/1, doi:[10.1594/PANGAEA.615801](https://doi.org/10.1594/PANGAEA.615801) (2007).
362. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/004-2 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615818](https://doi.org/10.1594/PANGAEA.615818) (2007).
363. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/065 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615819](https://doi.org/10.1594/PANGAEA.615819) (2007).
364. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/069 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615820](https://doi.org/10.1594/PANGAEA.615820) (2007).
365. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/073 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615821](https://doi.org/10.1594/PANGAEA.615821) (2007).
366. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/078 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615822](https://doi.org/10.1594/PANGAEA.615822) (2007).
367. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/082-4 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615825](https://doi.org/10.1594/PANGAEA.615825) (2007).
368. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS59/084-2 during POLARSTERN cruise ARK-XVII/1, doi:[10.1594/PANGAEA.615826](https://doi.org/10.1594/PANGAEA.615826) (2007).
369. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the Håkon Mosby Mud Volcano (HMMV) along OFOS profile PS62/271-1, doi:[10.1594/PANGAEA.615843](https://doi.org/10.1594/PANGAEA.615843) (2007).

370. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the Håkon Mosby Mud Volcano (HMMV) along OFOS profile PS62/273-1, doi:[10.1594/PANGAEA.615844](https://doi.org/10.1594/PANGAEA.615844) (2007).
371. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the Håkon Mosby Mud Volcano (HMMV) along OFOS profile PS62/282-1, doi:[10.1594/PANGAEA.615845](https://doi.org/10.1594/PANGAEA.615845) (2007).
372. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the Håkon Mosby Mud Volcano (HMMV) along OFOS profile PS62/282-2, doi:[10.1594/PANGAEA.615846](https://doi.org/10.1594/PANGAEA.615846) (2007).
373. Schewe, I. & Soltwedel, T. Sea-bed photographs (benthos) from the Håkon Mosby Mud Volcano (HMMV) along OFOS profile PS62/284-1, doi:[10.1594/PANGAEA.615847](https://doi.org/10.1594/PANGAEA.615847) (2007).
374. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/002-4 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615901](https://doi.org/10.1594/PANGAEA.615901) (2007).
375. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/071 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615902](https://doi.org/10.1594/PANGAEA.615902) (2007).
376. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/081 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615903](https://doi.org/10.1594/PANGAEA.615903) (2007).
377. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/085-2 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615904](https://doi.org/10.1594/PANGAEA.615904) (2007).
378. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/089 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615905](https://doi.org/10.1594/PANGAEA.615905) (2007).
379. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/096 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615910](https://doi.org/10.1594/PANGAEA.615910) (2007).
380. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/103 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615911](https://doi.org/10.1594/PANGAEA.615911) (2007).
381. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS57/106 during POLARSTERN cruise ARK-XVI/1, doi:[10.1594/PANGAEA.615912](https://doi.org/10.1594/PANGAEA.615912) (2007).
382. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/060-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615950](https://doi.org/10.1594/PANGAEA.615950) (2007).
383. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/062-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615951](https://doi.org/10.1594/PANGAEA.615951) (2007).
384. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/063-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615952](https://doi.org/10.1594/PANGAEA.615952) (2007).
385. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/064-3 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615953](https://doi.org/10.1594/PANGAEA.615953) (2007).
386. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/065-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615954](https://doi.org/10.1594/PANGAEA.615954) (2007).
387. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/067-5 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615955](https://doi.org/10.1594/PANGAEA.615955) (2007).
388. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/069-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615956](https://doi.org/10.1594/PANGAEA.615956) (2007).
389. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/073-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.615957](https://doi.org/10.1594/PANGAEA.615957) (2007).
390. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/080-1 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618828](https://doi.org/10.1594/PANGAEA.618828) (2007).
391. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/084-3 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618829](https://doi.org/10.1594/PANGAEA.618829) (2007).
392. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/088-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618830](https://doi.org/10.1594/PANGAEA.618830) (2007).
393. Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/090-3 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618831](https://doi.org/10.1594/PANGAEA.618831) (2007).

- 394.** Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/094-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618832](https://doi.org/10.1594/PANGAEA.618832) (2007).
- 395.** Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS44/100-2 during POLARSTERN cruise ARK-XIII/2, doi:[10.1594/PANGAEA.618833](https://doi.org/10.1594/PANGAEA.618833) (2007).
- 396.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A1E, doi:[10.1594/PANGAEA.633559](https://doi.org/10.1594/PANGAEA.633559) (2007).
- 397.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA2D, doi:[10.1594/PANGAEA.633702](https://doi.org/10.1594/PANGAEA.633702) (2007).
- 398.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA2E, doi:[10.1594/PANGAEA.633703](https://doi.org/10.1594/PANGAEA.633703) (2007).
- 399.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A1D, doi:[10.1594/PANGAEA.633704](https://doi.org/10.1594/PANGAEA.633704) (2007).
- 400.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A2D, doi:[10.1594/PANGAEA.633705](https://doi.org/10.1594/PANGAEA.633705) (2007).
- 401.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A11D, doi:[10.1594/PANGAEA.633875](https://doi.org/10.1594/PANGAEA.633875) (2007).
- 402.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A11E, doi:[10.1594/PANGAEA.633876](https://doi.org/10.1594/PANGAEA.633876) (2007).
- 403.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A13D, doi:[10.1594/PANGAEA.633877](https://doi.org/10.1594/PANGAEA.633877) (2007).
- 404.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A13E, doi:[10.1594/PANGAEA.633878](https://doi.org/10.1594/PANGAEA.633878) (2007).
- 405.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A14D, doi:[10.1594/PANGAEA.633879](https://doi.org/10.1594/PANGAEA.633879) (2007).
- 406.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A14E, doi:[10.1594/PANGAEA.633880](https://doi.org/10.1594/PANGAEA.633880) (2007).
- 407.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A15D, doi:[10.1594/PANGAEA.633881](https://doi.org/10.1594/PANGAEA.633881) (2007).
- 408.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A15E, doi:[10.1594/PANGAEA.633882](https://doi.org/10.1594/PANGAEA.633882) (2007).
- 409.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A2E, doi:[10.1594/PANGAEA.633883](https://doi.org/10.1594/PANGAEA.633883) (2007).
- 410.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A3D, doi:[10.1594/PANGAEA.633884](https://doi.org/10.1594/PANGAEA.633884) (2007).
- 411.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A3E, doi:[10.1594/PANGAEA.633885](https://doi.org/10.1594/PANGAEA.633885) (2007).
- 412.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A4D, doi:[10.1594/PANGAEA.633886](https://doi.org/10.1594/PANGAEA.633886) (2007).
- 413.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A4E, doi:[10.1594/PANGAEA.633887](https://doi.org/10.1594/PANGAEA.633887) (2007).
- 414.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A5Dcostat, doi:[10.1594/PANGAEA.633888](https://doi.org/10.1594/PANGAEA.633888) (2007).
- 415.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A5D, doi:[10.1594/PANGAEA.633889](https://doi.org/10.1594/PANGAEA.633889) (2007).
- 416.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A5Ecostat, doi:[10.1594/PANGAEA.633890](https://doi.org/10.1594/PANGAEA.633890) (2007).
- 417.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A5E, doi:[10.1594/PANGAEA.633891](https://doi.org/10.1594/PANGAEA.633891) (2007).

- 418.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A6D, doi:[10.1594/PANGAEA.633892](https://doi.org/10.1594/PANGAEA.633892) (2007).
- 419.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A6E, doi:[10.1594/PANGAEA.633893](https://doi.org/10.1594/PANGAEA.633893) (2007).
- 420.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A7DB, doi:[10.1594/PANGAEA.633894](https://doi.org/10.1594/PANGAEA.633894) (2007).
- 421.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A7D, doi:[10.1594/PANGAEA.633895](https://doi.org/10.1594/PANGAEA.633895) (2007).
- 422.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A7EB, doi:[10.1594/PANGAEA.633896](https://doi.org/10.1594/PANGAEA.633896) (2007).
- 423.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A7E, doi:[10.1594/PANGAEA.633897](https://doi.org/10.1594/PANGAEA.633897) (2007).
- 424.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot A8-A9, doi:[10.1594/PANGAEA.633898](https://doi.org/10.1594/PANGAEA.633898) (2007).
- 425.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C1D, doi:[10.1594/PANGAEA.633899](https://doi.org/10.1594/PANGAEA.633899) (2007).
- 426.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C1E, doi:[10.1594/PANGAEA.633900](https://doi.org/10.1594/PANGAEA.633900) (2007).
- 427.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C2D, doi:[10.1594/PANGAEA.633901](https://doi.org/10.1594/PANGAEA.633901) (2007).
- 428.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C2E, doi:[10.1594/PANGAEA.633902](https://doi.org/10.1594/PANGAEA.633902) (2007).
- 429.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C3D, doi:[10.1594/PANGAEA.633903](https://doi.org/10.1594/PANGAEA.633903) (2007).
- 430.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C3E, doi:[10.1594/PANGAEA.633904](https://doi.org/10.1594/PANGAEA.633904) (2007).
- 431.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C4D, doi:[10.1594/PANGAEA.633905](https://doi.org/10.1594/PANGAEA.633905) (2007).
- 432.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C4E, doi:[10.1594/PANGAEA.633906](https://doi.org/10.1594/PANGAEA.633906) (2007).
- 433.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C5D, doi:[10.1594/PANGAEA.633907](https://doi.org/10.1594/PANGAEA.633907) (2007).
- 434.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C5E, doi:[10.1594/PANGAEA.633908](https://doi.org/10.1594/PANGAEA.633908) (2007).
- 435.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C6D, doi:[10.1594/PANGAEA.633909](https://doi.org/10.1594/PANGAEA.633909) (2007).
- 436.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C6E, doi:[10.1594/PANGAEA.633910](https://doi.org/10.1594/PANGAEA.633910) (2007).
- 437.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C7D, doi:[10.1594/PANGAEA.633911](https://doi.org/10.1594/PANGAEA.633911) (2007).
- 438.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot C7E, doi:[10.1594/PANGAEA.633912](https://doi.org/10.1594/PANGAEA.633912) (2007).
- 439.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA3D, doi:[10.1594/PANGAEA.633913](https://doi.org/10.1594/PANGAEA.633913) (2007).
- 440.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA3E, doi:[10.1594/PANGAEA.633914](https://doi.org/10.1594/PANGAEA.633914) (2007).
- 441.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA4D, doi:[10.1594/PANGAEA.633915](https://doi.org/10.1594/PANGAEA.633915) (2007).

- 442.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBA4E, doi:[10.1594/PANGAEA.633916](https://doi.org/10.1594/PANGAEA.633916) (2007).
- 443.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB1D, doi:[10.1594/PANGAEA.633917](https://doi.org/10.1594/PANGAEA.633917) (2007).
- 444.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB1E, doi:[10.1594/PANGAEA.633918](https://doi.org/10.1594/PANGAEA.633918) (2007).
- 445.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB2D, doi:[10.1594/PANGAEA.633919](https://doi.org/10.1594/PANGAEA.633919) (2007).
- 446.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB2E, doi:[10.1594/PANGAEA.633920](https://doi.org/10.1594/PANGAEA.633920) (2007).
- 447.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB3Dcostat, doi:[10.1594/PANGAEA.633921](https://doi.org/10.1594/PANGAEA.633921) (2007).
- 448.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB3D, doi:[10.1594/PANGAEA.633922](https://doi.org/10.1594/PANGAEA.633922) (2007).
- 449.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB3Ecostat, doi:[10.1594/PANGAEA.633923](https://doi.org/10.1594/PANGAEA.633923) (2007).
- 450.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB3E, doi:[10.1594/PANGAEA.633924](https://doi.org/10.1594/PANGAEA.633924) (2007).
- 451.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB4D, doi:[10.1594/PANGAEA.633925](https://doi.org/10.1594/PANGAEA.633925) (2007).
- 452.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Carall Bernat, plot CBB4E, doi:[10.1594/PANGAEA.633926](https://doi.org/10.1594/PANGAEA.633926) (2007).
- 453.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E2D, doi:[10.1594/PANGAEA.633927](https://doi.org/10.1594/PANGAEA.633927) (2007).
- 454.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E2E, doi:[10.1594/PANGAEA.633928](https://doi.org/10.1594/PANGAEA.633928) (2007).
- 455.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E3D, doi:[10.1594/PANGAEA.633929](https://doi.org/10.1594/PANGAEA.633929) (2007).
- 456.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E3E, doi:[10.1594/PANGAEA.633930](https://doi.org/10.1594/PANGAEA.633930) (2007).
- 457.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E4, doi:[10.1594/PANGAEA.633931](https://doi.org/10.1594/PANGAEA.633931) (2007).
- 458.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E5Dcostat, doi:[10.1594/PANGAEA.633932](https://doi.org/10.1594/PANGAEA.633932) (2007).
- 459.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E5D, doi:[10.1594/PANGAEA.633933](https://doi.org/10.1594/PANGAEA.633933) (2007).
- 460.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E5Ecostat, doi:[10.1594/PANGAEA.633934](https://doi.org/10.1594/PANGAEA.633934) (2007).
- 461.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E5E, doi:[10.1594/PANGAEA.633935](https://doi.org/10.1594/PANGAEA.633935) (2007).
- 462.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E6D, doi:[10.1594/PANGAEA.633936](https://doi.org/10.1594/PANGAEA.633936) (2007).
- 463.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot E6E, doi:[10.1594/PANGAEA.633937](https://doi.org/10.1594/PANGAEA.633937) (2007).
- 464.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L1_L2, doi:[10.1594/PANGAEA.633938](https://doi.org/10.1594/PANGAEA.633938) (2007).
- 465.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L3D, doi:[10.1594/PANGAEA.633939](https://doi.org/10.1594/PANGAEA.633939) (2007).

- 466.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L3E, doi:[10.1594/PANGAEA.633940](https://doi.org/10.1594/PANGAEA.633940) (2007).
- 467.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L4D, doi:[10.1594/PANGAEA.633941](https://doi.org/10.1594/PANGAEA.633941) (2007).
- 468.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L4E, doi:[10.1594/PANGAEA.633942](https://doi.org/10.1594/PANGAEA.633942) (2007).
- 469.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L5D, doi:[10.1594/PANGAEA.633943](https://doi.org/10.1594/PANGAEA.633943) (2007).
- 470.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L5E, doi:[10.1594/PANGAEA.633944](https://doi.org/10.1594/PANGAEA.633944) (2007).
- 471.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L6D, doi:[10.1594/PANGAEA.633945](https://doi.org/10.1594/PANGAEA.633945) (2007).
- 472.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L6E, doi:[10.1594/PANGAEA.633946](https://doi.org/10.1594/PANGAEA.633946) (2007).
- 473.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L7D, doi:[10.1594/PANGAEA.633947](https://doi.org/10.1594/PANGAEA.633947) (2007).
- 474.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot L7E, doi:[10.1594/PANGAEA.633948](https://doi.org/10.1594/PANGAEA.633948) (2007).
- 475.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V3D, doi:[10.1594/PANGAEA.633949](https://doi.org/10.1594/PANGAEA.633949) (2007).
- 476.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V3E, doi:[10.1594/PANGAEA.633950](https://doi.org/10.1594/PANGAEA.633950) (2007).
- 477.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V4D, doi:[10.1594/PANGAEA.633951](https://doi.org/10.1594/PANGAEA.633951) (2007).
- 478.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V4E, doi:[10.1594/PANGAEA.633952](https://doi.org/10.1594/PANGAEA.633952) (2007).
- 479.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V5D, doi:[10.1594/PANGAEA.633953](https://doi.org/10.1594/PANGAEA.633953) (2007).
- 480.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V5E, doi:[10.1594/PANGAEA.633954](https://doi.org/10.1594/PANGAEA.633954) (2007).
- 481.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V6D, doi:[10.1594/PANGAEA.633955](https://doi.org/10.1594/PANGAEA.633955) (2007).
- 482.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Medes, site Pota de Llop, plot V6E, doi:[10.1594/PANGAEA.633956](https://doi.org/10.1594/PANGAEA.633956) (2007).
- 483.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M1D, doi:[10.1594/PANGAEA.633957](https://doi.org/10.1594/PANGAEA.633957) (2007).
- 484.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M1E, doi:[10.1594/PANGAEA.633958](https://doi.org/10.1594/PANGAEA.633958) (2007).
- 485.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M2D, doi:[10.1594/PANGAEA.633959](https://doi.org/10.1594/PANGAEA.633959) (2007).
- 486.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M2E, doi:[10.1594/PANGAEA.633960](https://doi.org/10.1594/PANGAEA.633960) (2007).
- 487.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M3D, doi:[10.1594/PANGAEA.633961](https://doi.org/10.1594/PANGAEA.633961) (2007).
- 488.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M3E, doi:[10.1594/PANGAEA.633962](https://doi.org/10.1594/PANGAEA.633962) (2007).
- 489.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M4D, doi:[10.1594/PANGAEA.633963](https://doi.org/10.1594/PANGAEA.633963) (2007).

490. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M4E, doi:[10.1594/PANGAEA.633964](https://doi.org/10.1594/PANGAEA.633964) (2007).
491. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M5D, doi:[10.1594/PANGAEA.633965](https://doi.org/10.1594/PANGAEA.633965) (2007).
492. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M5E, doi:[10.1594/PANGAEA.633966](https://doi.org/10.1594/PANGAEA.633966) (2007).
493. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M6D, doi:[10.1594/PANGAEA.633967](https://doi.org/10.1594/PANGAEA.633967) (2007).
494. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M6E, doi:[10.1594/PANGAEA.633968](https://doi.org/10.1594/PANGAEA.633968) (2007).
495. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M7D, doi:[10.1594/PANGAEA.633969](https://doi.org/10.1594/PANGAEA.633969) (2007).
496. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M7E, doi:[10.1594/PANGAEA.633970](https://doi.org/10.1594/PANGAEA.633970) (2007).
497. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M8D, doi:[10.1594/PANGAEA.633971](https://doi.org/10.1594/PANGAEA.633971) (2007).
498. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Moyade, plot M8E, doi:[10.1594/PANGAEA.633972](https://doi.org/10.1594/PANGAEA.633972) (2007).
499. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P1D, doi:[10.1594/PANGAEA.633973](https://doi.org/10.1594/PANGAEA.633973) (2007).
500. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P1E, doi:[10.1594/PANGAEA.633974](https://doi.org/10.1594/PANGAEA.633974) (2007).
501. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P2D, doi:[10.1594/PANGAEA.633975](https://doi.org/10.1594/PANGAEA.633975) (2007).
502. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P2E, doi:[10.1594/PANGAEA.633976](https://doi.org/10.1594/PANGAEA.633976) (2007).
503. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P3D, doi:[10.1594/PANGAEA.633977](https://doi.org/10.1594/PANGAEA.633977) (2007).
504. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P3E, doi:[10.1594/PANGAEA.633978](https://doi.org/10.1594/PANGAEA.633978) (2007).
505. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P4D, doi:[10.1594/PANGAEA.633979](https://doi.org/10.1594/PANGAEA.633979) (2007).
506. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P4E, doi:[10.1594/PANGAEA.633980](https://doi.org/10.1594/PANGAEA.633980) (2007).
507. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P5D, doi:[10.1594/PANGAEA.633981](https://doi.org/10.1594/PANGAEA.633981) (2007).
508. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P5E, doi:[10.1594/PANGAEA.633982](https://doi.org/10.1594/PANGAEA.633982) (2007).
509. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P6D, doi:[10.1594/PANGAEA.633983](https://doi.org/10.1594/PANGAEA.633983) (2007).
510. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P6E, doi:[10.1594/PANGAEA.633984](https://doi.org/10.1594/PANGAEA.633984) (2007).
511. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P7D, doi:[10.1594/PANGAEA.633985](https://doi.org/10.1594/PANGAEA.633985) (2007).
512. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P7E, doi:[10.1594/PANGAEA.633986](https://doi.org/10.1594/PANGAEA.633986) (2007).
513. Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P8D, doi:[10.1594/PANGAEA.633987](https://doi.org/10.1594/PANGAEA.633987) (2007).

- 514.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Plane Grotte à Peres, plot P8E, doi:[10.1594/PANGAEA.633988](https://doi.org/10.1594/PANGAEA.633988) (2007).
- 515.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R1D, doi:[10.1594/PANGAEA.633989](https://doi.org/10.1594/PANGAEA.633989) (2007).
- 516.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R1E, doi:[10.1594/PANGAEA.633990](https://doi.org/10.1594/PANGAEA.633990) (2007).
- 517.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R2D, doi:[10.1594/PANGAEA.633991](https://doi.org/10.1594/PANGAEA.633991) (2007).
- 518.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R2E, doi:[10.1594/PANGAEA.633992](https://doi.org/10.1594/PANGAEA.633992) (2007).
- 519.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R3D, doi:[10.1594/PANGAEA.633993](https://doi.org/10.1594/PANGAEA.633993) (2007).
- 520.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R3E, doi:[10.1594/PANGAEA.633994](https://doi.org/10.1594/PANGAEA.633994) (2007).
- 521.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R4D, doi:[10.1594/PANGAEA.633995](https://doi.org/10.1594/PANGAEA.633995) (2007).
- 522.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R4E, doi:[10.1594/PANGAEA.633996](https://doi.org/10.1594/PANGAEA.633996) (2007).
- 523.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R5D, doi:[10.1594/PANGAEA.633997](https://doi.org/10.1594/PANGAEA.633997) (2007).
- 524.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R5E, doi:[10.1594/PANGAEA.633998](https://doi.org/10.1594/PANGAEA.633998) (2007).
- 525.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R6D, doi:[10.1594/PANGAEA.633999](https://doi.org/10.1594/PANGAEA.633999) (2007).
- 526.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R6E, doi:[10.1594/PANGAEA.634000](https://doi.org/10.1594/PANGAEA.634000) (2007).
- 527.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R7D, doi:[10.1594/PANGAEA.634001](https://doi.org/10.1594/PANGAEA.634001) (2007).
- 528.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R7E, doi:[10.1594/PANGAEA.634002](https://doi.org/10.1594/PANGAEA.634002) (2007).
- 529.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R8D, doi:[10.1594/PANGAEA.634003](https://doi.org/10.1594/PANGAEA.634003) (2007).
- 530.** Garrabou, J. & Teixidó, N. Sea-bed images of permanent plots of rocky benthos at Marseille, site Riou Sud, plot R8E, doi:[10.1594/PANGAEA.634004](https://doi.org/10.1594/PANGAEA.634004) (2007).
- 531.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 020612_MGC_RG_TCP, doi:[10.1594/PANGAEA.634008](https://doi.org/10.1594/PANGAEA.634008) (2007).
- 532.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 020614_MGC_RG_TCP, doi:[10.1594/PANGAEA.634209](https://doi.org/10.1594/PANGAEA.634209) (2007).
- 533.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 020621_MGC_RG_TCP, doi:[10.1594/PANGAEA.634210](https://doi.org/10.1594/PANGAEA.634210) (2007).
- 534.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 020919_MGC_RG_TCP, doi:[10.1594/PANGAEA.634211](https://doi.org/10.1594/PANGAEA.634211) (2007).
- 535.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 030213_MGC_RG_TCP, doi:[10.1594/PANGAEA.634212](https://doi.org/10.1594/PANGAEA.634212) (2007).
- 536.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 030401_MGC_RG_TCP, doi:[10.1594/PANGAEA.634213](https://doi.org/10.1594/PANGAEA.634213) (2007).
- 537.** Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 030801_MGC_RG_TCP, doi:[10.1594/PANGAEA.634214](https://doi.org/10.1594/PANGAEA.634214) (2007).

538. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Plane Grotte à Peres, transect 030801_PGP_RG_TCP, doi:[10.1594/PANGAEA.634215](https://doi.org/10.1594/PANGAEA.634215) (2007).
539. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 040212_MGC_RG_TCP, doi:[10.1594/PANGAEA.634216](https://doi.org/10.1594/PANGAEA.634216) (2007).
540. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 041013_MGC_RG_TCP, doi:[10.1594/PANGAEA.634217](https://doi.org/10.1594/PANGAEA.634217) (2007).
541. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Plane Grotte à Peres, transect 050308_PGP_RG_TCP, doi:[10.1594/PANGAEA.634218](https://doi.org/10.1594/PANGAEA.634218) (2007).
542. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 050310_MGC_RG_TCP, doi:[10.1594/PANGAEA.634219](https://doi.org/10.1594/PANGAEA.634219) (2007).
543. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Riou Sud, transect 050527_RRS_RG_TCP, doi:[10.1594/PANGAEA.634220](https://doi.org/10.1594/PANGAEA.634220) (2007).
544. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Maire Grotte à Corail, transect 060320_MGC_RG_TCP, doi:[10.1594/PANGAEA.634221](https://doi.org/10.1594/PANGAEA.634221) (2007).
545. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Riou Sud, transect 060410_RRS_RG_TCP, doi:[10.1594/PANGAEA.634222](https://doi.org/10.1594/PANGAEA.634222) (2007).
546. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Riou Sud, transect 060619_RRS_RG_TCP, doi:[10.1594/PANGAEA.634223](https://doi.org/10.1594/PANGAEA.634223) (2007).
547. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Riou Sud, transect 060724_RRS_RG_TCP, doi:[10.1594/PANGAEA.634224](https://doi.org/10.1594/PANGAEA.634224) (2007).
548. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Plane Grotte à Peres, transect 060726_PGP_RG_TCP, doi:[10.1594/PANGAEA.634225](https://doi.org/10.1594/PANGAEA.634225) (2007).
549. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of red coral demography study at Marseille, site Riou Sud, transect 070312_RRS_RG_TCP, doi:[10.1594/PANGAEA.634227](https://doi.org/10.1594/PANGAEA.634227) (2007).
550. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral demography study at Medes, site Cova de Dofi, transect 060713_MGD_RG_TCP, doi:[10.1594/PANGAEA.634229](https://doi.org/10.1594/PANGAEA.634229) (2007).
551. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral demography study at Medes, site Cova de Dofi, transect O_070205_MGD_RG_TCP, doi:[10.1594/PANGAEA.634232](https://doi.org/10.1594/PANGAEA.634232) (2007).
552. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral demography study at Medes, site Cova de la Reina, transect 070206_MRN_RG_TCP, doi:[10.1594/PANGAEA.634233](https://doi.org/10.1594/PANGAEA.634233) (2007).
553. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral biodiversity study at Marseille, site Riou Sud, transect 070312_RRS_RG_TPI, doi:[10.1594/PANGAEA.634234](https://doi.org/10.1594/PANGAEA.634234) (2007).
554. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral biodiversity study at Marseille, site Plane Grotte à Peres, transect 070314_PGP_RG_TPI, doi:[10.1594/PANGAEA.634235](https://doi.org/10.1594/PANGAEA.634235) (2007).
555. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral biodiversity study at Marseille, site Maire Grotte à Corail, transect 070315_MGC_RG_TPI, doi:[10.1594/PANGAEA.634236](https://doi.org/10.1594/PANGAEA.634236) (2007).
556. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral biodiversity study at Medes, site Cova de Dofi, transect 070205_MGD_RG_TPI, doi:[10.1594/PANGAEA.634240](https://doi.org/10.1594/PANGAEA.634240) (2007).
557. Garrabou, J. *et al.* Sea-bed images of permanent transects of red coral biodiversity study at Medes, site Cova de la Reina, transect 070206_MRN_RG_TPI, doi:[10.1594/PANGAEA.634241](https://doi.org/10.1594/PANGAEA.634241) (2007).
558. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Plane Grotte à Peres, transect 061010_PGP_QPP_20D, doi:[10.1594/PANGAEA.634242](https://doi.org/10.1594/PANGAEA.634242) (2007).
559. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Plane Grotte à Peres, transect 061012_PGP_QPP_20G, doi:[10.1594/PANGAEA.634243](https://doi.org/10.1594/PANGAEA.634243) (2007).
560. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Petit congloue, transect 070118_PCO_RG_QPP_19D, doi:[10.1594/PANGAEA.634244](https://doi.org/10.1594/PANGAEA.634244) (2007).
561. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Petit congloue, transect 070118_PCO_RG_QPP_19G, doi:[10.1594/PANGAEA.634245](https://doi.org/10.1594/PANGAEA.634245) (2007).

562. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Petit congloue, transect 070118_PCO_RG_QPP_22M, doi:[10.1594/PANGAEA.634246](https://doi.org/10.1594/PANGAEA.634246) (2007).
563. Garrabou, J. *et al.* Sea-bed images of permanent transects of paramuricea biodiversity study at Medes, site El Medallo, transect 060711_MME_RG_QPP_15, doi:[10.1594/PANGAEA.634248](https://doi.org/10.1594/PANGAEA.634248) (2007).
564. Garrabou, J. *et al.* Sea-bed images of permanent transects of paramuricea biodiversity study at Medes, site El Tascon petit, transect 060711_MPT_RG_QPP_17, doi:[10.1594/PANGAEA.634249](https://doi.org/10.1594/PANGAEA.634249) (2007).
565. Garrabou, J. *et al.* Sea-bed images of permanent transects of paramuricea biodiversity study at Medes, site Carall Bernat, transect 060711_MR_B_RG_QPP_20, doi:[10.1594/PANGAEA.634250](https://doi.org/10.1594/PANGAEA.634250) (2007).
566. Garrabou, J. *et al.* Sea-bed images of permanent transects of paramuricea biodiversity study at Medes, site El Medallo, transect 070711_MME_JG_QPP_15, doi:[10.1594/PANGAEA.634251](https://doi.org/10.1594/PANGAEA.634251) (2007).
567. Garrabou, J., Graille, R., Fourt, M. & Zuberer, F. Sea-bed images of permanent transects of paramuricea biodiversity study at Marseille, site Plane Grotte à Peres, transect 070213_PGP_RG_QPP_20G, doi:[10.1594/PANGAEA.634252](https://doi.org/10.1594/PANGAEA.634252) (2007).
568. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/004, doi:[10.1594/PANGAEA.666934](https://doi.org/10.1594/PANGAEA.666934) (2007).
569. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/005, doi:[10.1594/PANGAEA.666935](https://doi.org/10.1594/PANGAEA.666935) (2007).
570. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/006, doi:[10.1594/PANGAEA.666936](https://doi.org/10.1594/PANGAEA.666936) (2007).
571. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/007, doi:[10.1594/PANGAEA.666937](https://doi.org/10.1594/PANGAEA.666937) (2007).
572. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/008, doi:[10.1594/PANGAEA.666938](https://doi.org/10.1594/PANGAEA.666938) (2007).
573. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/009, doi:[10.1594/PANGAEA.666939](https://doi.org/10.1594/PANGAEA.666939) (2007).
574. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/010, doi:[10.1594/PANGAEA.666940](https://doi.org/10.1594/PANGAEA.666940) (2007).
575. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/011, doi:[10.1594/PANGAEA.666941](https://doi.org/10.1594/PANGAEA.666941) (2007).
576. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/012, doi:[10.1594/PANGAEA.666942](https://doi.org/10.1594/PANGAEA.666942) (2007).
577. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/013, doi:[10.1594/PANGAEA.666943](https://doi.org/10.1594/PANGAEA.666943) (2007).
578. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/014, doi:[10.1594/PANGAEA.666944](https://doi.org/10.1594/PANGAEA.666944) (2007).
579. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/015, doi:[10.1594/PANGAEA.666945](https://doi.org/10.1594/PANGAEA.666945) (2007).
580. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/016, doi:[10.1594/PANGAEA.666946](https://doi.org/10.1594/PANGAEA.666946) (2007).
581. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/017, doi:[10.1594/PANGAEA.666947](https://doi.org/10.1594/PANGAEA.666947) (2007).
582. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/018, doi:[10.1594/PANGAEA.666948](https://doi.org/10.1594/PANGAEA.666948) (2007).
583. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/019, doi:[10.1594/PANGAEA.666949](https://doi.org/10.1594/PANGAEA.666949) (2007).
584. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/020, doi:[10.1594/PANGAEA.666950](https://doi.org/10.1594/PANGAEA.666950) (2007).

585. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/021, doi:[10.1594/PANGAEA.666951](https://doi.org/10.1594/PANGAEA.666951) (2007).
586. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/022, doi:[10.1594/PANGAEA.666952](https://doi.org/10.1594/PANGAEA.666952) (2007).
587. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/023, doi:[10.1594/PANGAEA.666953](https://doi.org/10.1594/PANGAEA.666953) (2007).
588. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/024, doi:[10.1594/PANGAEA.666954](https://doi.org/10.1594/PANGAEA.666954) (2007).
589. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/025, doi:[10.1594/PANGAEA.666955](https://doi.org/10.1594/PANGAEA.666955) (2007).
590. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/026, doi:[10.1594/PANGAEA.666956](https://doi.org/10.1594/PANGAEA.666956) (2007).
591. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/027, doi:[10.1594/PANGAEA.666957](https://doi.org/10.1594/PANGAEA.666957) (2007).
592. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/028, doi:[10.1594/PANGAEA.666958](https://doi.org/10.1594/PANGAEA.666958) (2007).
593. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/029, doi:[10.1594/PANGAEA.666959](https://doi.org/10.1594/PANGAEA.666959) (2007).
594. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/030, doi:[10.1594/PANGAEA.666960](https://doi.org/10.1594/PANGAEA.666960) (2007).
595. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/031, doi:[10.1594/PANGAEA.666961](https://doi.org/10.1594/PANGAEA.666961) (2007).
596. Gutt, J., Rossi, S. & Gili, J.-M. Sea-bed photographs (benthos) from the NW Mediterranean along ROV profile GC2002/032, doi:[10.1594/PANGAEA.666962](https://doi.org/10.1594/PANGAEA.666962) (2007).
597. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/034-1, doi:[10.1594/PANGAEA.666972](https://doi.org/10.1594/PANGAEA.666972) (2007).
598. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/042-1, doi:[10.1594/PANGAEA.666973](https://doi.org/10.1594/PANGAEA.666973) (2007).
599. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/043-1, doi:[10.1594/PANGAEA.666974](https://doi.org/10.1594/PANGAEA.666974) (2007).
600. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/044-1, doi:[10.1594/PANGAEA.666975](https://doi.org/10.1594/PANGAEA.666975) (2007).
601. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/053-1, doi:[10.1594/PANGAEA.666976](https://doi.org/10.1594/PANGAEA.666976) (2007).
602. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/054-1, doi:[10.1594/PANGAEA.666977](https://doi.org/10.1594/PANGAEA.666977) (2007).
603. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/055-1, doi:[10.1594/PANGAEA.666978](https://doi.org/10.1594/PANGAEA.666978) (2007).
604. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/086-1, doi:[10.1594/PANGAEA.666979](https://doi.org/10.1594/PANGAEA.666979) (2007).
605. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/087-1, doi:[10.1594/PANGAEA.666980](https://doi.org/10.1594/PANGAEA.666980) (2007).
606. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/088-1, doi:[10.1594/PANGAEA.666981](https://doi.org/10.1594/PANGAEA.666981) (2007).
607. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/089-1, doi:[10.1594/PANGAEA.666982](https://doi.org/10.1594/PANGAEA.666982) (2007).
608. Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/118-1, doi:[10.1594/PANGAEA.666983](https://doi.org/10.1594/PANGAEA.666983) (2007).

- 609.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/120-1, doi:[10.1594/PANGAEA.666984](https://doi.org/10.1594/PANGAEA.666984) (2007).
- 610.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/147-1, doi:[10.1594/PANGAEA.666985](https://doi.org/10.1594/PANGAEA.666985) (2007).
- 611.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/155-1, doi:[10.1594/PANGAEA.666986](https://doi.org/10.1594/PANGAEA.666986) (2007).
- 612.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/186-1, doi:[10.1594/PANGAEA.666987](https://doi.org/10.1594/PANGAEA.666987) (2007).
- 613.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/188-1, doi:[10.1594/PANGAEA.666988](https://doi.org/10.1594/PANGAEA.666988) (2007).
- 614.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/189-1, doi:[10.1594/PANGAEA.666989](https://doi.org/10.1594/PANGAEA.666989) (2007).
- 615.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/198-1, doi:[10.1594/PANGAEA.666990](https://doi.org/10.1594/PANGAEA.666990) (2007).
- 616.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/200-1, doi:[10.1594/PANGAEA.666991](https://doi.org/10.1594/PANGAEA.666991) (2007).
- 617.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/246-1, doi:[10.1594/PANGAEA.666992](https://doi.org/10.1594/PANGAEA.666992) (2007).
- 618.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/246-2, doi:[10.1594/PANGAEA.666993](https://doi.org/10.1594/PANGAEA.666993) (2007).
- 619.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/247-1, doi:[10.1594/PANGAEA.666994](https://doi.org/10.1594/PANGAEA.666994) (2007).
- 620.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/267-1, doi:[10.1594/PANGAEA.666995](https://doi.org/10.1594/PANGAEA.666995) (2007).
- 621.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/268-1, doi:[10.1594/PANGAEA.666996](https://doi.org/10.1594/PANGAEA.666996) (2007).
- 622.** Gutt, J. & Potthoff, M. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/275-1, doi:[10.1594/PANGAEA.666997](https://doi.org/10.1594/PANGAEA.666997) (2007).
- 623.** Gutt, J. Photographs of sea-ice subsurface off NE Greenland along ROV profile PS26/119-15, doi:[10.1594/PANGAEA.667005](https://doi.org/10.1594/PANGAEA.667005) (2007).
- 624.** Gutt, J. Photographs of sea-ice subsurface off NE Greenland along ROV profile PS26/140-7, doi:[10.1594/PANGAEA.667006](https://doi.org/10.1594/PANGAEA.667006) (2007).
- 625.** Gutt, J. Photographs of sea-ice subsurface off NE Greenland along ROV profile PS26/174-1, doi:[10.1594/PANGAEA.667007](https://doi.org/10.1594/PANGAEA.667007) (2007).
- 626.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/126-2, doi:[10.1594/PANGAEA.667008](https://doi.org/10.1594/PANGAEA.667008) (2007).
- 627.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/126-6, doi:[10.1594/PANGAEA.667009](https://doi.org/10.1594/PANGAEA.667009) (2007).
- 628.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/129-1, doi:[10.1594/PANGAEA.667010](https://doi.org/10.1594/PANGAEA.667010) (2007).
- 629.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/131-1, doi:[10.1594/PANGAEA.667011](https://doi.org/10.1594/PANGAEA.667011) (2007).
- 630.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/134-1, doi:[10.1594/PANGAEA.667012](https://doi.org/10.1594/PANGAEA.667012) (2007).
- 631.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/135-1, doi:[10.1594/PANGAEA.667013](https://doi.org/10.1594/PANGAEA.667013) (2007).
- 632.** Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/136-4, doi:[10.1594/PANGAEA.667014](https://doi.org/10.1594/PANGAEA.667014) (2007).

633. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/160-2, doi:[10.1594/PANGAEA.667015](https://doi.org/10.1594/PANGAEA.667015) (2007).
634. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/162-1, doi:[10.1594/PANGAEA.667016](https://doi.org/10.1594/PANGAEA.667016) (2007).
635. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/165-1, doi:[10.1594/PANGAEA.667017](https://doi.org/10.1594/PANGAEA.667017) (2007).
636. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/169-2, doi:[10.1594/PANGAEA.667018](https://doi.org/10.1594/PANGAEA.667018) (2007).
637. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/171-1, doi:[10.1594/PANGAEA.667019](https://doi.org/10.1594/PANGAEA.667019) (2007).
638. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/173-2, doi:[10.1594/PANGAEA.667020](https://doi.org/10.1594/PANGAEA.667020) (2007).
639. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/174-1, doi:[10.1594/PANGAEA.667021](https://doi.org/10.1594/PANGAEA.667021) (2007).
640. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/175-2, doi:[10.1594/PANGAEA.667022](https://doi.org/10.1594/PANGAEA.667022) (2007).
641. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/179-1, doi:[10.1594/PANGAEA.667023](https://doi.org/10.1594/PANGAEA.667023) (2007).
642. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/180-2, doi:[10.1594/PANGAEA.667024](https://doi.org/10.1594/PANGAEA.667024) (2007).
643. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/182-1, doi:[10.1594/PANGAEA.667025](https://doi.org/10.1594/PANGAEA.667025) (2007).
644. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/189-2, doi:[10.1594/PANGAEA.667026](https://doi.org/10.1594/PANGAEA.667026) (2007).
645. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/206-2, doi:[10.1594/PANGAEA.667027](https://doi.org/10.1594/PANGAEA.667027) (2007).
646. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/207-1, doi:[10.1594/PANGAEA.667028](https://doi.org/10.1594/PANGAEA.667028) (2007).
647. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/211-1, doi:[10.1594/PANGAEA.667029](https://doi.org/10.1594/PANGAEA.667029) (2007).
648. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/212-2, doi:[10.1594/PANGAEA.667030](https://doi.org/10.1594/PANGAEA.667030) (2007).
649. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/220-1, doi:[10.1594/PANGAEA.667031](https://doi.org/10.1594/PANGAEA.667031) (2007).
650. Gutt, J. Sea-bed photographs (benthos) from the Weddell and Lazarev Seas (Antarctica) along profile PS18/222-1, doi:[10.1594/PANGAEA.667032](https://doi.org/10.1594/PANGAEA.667032) (2007).
651. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/115-8, doi:[10.1594/PANGAEA.667047](https://doi.org/10.1594/PANGAEA.667047) (2007).
652. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/127-6, doi:[10.1594/PANGAEA.667049](https://doi.org/10.1594/PANGAEA.667049) (2007).
653. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/128-4, doi:[10.1594/PANGAEA.667050](https://doi.org/10.1594/PANGAEA.667050) (2007).
654. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/145-13, doi:[10.1594/PANGAEA.667052](https://doi.org/10.1594/PANGAEA.667052) (2007).
655. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/155-11, doi:[10.1594/PANGAEA.667053](https://doi.org/10.1594/PANGAEA.667053) (2007).
656. Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/163-6, doi:[10.1594/PANGAEA.667054](https://doi.org/10.1594/PANGAEA.667054) (2007).

- 657.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/172-3, doi:[10.1594/PANGAEA.667055](https://doi.org/10.1594/PANGAEA.667055) (2007).
- 658.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/189-5, doi:[10.1594/PANGAEA.667057](https://doi.org/10.1594/PANGAEA.667057) (2007).
- 659.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/190-3, doi:[10.1594/PANGAEA.667058](https://doi.org/10.1594/PANGAEA.667058) (2007).
- 660.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/230-1, doi:[10.1594/PANGAEA.667059](https://doi.org/10.1594/PANGAEA.667059) (2007).
- 661.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/232-5, doi:[10.1594/PANGAEA.667060](https://doi.org/10.1594/PANGAEA.667060) (2007).
- 662.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/234-4, doi:[10.1594/PANGAEA.667061](https://doi.org/10.1594/PANGAEA.667061) (2007).
- 663.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/239-1, doi:[10.1594/PANGAEA.667062](https://doi.org/10.1594/PANGAEA.667062) (2007).
- 664.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/240-6, doi:[10.1594/PANGAEA.667063](https://doi.org/10.1594/PANGAEA.667063) (2007).
- 665.** Gutt, J. Sea-bed photographs (benthos) from the shelf off NE Greenland along ROV profile PS26/242-4, doi:[10.1594/PANGAEA.667064](https://doi.org/10.1594/PANGAEA.667064) (2007).
- 666.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0871, doi:[10.1594/PANGAEA.691514](https://doi.org/10.1594/PANGAEA.691514) (1994).
- 667.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0879, doi:[10.1594/PANGAEA.691515](https://doi.org/10.1594/PANGAEA.691515) (1994).
- 668.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0880, doi:[10.1594/PANGAEA.691516](https://doi.org/10.1594/PANGAEA.691516) (1994).
- 669.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0885, doi:[10.1594/PANGAEA.691517](https://doi.org/10.1594/PANGAEA.691517) (1994).
- 670.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0890, doi:[10.1594/PANGAEA.691518](https://doi.org/10.1594/PANGAEA.691518) (1994).
- 671.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0917, doi:[10.1594/PANGAEA.691519](https://doi.org/10.1594/PANGAEA.691519) (1994).
- 672.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0921, doi:[10.1594/PANGAEA.691520](https://doi.org/10.1594/PANGAEA.691520) (1994).
- 673.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0927, doi:[10.1594/PANGAEA.691521](https://doi.org/10.1594/PANGAEA.691521) (1994).
- 674.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0951, doi:[10.1594/PANGAEA.691522](https://doi.org/10.1594/PANGAEA.691522) (1994).
- 675.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0957, doi:[10.1594/PANGAEA.691523](https://doi.org/10.1594/PANGAEA.691523) (1994).
- 676.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0959, doi:[10.1594/PANGAEA.691524](https://doi.org/10.1594/PANGAEA.691524) (1994).
- 677.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0964, doi:[10.1594/PANGAEA.691525](https://doi.org/10.1594/PANGAEA.691525) (1994).
- 678.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_0968, doi:[10.1594/PANGAEA.691526](https://doi.org/10.1594/PANGAEA.691526) (1994).
- 679.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1030, doi:[10.1594/PANGAEA.691527](https://doi.org/10.1594/PANGAEA.691527) (1994).
- 680.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1035, doi:[10.1594/PANGAEA.691528](https://doi.org/10.1594/PANGAEA.691528) (1994).

- 681.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1041, doi:[10.1594/PANGAEA.691529](https://doi.org/10.1594/PANGAEA.691529) (1994).
- 682.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1057, doi:[10.1594/PANGAEA.691530](https://doi.org/10.1594/PANGAEA.691530) (1994).
- 683.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1058, doi:[10.1594/PANGAEA.691531](https://doi.org/10.1594/PANGAEA.691531) (1994).
- 684.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1072, doi:[10.1594/PANGAEA.691532](https://doi.org/10.1594/PANGAEA.691532) (1994).
- 685.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1073, doi:[10.1594/PANGAEA.691533](https://doi.org/10.1594/PANGAEA.691533) (1994).
- 686.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1079, doi:[10.1594/PANGAEA.691534](https://doi.org/10.1594/PANGAEA.691534) (1994).
- 687.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1085, doi:[10.1594/PANGAEA.691535](https://doi.org/10.1594/PANGAEA.691535) (1994).
- 688.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1090, doi:[10.1594/PANGAEA.691536](https://doi.org/10.1594/PANGAEA.691536) (1994).
- 689.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1106, doi:[10.1594/PANGAEA.691537](https://doi.org/10.1594/PANGAEA.691537) (1994).
- 690.** Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1125, doi:[10.1594/PANGAEA.691538](https://doi.org/10.1594/PANGAEA.691538) (1994).
- 691.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1146, doi:[10.1594/PANGAEA.691539](https://doi.org/10.1594/PANGAEA.691539) (1994).
- 692.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1148, doi:[10.1594/PANGAEA.691540](https://doi.org/10.1594/PANGAEA.691540) (1994).
- 693.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1163, doi:[10.1594/PANGAEA.691541](https://doi.org/10.1594/PANGAEA.691541) (1994).
- 694.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1167, doi:[10.1594/PANGAEA.691542](https://doi.org/10.1594/PANGAEA.691542) (1994).
- 695.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1177, doi:[10.1594/PANGAEA.691543](https://doi.org/10.1594/PANGAEA.691543) (1994).
- 696.** Gutt, J. & Schickan, T. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1193, doi:[10.1594/PANGAEA.691544](https://doi.org/10.1594/PANGAEA.691544) (1994).
- 697.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/354, doi:[10.1594/PANGAEA.691545](https://doi.org/10.1594/PANGAEA.691545) (1988).
- 698.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/366, doi:[10.1594/PANGAEA.691546](https://doi.org/10.1594/PANGAEA.691546) (1988).
- 699.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/368, doi:[10.1594/PANGAEA.691547](https://doi.org/10.1594/PANGAEA.691547) (1988).
- 700.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/372, doi:[10.1594/PANGAEA.691548](https://doi.org/10.1594/PANGAEA.691548) (1988).
- 701.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/374, doi:[10.1594/PANGAEA.691549](https://doi.org/10.1594/PANGAEA.691549) (1988).
- 702.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/376, doi:[10.1594/PANGAEA.691550](https://doi.org/10.1594/PANGAEA.691550) (1988).
- 703.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/378, doi:[10.1594/PANGAEA.691551](https://doi.org/10.1594/PANGAEA.691551) (1988).
- 704.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/380, doi:[10.1594/PANGAEA.691552](https://doi.org/10.1594/PANGAEA.691552) (1988).

- 705.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/384, doi:[10.1594/PANGAEA.691553](https://doi.org/10.1594/PANGAEA.691553) (1988).
- 706.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/396, doi:[10.1594/PANGAEA.691554](https://doi.org/10.1594/PANGAEA.691554) (1988).
- 707.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/471, doi:[10.1594/PANGAEA.691555](https://doi.org/10.1594/PANGAEA.691555) (1988).
- 708.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/503, doi:[10.1594/PANGAEA.691556](https://doi.org/10.1594/PANGAEA.691556) (1988).
- 709.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/504, doi:[10.1594/PANGAEA.691557](https://doi.org/10.1594/PANGAEA.691557) (1988).
- 710.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS12/512, doi:[10.1594/PANGAEA.691558](https://doi.org/10.1594/PANGAEA.691558) (1988).
- 711.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/245, doi:[10.1594/PANGAEA.691559](https://doi.org/10.1594/PANGAEA.691559) (1989).
- 712.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/246, doi:[10.1594/PANGAEA.691560](https://doi.org/10.1594/PANGAEA.691560) (1989).
- 713.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/250, doi:[10.1594/PANGAEA.691561](https://doi.org/10.1594/PANGAEA.691561) (1989).
- 714.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/256, doi:[10.1594/PANGAEA.691562](https://doi.org/10.1594/PANGAEA.691562) (1989).
- 715.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/259, doi:[10.1594/PANGAEA.691563](https://doi.org/10.1594/PANGAEA.691563) (1989).
- 716.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/260, doi:[10.1594/PANGAEA.691564](https://doi.org/10.1594/PANGAEA.691564) (1989).
- 717.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/261, doi:[10.1594/PANGAEA.691565](https://doi.org/10.1594/PANGAEA.691565) (1989).
- 718.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/270, doi:[10.1594/PANGAEA.691566](https://doi.org/10.1594/PANGAEA.691566) (1989).
- 719.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/274, doi:[10.1594/PANGAEA.691567](https://doi.org/10.1594/PANGAEA.691567) (1989).
- 720.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/275, doi:[10.1594/PANGAEA.691568](https://doi.org/10.1594/PANGAEA.691568) (1989).
- 721.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/276, doi:[10.1594/PANGAEA.691569](https://doi.org/10.1594/PANGAEA.691569) (1989).
- 722.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/277, doi:[10.1594/PANGAEA.691570](https://doi.org/10.1594/PANGAEA.691570) (1989).
- 723.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/278-2, doi:[10.1594/PANGAEA.691571](https://doi.org/10.1594/PANGAEA.691571) (1989).
- 724.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/278-3, doi:[10.1594/PANGAEA.691572](https://doi.org/10.1594/PANGAEA.691572) (1989).
- 725.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/280, doi:[10.1594/PANGAEA.691573](https://doi.org/10.1594/PANGAEA.691573) (1989).
- 726.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/285, doi:[10.1594/PANGAEA.691574](https://doi.org/10.1594/PANGAEA.691574) (1989).
- 727.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/293, doi:[10.1594/PANGAEA.691575](https://doi.org/10.1594/PANGAEA.691575) (1989).
- 728.** Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/294, doi:[10.1594/PANGAEA.691576](https://doi.org/10.1594/PANGAEA.691576) (1989).

729. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/304, doi:[10.1594/PANGAEA.691577](https://doi.org/10.1594/PANGAEA.691577) (1989).
730. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/305, doi:[10.1594/PANGAEA.691578](https://doi.org/10.1594/PANGAEA.691578) (1989).
731. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/306, doi:[10.1594/PANGAEA.691579](https://doi.org/10.1594/PANGAEA.691579) (1989).
732. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/307, doi:[10.1594/PANGAEA.691580](https://doi.org/10.1594/PANGAEA.691580) (1989).
733. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/312, doi:[10.1594/PANGAEA.691581](https://doi.org/10.1594/PANGAEA.691581) (1989).
734. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/702-5. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702059](https://doi.org/10.1594/PANGAEA.702059) (PANGAEA, 2010).
735. Gutt, J. et al. Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. *Deep. Sea Res. Part II: Top. Stud. Oceanogr.* **58**, 74–83, doi:[10.1016/j.dsr2.2010.05.024](https://doi.org/10.1016/j.dsr2.2010.05.024) (2011).
736. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/706-2. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702062](https://doi.org/10.1594/PANGAEA.702062) (PANGAEA, 2010).
737. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/714-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702064](https://doi.org/10.1594/PANGAEA.702064) (PANGAEA, 2010).
738. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/717-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702065](https://doi.org/10.1594/PANGAEA.702065) (PANGAEA, 2010).
739. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/718-8. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702066](https://doi.org/10.1594/PANGAEA.702066) (PANGAEA, 2010).
740. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/720-2. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702067](https://doi.org/10.1594/PANGAEA.702067) (PANGAEA, 2010).
741. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/724-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702069](https://doi.org/10.1594/PANGAEA.702069) (PANGAEA, 2010).
742. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/725-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702070](https://doi.org/10.1594/PANGAEA.702070) (PANGAEA, 2010).
743. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/726-3. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702072](https://doi.org/10.1594/PANGAEA.702072) (PANGAEA, 2010).
744. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/727-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702073](https://doi.org/10.1594/PANGAEA.702073) (PANGAEA, 2010).
745. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/728-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702074](https://doi.org/10.1594/PANGAEA.702074) (PANGAEA, 2010).
746. Gutt, J. et al. Sea-bed photographs (benthos) along ROV profile PS69/699-1. In Gutt, J et al. (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702075](https://doi.org/10.1594/PANGAEA.702075) (PANGAEA, 2010).

747. Gutt, J. *et al.* Sea-bed photographs (benthos) along ROV profile PS69/703-1. In Gutt, J *et al.* (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702076](https://doi.org/10.1594/PANGAEA.702076) (PANGAEA, 2010).
748. Gutt, J. *et al.* Sea-bed photographs (benthos) along ROV profile PS69/706-1. In Gutt, J *et al.* (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702077](https://doi.org/10.1594/PANGAEA.702077) (PANGAEA, 2010).
749. Gutt, J. *et al.* Sea-bed photographs (benthos) along ROV profile PS69/710-1. In Gutt, J *et al.* (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702078](https://doi.org/10.1594/PANGAEA.702078) (PANGAEA, 2010).
750. Gutt, J. *et al.* Sea-bed photographs (benthos) along ROV profile PS69/722-1. In Gutt, J *et al.* (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702079](https://doi.org/10.1594/PANGAEA.702079) (PANGAEA, 2010).
751. Gutt, J. *et al.* Sea-bed photographs (benthos) along ROV profile PS69/726-2. In Gutt, J *et al.* (2011): *Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep Sea Research Part II: Topical Studies in Oceanography*, 58(1-2), 74-83, <https://doi.org/10.1016/j.dsr2.2010.05.024>, doi:[10.1594/PANGAEA.702080](https://doi.org/10.1594/PANGAEA.702080) (PANGAEA, 2010).
752. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/288, doi:[10.1594/PANGAEA.713323](https://doi.org/10.1594/PANGAEA.713323) (1985).
753. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/289, doi:[10.1594/PANGAEA.713324](https://doi.org/10.1594/PANGAEA.713324) (1985).
754. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/292, doi:[10.1594/PANGAEA.713325](https://doi.org/10.1594/PANGAEA.713325) (1985).
755. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/301, doi:[10.1594/PANGAEA.713326](https://doi.org/10.1594/PANGAEA.713326) (1985).
756. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/302, doi:[10.1594/PANGAEA.713327](https://doi.org/10.1594/PANGAEA.713327) (1985).
757. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/303, doi:[10.1594/PANGAEA.713328](https://doi.org/10.1594/PANGAEA.713328) (1985).
758. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/307, doi:[10.1594/PANGAEA.713329](https://doi.org/10.1594/PANGAEA.713329) (1985).
759. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/309, doi:[10.1594/PANGAEA.713330](https://doi.org/10.1594/PANGAEA.713330) (1985).
760. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/310, doi:[10.1594/PANGAEA.713331](https://doi.org/10.1594/PANGAEA.713331) (1985).
761. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS06/311, doi:[10.1594/PANGAEA.713332](https://doi.org/10.1594/PANGAEA.713332) (1985).
762. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_645, doi:[10.1594/PANGAEA.714871](https://doi.org/10.1594/PANGAEA.714871) (2009).
763. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_648, doi:[10.1594/PANGAEA.714903](https://doi.org/10.1594/PANGAEA.714903) (2009).
764. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_649, doi:[10.1594/PANGAEA.714904](https://doi.org/10.1594/PANGAEA.714904) (2009).
765. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_659, doi:[10.1594/PANGAEA.714905](https://doi.org/10.1594/PANGAEA.714905) (2009).
766. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_660, doi:[10.1594/PANGAEA.714906](https://doi.org/10.1594/PANGAEA.714906) (2009).
767. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_661, doi:[10.1594/PANGAEA.714907](https://doi.org/10.1594/PANGAEA.714907) (2009).
768. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_662, doi:[10.1594/PANGAEA.714908](https://doi.org/10.1594/PANGAEA.714908) (2009).

793. Nørrevang, A., Gutt, J. & Tendal, O. S. Sea-bed photographs (benthos) from the Faroe Islands region along profile HM90/8_712, doi:[10.1594/PANGAEA.714933](https://doi.org/10.1594/PANGAEA.714933) (2009).
794. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15732. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714948](https://doi.org/10.1594/PANGAEA.714948) (PANGAEA, 2008).
795. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Deep-sea scavenging demersal fish fauna of the Nazaré Canyon system, Iberian coast, north-east Atlantic Ocean. *J. Fish Biol.* **72**, 1804–1814, doi:[10.1111/j.1095-8649.2008.01834.x](https://doi.org/10.1111/j.1095-8649.2008.01834.x) (2008).
796. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15740. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714949](https://doi.org/10.1594/PANGAEA.714949) (PANGAEA, 2008).
797. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15745. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714950](https://doi.org/10.1594/PANGAEA.714950) (PANGAEA, 2008).
798. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15747. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714951](https://doi.org/10.1594/PANGAEA.714951) (PANGAEA, 2008).
799. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15754. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714952](https://doi.org/10.1594/PANGAEA.714952) (PANGAEA, 2008).
800. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15764. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714953](https://doi.org/10.1594/PANGAEA.714953) (PANGAEA, 2008).
801. King, N. J., Jamieson, A. J., Bagley, P. M. & Priede, I. G. Sea-bed photographs (benthos) from the baited imaging lander ROBIO D15769. In King, NJ et al. (2008): *Deep-sea scavenging demersal fish fauna of the Nazare Canyon system, Iberian coast, north-east Atlantic Ocean. Journal of Fish Biology*, 72, 1804–1814, <https://doi.org/10.1111/j.1095-8649.2008.01834.x>, doi:[10.1594/PANGAEA.714954](https://doi.org/10.1594/PANGAEA.714954) (PANGAEA, 2008).
802. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1205, doi:[10.1594/PANGAEA.738588](https://doi.org/10.1594/PANGAEA.738588) (2010).
803. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1208, doi:[10.1594/PANGAEA.738589](https://doi.org/10.1594/PANGAEA.738589) (2010).
804. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1217, doi:[10.1594/PANGAEA.738590](https://doi.org/10.1594/PANGAEA.738590) (2010).
805. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1219, doi:[10.1594/PANGAEA.738591](https://doi.org/10.1594/PANGAEA.738591) (2010).
806. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1224, doi:[10.1594/PANGAEA.738592](https://doi.org/10.1594/PANGAEA.738592) (2010).
807. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1229, doi:[10.1594/PANGAEA.738593](https://doi.org/10.1594/PANGAEA.738593) (2010).
808. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1239, doi:[10.1594/PANGAEA.738594](https://doi.org/10.1594/PANGAEA.738594) (2010).
809. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1243, doi:[10.1594/PANGAEA.738595](https://doi.org/10.1594/PANGAEA.738595) (2010).

810. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1276, doi:[10.1594/PANGAEA.738596](https://doi.org/10.1594/PANGAEA.738596) (2010).
811. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1284, doi:[10.1594/PANGAEA.738597](https://doi.org/10.1594/PANGAEA.738597) (2010).
812. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1285, doi:[10.1594/PANGAEA.738598](https://doi.org/10.1594/PANGAEA.738598) (2010).
813. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1293, doi:[10.1594/PANGAEA.738599](https://doi.org/10.1594/PANGAEA.738599) (2010).
814. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1299, doi:[10.1594/PANGAEA.738600](https://doi.org/10.1594/PANGAEA.738600) (2010).
815. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1305, doi:[10.1594/PANGAEA.738601](https://doi.org/10.1594/PANGAEA.738601) (2010).
816. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1311, doi:[10.1594/PANGAEA.738602](https://doi.org/10.1594/PANGAEA.738602) (2010).
817. Gutt, J. Sea-bed photographs (benthos) from the Magellan region (South America) along profile VH1094_1312, doi:[10.1594/PANGAEA.738603](https://doi.org/10.1594/PANGAEA.738603) (2010).
818. Gutt, J. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS14/248-2, doi:[10.1594/PANGAEA.740036](https://doi.org/10.1594/PANGAEA.740036) (2010).
819. Laudien, J. & Orchard, J.-B. Counts of benthos communities in Kongsfjorden in 2009, doi:[10.1594/PANGAEA.753197](https://doi.org/10.1594/PANGAEA.753197) (2012). Supplement to: Laudien, J; Orchard, J-B (2012): The significance of depth and substratum incline for the structure of a hard bottom sublittoral community in glacial Kongsfjorden (Svalbard, Arctic)—an underwater imagery approach. *Polar Biology*, 16 pp, <https://doi.org/10.1007/s00300-011-1153-4>.
820. Laudien, J. & Orchard, J.-B. The significance of depth and substratum incline for the structure of a hard bottom sublittoral community in glacial Kongsfjorden (Svalbard, Arctic)—an underwater imagery approach. *Polar Biol.* **35**, 1057–1072, doi:[10.1007/s00300-011-1153-4](https://doi.org/10.1007/s00300-011-1153-4) (2012).
821. Linley, T., Cousins, N. J., Shields, M. A. & Priede, I. G. Annotated time lapse images from a baited Biogenic Reef Ichthyofauna Lander (BRIL; OceanLab) deployed at the peak of Galway Mount during campaign NIOZ-64PE313 onboard RV Pelagia, doi:[10.1594/PANGAEA.771021](https://doi.org/10.1594/PANGAEA.771021) (2011).
822. Linley, T., Cousins, N. J., Shields, M. A. & Priede, I. G. Annotated time lapse images of a baited benthic lander (Aberdeen OceanLab) deployed on the slope of Galway Mount during campaign NIOZ-64PE313 onboard RV Pelagia, doi:[10.1594/PANGAEA.771641](https://doi.org/10.1594/PANGAEA.771641) (2011).
823. Linley, T., Cousins, N. J., Shields, M. A. & Priede, I. G. Annotated time lapse images of a baited benthic lander (Aberdeen OceanLab) deployed on Therese Mount during campaign NIOZ-64PE313 onboard RV Pelagia, doi:[10.1594/PANGAEA.771642](https://doi.org/10.1594/PANGAEA.771642) (2011).
824. Linley, T., Cousins, N. J., Shields, M. A. & Priede, I. G. Annotated time lapse images of a baited benthic lander (Aberdeen OceanLab) deployed near Therese Mount during campaign NIOZ-64PE313 onboard RV Pelagia, doi:[10.1594/PANGAEA.771643](https://doi.org/10.1594/PANGAEA.771643) (2011).
825. Linley, T., Cousins, N. J., Shields, M. A. & Priede, I. G. Annotated time lapse images of a baited benthic lander (Aberdeen OceanLab) deployed on Poseidon Mount during campaign NIOZ-64PE313 onboard RV Pelagia, doi:[10.1594/PANGAEA.771644](https://doi.org/10.1594/PANGAEA.771644) (2011).
826. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at Punta Pillan, Brazo Pillan, Region Aysén, Chile, at 2012-03-19 in 24 m water depth, doi:[10.1594/PANGAEA.785104](https://doi.org/10.1594/PANGAEA.785104) (2012).
827. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at Punta Pillan, Brazo Pillan, Region Aysén, Chile, at 2012-06-05 in 24 m water depth, doi:[10.1594/PANGAEA.785105](https://doi.org/10.1594/PANGAEA.785105) (2012).
828. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at fjord Piti Palena at 2012-03-19 in 22 m water depth, doi:[10.1594/PANGAEA.785106](https://doi.org/10.1594/PANGAEA.785106) (2012).
829. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at fjord Piti Palena at 2012-06-04 in 22 m water depth, doi:[10.1594/PANGAEA.785107](https://doi.org/10.1594/PANGAEA.785107) (2012).

830. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at Las Hermanas Island, Palena Bay, Chile, at 2012-03-27 in 21 m water depth, doi:[10.1594/PANGAEA.785108](https://doi.org/10.1594/PANGAEA.785108) (2012).
831. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at Las Hermanas Island, Palena Bay, Chile, at 2012-04-21 in 21 m water depth, doi:[10.1594/PANGAEA.785109](https://doi.org/10.1594/PANGAEA.785109) (2012).
832. González-Díaz, F., Laudien, J., Bellhoff, D. & Reichel, L. Photographs of tiles installed at Las Hermanas Island, Palena Bay, Chile, at 2012-06-04 in 21 m water depth, doi:[10.1594/PANGAEA.785110](https://doi.org/10.1594/PANGAEA.785110) (2012).
833. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2003 after cleaning the substrate surface in 2003 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789211](https://doi.org/10.1594/PANGAEA.789211) (2012).
834. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2004 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789212](https://doi.org/10.1594/PANGAEA.789212) (2012).
835. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2007 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789214](https://doi.org/10.1594/PANGAEA.789214) (2012).
836. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2008 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789215](https://doi.org/10.1594/PANGAEA.789215) (2012).
837. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2009 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789216](https://doi.org/10.1594/PANGAEA.789216) (2012).
838. Laudien, J. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2011 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789217](https://doi.org/10.1594/PANGAEA.789217) (2012).
839. Laudien, J. & Sahade, R. J. Photographs of benthic communities taken in 2011 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.789219](https://doi.org/10.1594/PANGAEA.789219) (2012).
840. Laudien, J. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2008 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.793210](https://doi.org/10.1594/PANGAEA.793210) (2012).
841. Laudien, J. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2009 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.793211](https://doi.org/10.1594/PANGAEA.793211) (2012).
842. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_AG, doi:[10.1594/PANGAEA.805605](https://doi.org/10.1594/PANGAEA.805605) (2013).
843. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_CS, doi:[10.1594/PANGAEA.805606](https://doi.org/10.1594/PANGAEA.805606) (2013).
844. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_IS_solar1, doi:[10.1594/PANGAEA.805607](https://doi.org/10.1594/PANGAEA.805607) (2013).
845. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_IS_solar2, doi:[10.1594/PANGAEA.805608](https://doi.org/10.1594/PANGAEA.805608) (2013).
846. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_IS_solar3, doi:[10.1594/PANGAEA.805609](https://doi.org/10.1594/PANGAEA.805609) (2013).
847. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_MDD3, doi:[10.1594/PANGAEA.805610](https://doi.org/10.1594/PANGAEA.805610) (2013).
848. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_MDD4, doi:[10.1594/PANGAEA.805611](https://doi.org/10.1594/PANGAEA.805611) (2013).
849. Winkler, M., Fillinger, L., Funke, T., Richter, C. & Laudien, J. Physical oceanography and sea-bed photographs (benthos) along ROV profile Errina2012_MDD7, doi:[10.1594/PANGAEA.805612](https://doi.org/10.1594/PANGAEA.805612) (2013).
850. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_CH. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH. PeerJ, 1, e194, https://doi.org/10.7717/peerj.194*, doi:[10.1594/PANGAEA.811835](https://doi.org/10.1594/PANGAEA.811835) (PANGAEA, 2013).
851. Fillinger, L. & Richter, C. Vertical and horizontal distribution of *Desmophyllum dianthus* in Comau Fjord, Chile: a cold-water coral thriving at low pH. *PeerJ* 1, e194, doi:[10.7717/peerj.194](https://doi.org/10.7717/peerj.194) (2013).

852. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_CL. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811836](https://doi.org/10.1594/PANGAEA.811836) (PANGAEA, 2013).
853. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_LL. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811837](https://doi.org/10.1594/PANGAEA.811837) (PANGAEA, 2013).
854. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_NT. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811838](https://doi.org/10.1594/PANGAEA.811838) (PANGAEA, 2013).
855. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_PG. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811839](https://doi.org/10.1594/PANGAEA.811839) (PANGAEA, 2013).
856. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_RB. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811840](https://doi.org/10.1594/PANGAEA.811840) (PANGAEA, 2013).
857. Fillinger, L. & Richter, C. Frames extracted from the ROV videos recorded along profile Comau2012_SW. In *Fillinger, L; Richter, C (2013): Vertical and horizontal distribution of Desmophyllum dianthus in Comau Fjord, Chile: a cold-water coral thriving at low pH*. PeerJ, 1, e194, <https://doi.org/10.7717/peerj.194>, doi:[10.1594/PANGAEA.811841](https://doi.org/10.1594/PANGAEA.811841) (PANGAEA, 2013).
858. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/116-3 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818400](https://doi.org/10.1594/PANGAEA.818400) (PANGAEA, 2013).
859. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/118-3 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818478](https://doi.org/10.1594/PANGAEA.818478) (PANGAEA, 2013).
860. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/159-1 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818479](https://doi.org/10.1594/PANGAEA.818479) (PANGAEA, 2013).
861. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/160-1 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818480](https://doi.org/10.1594/PANGAEA.818480) (PANGAEA, 2013).
862. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/161-1 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818481](https://doi.org/10.1594/PANGAEA.818481) (PANGAEA, 2013).
863. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/163-2 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles*

during POLARSTERN cruise PS81 (ANT-XXIX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.872719>, doi:[10.1594/PANGAEA.818506](https://doi.org/10.1594/PANGAEA.818506) (PANGAEA, 2013).

885. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/251-1 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.872719*, doi:[10.1594/PANGAEA.818507](https://doi.org/10.1594/PANGAEA.818507) (PANGAEA, 2013).
886. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/218-3 during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.872719*, doi:[10.1594/PANGAEA.818509](https://doi.org/10.1594/PANGAEA.818509) (PANGAEA, 2013).
887. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/222-2a during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.872719*, doi:[10.1594/PANGAEA.818513](https://doi.org/10.1594/PANGAEA.818513) (PANGAEA, 2013).
888. Piepenburg, D., Segelken-Voigt, A. & Gutt, J. Seabed photographs taken along OFOS profile PS81/222-2b during POLARSTERN cruise ANT-XXIX/3. In *Piepenburg, D et al. (2013): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS81 (ANT-XXIX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.872719*, doi:[10.1594/PANGAEA.818515](https://doi.org/10.1594/PANGAEA.818515) (PANGAEA, 2013).
889. Laudien, J., Sahade, R. J., Hoffmann, R. & Schwanitz, M. Photographs of benthic communities colonizing artificial substrate taken 2012 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.818906](https://doi.org/10.1594/PANGAEA.818906) (2013).
890. Laudien, J., Sahade, R. J., Hoffmann, R., Schwanitz, M. & Streicher, M. Photographs of benthic communities colonizing artificial substrate taken 2013 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.818907](https://doi.org/10.1594/PANGAEA.818907) (2013).
891. Laudien, J., Sahade, R. J. & Schwanitz, M. Photographs of benthic communities taken in 2013 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.819234](https://doi.org/10.1594/PANGAEA.819234) (2013).
892. Gutt, J. & Klindt, H. Sea-bed photographs (benthos) along ROV profile PS12/305, doi:[10.1594/PANGAEA.820519](https://doi.org/10.1594/PANGAEA.820519) (2013).
893. Gutt, J. & Klindt, H. Sea-bed photographs (benthos) along ROV profile PS12/308, doi:[10.1594/PANGAEA.820520](https://doi.org/10.1594/PANGAEA.820520) (2013).
894. Gutt, J. et al. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/091-1, doi:[10.1594/PANGAEA.820690](https://doi.org/10.1594/PANGAEA.820690) (2013).
895. Gutt, J. et al. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/102-1, doi:[10.1594/PANGAEA.820691](https://doi.org/10.1594/PANGAEA.820691) (2013).
896. Gutt, J. et al. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/250-1, doi:[10.1594/PANGAEA.820692](https://doi.org/10.1594/PANGAEA.820692) (2013).
897. Gutt, J. et al. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/277-1, doi:[10.1594/PANGAEA.820693](https://doi.org/10.1594/PANGAEA.820693) (2013).
898. Gutt, J. et al. Sea-bed photographs (benthos) from the Weddell Sea (Antarctica) along profile PS65/335-1, doi:[10.1594/PANGAEA.820694](https://doi.org/10.1594/PANGAEA.820694) (2013).
899. Gutt, J. Sea-bed photographs (benthos) along profile PS29/008, doi:[10.1594/PANGAEA.820696](https://doi.org/10.1594/PANGAEA.820696) (2013).
900. Gutt, J. Sea-bed photographs (benthos) along profile PS29/013, doi:[10.1594/PANGAEA.820697](https://doi.org/10.1594/PANGAEA.820697) (2013).
901. Gutt, J. Sea-bed photographs (benthos) along profile PS29/015, doi:[10.1594/PANGAEA.820698](https://doi.org/10.1594/PANGAEA.820698) (2013).
902. Gutt, J. Sea-bed photographs (benthos) along profile PS29/016, doi:[10.1594/PANGAEA.820699](https://doi.org/10.1594/PANGAEA.820699) (2013).
903. Gutt, J. Sea-bed photographs (benthos) along profile PS29/022, doi:[10.1594/PANGAEA.820700](https://doi.org/10.1594/PANGAEA.820700) (2013).
904. Gutt, J. Sea-bed photographs (benthos) along profile PS29/031, doi:[10.1594/PANGAEA.820701](https://doi.org/10.1594/PANGAEA.820701) (2013).

905. Gutt, J. Sea-bed photographs (benthos) along profile PS29/042-1, doi:[10.1594/PANGAEA.820702](https://doi.org/10.1594/PANGAEA.820702) (2013).
906. Gutt, J. Sea-bed photographs (benthos) along profile PS29/042-2, doi:[10.1594/PANGAEA.820703](https://doi.org/10.1594/PANGAEA.820703) (2013).
907. Gutt, J. Sea-bed photographs (benthos) along profile PS29/058, doi:[10.1594/PANGAEA.820704](https://doi.org/10.1594/PANGAEA.820704) (2013).
908. Gutt, J. Sea-bed photographs (benthos) along profile PS29/059, doi:[10.1594/PANGAEA.820705](https://doi.org/10.1594/PANGAEA.820705) (2013).
909. Gutt, J. Sea-bed photographs (benthos) along profile PS29/060, doi:[10.1594/PANGAEA.820706](https://doi.org/10.1594/PANGAEA.820706) (2013).
910. Gutt, J. Sea-bed photographs (benthos) along profile PS29/077, doi:[10.1594/PANGAEA.820707](https://doi.org/10.1594/PANGAEA.820707) (2013).
911. Gutt, J. Sea-bed photographs (benthos) along profile PS29/078-1, doi:[10.1594/PANGAEA.820708](https://doi.org/10.1594/PANGAEA.820708) (2013).
912. Gutt, J. Sea-bed photographs (benthos) along profile PS29/079, doi:[10.1594/PANGAEA.820710](https://doi.org/10.1594/PANGAEA.820710) (2013).
913. Gutt, J. Sea-bed photographs (benthos) along profile PS25/030-7, doi:[10.1594/PANGAEA.820713](https://doi.org/10.1594/PANGAEA.820713) (2013).
914. Gutt, J. Sea-bed photographs (benthos) along profile PS25/032-2, doi:[10.1594/PANGAEA.820714](https://doi.org/10.1594/PANGAEA.820714) (2013).
915. Gutt, J. Sea-bed photographs (benthos) along profile PS25/036-7, doi:[10.1594/PANGAEA.820715](https://doi.org/10.1594/PANGAEA.820715) (2013).
916. Gutt, J. Sea-bed photographs (benthos) along profile PS25/042-2, doi:[10.1594/PANGAEA.820716](https://doi.org/10.1594/PANGAEA.820716) (2013).
917. Gutt, J. Sea-bed photographs (benthos) along profile PS25/054-2, doi:[10.1594/PANGAEA.820717](https://doi.org/10.1594/PANGAEA.820717) (2013).
918. Gutt, J. Sea-bed photographs (benthos) along profile PS25/056-2, doi:[10.1594/PANGAEA.820718](https://doi.org/10.1594/PANGAEA.820718) (2013).
919. Gutt, J. Sea-bed photographs (benthos) along profile PS25/059-2, doi:[10.1594/PANGAEA.820719](https://doi.org/10.1594/PANGAEA.820719) (2013).
920. Gutt, J. Sea-bed photographs (benthos) along profile PS25/060-7, doi:[10.1594/PANGAEA.820720](https://doi.org/10.1594/PANGAEA.820720) (2013).
921. Gutt, J. Sea-bed photographs (benthos) along profile PS25/060-ice, doi:[10.1594/PANGAEA.820721](https://doi.org/10.1594/PANGAEA.820721) (2013).
922. Gutt, J. Sea-bed photographs (benthos) along profile PS25/061-2, doi:[10.1594/PANGAEA.820722](https://doi.org/10.1594/PANGAEA.820722) (2013).
923. Gutt, J. Sea-bed photographs (benthos) along profile PS25/077-2, doi:[10.1594/PANGAEA.820723](https://doi.org/10.1594/PANGAEA.820723) (2013).
924. Gutt, J. Sea-bed photographs (benthos) along profile PS25/079-2, doi:[10.1594/PANGAEA.820724](https://doi.org/10.1594/PANGAEA.820724) (2013).
925. Gutt, J. Sea-bed photographs (benthos) along profile PS25/095-7, doi:[10.1594/PANGAEA.820725](https://doi.org/10.1594/PANGAEA.820725) (2013).
926. Gutt, J. Sea-bed photographs (benthos) along profile PS25/099-2, doi:[10.1594/PANGAEA.820726](https://doi.org/10.1594/PANGAEA.820726) (2013).
927. Roelfsema, C. M. & Phinn, S. R. GPS linked target-photos of benthic cover surveys in Grovers Reef, Belize, doi:[10.1594/PANGAEA.824860](https://doi.org/10.1594/PANGAEA.824860) (2013).
928. Bohrmann, G. & Shipboard scientific party ANT-XXIX/4. Seabed photographs taken along OFOS profile PS81/268-1 during POLARSTERN cruise ANT-XXIX/4, doi:[10.1594/PANGAEA.835361](https://doi.org/10.1594/PANGAEA.835361) (2014).
929. Bohrmann, G. & Shipboard scientific party ANT-XXIX/4. Seabed photographs taken along OFOS profile PS81/268-2 during POLARSTERN cruise ANT-XXIX/4, doi:[10.1594/PANGAEA.835362](https://doi.org/10.1594/PANGAEA.835362) (2014).
930. Bohrmann, G. & Shipboard scientific party ANT-XXIX/4. Seabed photographs taken along OFOS profile PS81/273-1 during POLARSTERN cruise ANT-XXIX/4, doi:[10.1594/PANGAEA.835364](https://doi.org/10.1594/PANGAEA.835364) (2014).
931. Bohrmann, G. & Shipboard scientific party ANT-XXIX/4. Seabed photographs taken along OFOS profile PS81/285-1 during POLARSTERN cruise ANT-XXIX/4. In Römer, Miriam; Torres, Marta E; Kasten, Sabine; Kuhn, Gerhard; Graham, Alastair G C; Mau, Susan; Little, Crispin T S; Linse, Katrin; Pape, Thomas; Geprägs, Patrizia; Fischer, David; Wintersteller, Paul; Marcon, Yann; Rethemeyer, Janet; Bohrmann, Gerhard; Shipboard scientific party ANT-XXIX/4 (2014): First evidence of widespread active methane seepage in the Southern Ocean, off the sub-Antarctic island of South Georgia. *Earth and Planetary Science Letters*, 403, 166-177, <https://doi.org/10.1016/j.epsl.2014.06.036>, doi:[10.1594/PANGAEA.835365](https://doi.org/10.1594/PANGAEA.835365) (PANGAEA, 2014).
932. Römer, M. et al. First evidence of widespread active methane seepage in the Southern Ocean, off the sub-Antarctic island of South Georgia. *Earth Planet. Sci. Lett.* **403**, 166–177, doi:[10.1016/j.epsl.2014.06.036](https://doi.org/10.1016/j.epsl.2014.06.036) (2014).
933. Bohrmann, G. & Shipboard scientific party ANT-XXIX/4. Seabed photographs taken along OFOS profile PS81/269-1 during POLARSTERN cruise ANT-XXIX/4, doi:[10.1594/PANGAEA.835367](https://doi.org/10.1594/PANGAEA.835367) (2014).
934. Laudien, J., Sahade, R. J., Schwanitz, M., Hench, K. & Feind, S. Photographs of benthic communities colonizing artificial substrate taken 2014 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836024](https://doi.org/10.1594/PANGAEA.836024) (2014).
935. Laudien, J., Sahade, R. J., Schwanitz, M., Hench, K. & Feind, S. Photographs of benthic communities taken in 2014 after cleaning the substrate surface in 2003 and reference areas (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836025](https://doi.org/10.1594/PANGAEA.836025) (2014).

936. Laudien, J., Streicher, M. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2003 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836263](https://doi.org/10.1594/PANGAEA.836263) (2014).
937. Laudien, J., Streicher, M. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2004 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836264](https://doi.org/10.1594/PANGAEA.836264) (2014).
938. Laudien, J., Streicher, M. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2005 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836265](https://doi.org/10.1594/PANGAEA.836265) (2014).
939. Laudien, J., Streicher, M. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2006 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.836266](https://doi.org/10.1594/PANGAEA.836266) (2014).
940. Laudien, J., Häussermann, V. & Försterra, G. Photographs of benthic communities taken 2014-02-15 in the Fjord Comau at time series station Soledad, doi:[10.1594/PANGAEA.836457](https://doi.org/10.1594/PANGAEA.836457) (2014).
941. Laudien, J., Streicher, M. & Sahade, R. J. Photographs of benthic communities colonizing artificial substrate taken 2007 (Kongsfjorden, Svalbard), doi:[10.1594/PANGAEA.837653](https://doi.org/10.1594/PANGAEA.837653) (2014).
942. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/019-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839012](https://doi.org/10.1594/PANGAEA.839012) (2014).
943. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/024-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839013](https://doi.org/10.1594/PANGAEA.839013) (2014).
944. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/030-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839014](https://doi.org/10.1594/PANGAEA.839014) (2014).
945. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/035-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839015](https://doi.org/10.1594/PANGAEA.839015) (2014).
946. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/039-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839016](https://doi.org/10.1594/PANGAEA.839016) (2014).
947. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/046-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839017](https://doi.org/10.1594/PANGAEA.839017) (2014).
948. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/050-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839018](https://doi.org/10.1594/PANGAEA.839018) (2014).
949. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/054-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839019](https://doi.org/10.1594/PANGAEA.839019) (2014).
950. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/056-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839020](https://doi.org/10.1594/PANGAEA.839020) (2014).
951. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/065-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839021](https://doi.org/10.1594/PANGAEA.839021) (2014).
952. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/068-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839022](https://doi.org/10.1594/PANGAEA.839022) (2014).
953. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/077-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839023](https://doi.org/10.1594/PANGAEA.839023) (2014).
954. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/082-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839024](https://doi.org/10.1594/PANGAEA.839024) (2014).
955. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/084-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839025](https://doi.org/10.1594/PANGAEA.839025) (2014).
956. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/085-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839026](https://doi.org/10.1594/PANGAEA.839026) (2014).
957. Boetius, A. & Marcon, Y. Seabed photographs taken along OFOS profile PS86/086-1 during POLARSTERN cruise PS86, doi:[10.1594/PANGAEA.839027](https://doi.org/10.1594/PANGAEA.839027) (2014).
958. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2012-01, doi:[10.1594/PANGAEA.840699](https://doi.org/10.1594/PANGAEA.840699) (2014).
959. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2012-08, doi:[10.1594/PANGAEA.840700](https://doi.org/10.1594/PANGAEA.840700) (2014).

960. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2013-03, doi:[10.1594/PANGAEA.840701](https://doi.org/10.1594/PANGAEA.840701) (2014).
961. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2013-11, doi:[10.1594/PANGAEA.840702](https://doi.org/10.1594/PANGAEA.840702) (2014).
962. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2014-01, doi:[10.1594/PANGAEA.840703](https://doi.org/10.1594/PANGAEA.840703) (2014).
963. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2012-06, doi:[10.1594/PANGAEA.840742](https://doi.org/10.1594/PANGAEA.840742) (2014).
964. Laudien, J., Gottschlich, S., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2012-09, doi:[10.1594/PANGAEA.840743](https://doi.org/10.1594/PANGAEA.840743) (2014).
965. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2007-08. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846142](https://doi.org/10.1594/PANGAEA.846142) (PANGAEA, 2015).
966. Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. *Sci. Data* **2**, 150040, doi:[10.1038/sdata.2015.40](https://doi.org/10.1038/sdata.2015.40) (2015).
967. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2011-06. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846143](https://doi.org/10.1594/PANGAEA.846143) (PANGAEA, 2015).
968. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2012-02. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846144](https://doi.org/10.1594/PANGAEA.846144) (PANGAEA, 2015).
969. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2012-06. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846146](https://doi.org/10.1594/PANGAEA.846146) (PANGAEA, 2015).
970. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2013-02. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846185](https://doi.org/10.1594/PANGAEA.846185) (PANGAEA, 2015).
971. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2013-05. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846186](https://doi.org/10.1594/PANGAEA.846186) (PANGAEA, 2015).
972. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2004-07. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846264](https://doi.org/10.1594/PANGAEA.846264) (PANGAEA, 2015).
973. Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2014-07. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data, 2, 150040, https://doi.org/10.1038/sdata.2015.40*, doi:[10.1594/PANGAEA.846266](https://doi.org/10.1594/PANGAEA.846266) (PANGAEA, 2015).

974. Laudien, J., Pörschmann, U., Neffgen, M., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2015-01, doi:[10.1594/PANGAEA.849298](https://doi.org/10.1594/PANGAEA.849298) (2015).
975. Schewe, I. Seabed photographs taken along OFOS profile PS85/455-1 during POLARSTERN cruise PS85, doi:[10.1594/PANGAEA.849814](https://doi.org/10.1594/PANGAEA.849814) (2015).
976. Schewe, I. Seabed photographs taken along OFOS profile PS85/461-1 during POLARSTERN cruise PS85, doi:[10.1594/PANGAEA.849815](https://doi.org/10.1594/PANGAEA.849815) (2015).
977. Schewe, I. Seabed photographs taken along OFOS profile PS85/474-1 during POLARSTERN cruise PS85, doi:[10.1594/PANGAEA.849816](https://doi.org/10.1594/PANGAEA.849816) (2015).
978. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/001-4 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862082](https://doi.org/10.1594/PANGAEA.862082) (PANGAEA, 2016).
979. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/007-1 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862083](https://doi.org/10.1594/PANGAEA.862083) (PANGAEA, 2016).
980. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/008-2 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862084](https://doi.org/10.1594/PANGAEA.862084) (PANGAEA, 2016).
981. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/010-3 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862085](https://doi.org/10.1594/PANGAEA.862085) (PANGAEA, 2016).
982. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/026-3 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862086](https://doi.org/10.1594/PANGAEA.862086) (PANGAEA, 2016).
983. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/027-2 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862087](https://doi.org/10.1594/PANGAEA.862087) (PANGAEA, 2016).
984. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/037-3 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862088](https://doi.org/10.1594/PANGAEA.862088) (PANGAEA, 2016).
985. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/048-2 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862089](https://doi.org/10.1594/PANGAEA.862089) (PANGAEA, 2016).
986. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/057-3 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862090](https://doi.org/10.1594/PANGAEA.862090) (PANGAEA, 2016).
987. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/061-1 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862091](https://doi.org/10.1594/PANGAEA.862091) (PANGAEA, 2016).
988. Piepenburg, D. Seabed photographs taken along OFOS profile PS96/072-4 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN)*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862092](https://doi.org/10.1594/PANGAEA.862092) (PANGAEA, 2016).

- 989.** Piepenburg, D. Seabed photographs taken along OFOS profile PS96/106-2 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862094](https://doi.org/10.1594/PANGAEA.862094) (PANGAEA, 2016).
- 990.** Piepenburg, D. Seabed photographs taken along OFOS profile PS96/090-4 during POLARSTERN cruise PS96. In *Piepenburg, D (2016): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS96 (ANT-XXXI/2 FROSN). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.862097>, doi:[10.1594/PANGAEA.862096](https://doi.org/10.1594/PANGAEA.862096) (PANGAEA, 2016).
- 991.** Sahling, H. & Bohrmann, G. Seafloor images of ROV profile GeoB19346-1, dive360. In *Sahling, G; Bohrmann, Gerhard (2016): Seafloor images along 14 ROV profiles during METEOR cruise M114/2. PANGAEA*, <https://doi.org/10.1594/PANGAEA.863824>, doi:[10.1594/PANGAEA.864257](https://doi.org/10.1594/PANGAEA.864257) (PANGAEA, 2016).
- 992.** Purser, A. *et al.* Photographs of incirrate octopods observed during SONNE cruise SO242/2 to the DISCOL Experimental Area, Peru Basin. In *Purser, A et al. (2016): Association of deep-sea incirrate octopods with manganese crusts and nodule fields in the Pacific Ocean. Current Biology*, 26(24), R1268-R1269, <https://doi.org/10.1016/j.cub.2016.10.052>, doi:[10.1594/PANGAEA.865438](https://doi.org/10.1594/PANGAEA.865438) (PANGAEA, 2016).
- 993.** Purser, A. *et al.* Association of deep-sea incirrate octopods with manganese crusts and nodule fields in the Pacific Ocean. *Curr. Biol.* **26**, R1268–R1269, doi:[10.1016/j.cub.2016.10.052](https://doi.org/10.1016/j.cub.2016.10.052) (2016).
- 994.** Roelfsema, C. M., Kovacs, E. M., Lyons, M. B. & Phinn, S. R. Benthic and substrate cover data derived from a time series of photo-transect surveys for the Eastern Banks, Moreton Bay Australia in 2015-06. In *Roelfsema, Christiaan M; Kovacs, Eva M; Phinn, Stuart R (2015): Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. Scientific Data*, 2, 150040, <https://doi.org/10.1038/sdata.2015.40>, doi:[10.1594/PANGAEA.867188](https://doi.org/10.1594/PANGAEA.867188) (PANGAEA, 2015).
- 995.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2013-01-12, doi:[10.1594/PANGAEA.867771](https://doi.org/10.1594/PANGAEA.867771) (2016).
- 996.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2013-03-22, doi:[10.1594/PANGAEA.867772](https://doi.org/10.1594/PANGAEA.867772) (2016).
- 997.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2013-06-25, doi:[10.1594/PANGAEA.867773](https://doi.org/10.1594/PANGAEA.867773) (2016).
- 998.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2013-11-19, doi:[10.1594/PANGAEA.867774](https://doi.org/10.1594/PANGAEA.867774) (2016).
- 999.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2014-03-11, doi:[10.1594/PANGAEA.867775](https://doi.org/10.1594/PANGAEA.867775) (2016).
- 1000.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2014-06-21, doi:[10.1594/PANGAEA.867776](https://doi.org/10.1594/PANGAEA.867776) (2016).
- 1001.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2014-08-21, doi:[10.1594/PANGAEA.867777](https://doi.org/10.1594/PANGAEA.867777) (2016).
- 1002.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2014-12-15, doi:[10.1594/PANGAEA.867778](https://doi.org/10.1594/PANGAEA.867778) (2016).
- 1003.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed in different angles at Liliguapi, Paso Comau, Chile, at 2015-01-28, doi:[10.1594/PANGAEA.867806](https://doi.org/10.1594/PANGAEA.867806) (2016).
- 1004.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed in different angles at Liliguapi, Paso Comau, Chile, at 2015-01-28 (extras), doi:[10.1594/PANGAEA.867807](https://doi.org/10.1594/PANGAEA.867807) (2016).
- 1005.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station X-Huinay North, Comau Fjord, Patagonia, Chile, at 2016-09-26, doi:[10.1594/PANGAEA.867808](https://doi.org/10.1594/PANGAEA.867808) (2016).
- 1006.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty-Waterpipe, Comau Fjord, Patagonia, Chile, at 2016-09-27, doi:[10.1594/PANGAEA.867852](https://doi.org/10.1594/PANGAEA.867852) (2016).
- 1007.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty-Concrete Bock, Comau Fjord, Patagonia, Chile, at 2016-09-25, doi:[10.1594/PANGAEA.867853](https://doi.org/10.1594/PANGAEA.867853) (2016).

- 1008.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty-Concrete Tubes, Comau Fjord, Patagonia, Chile, at 2016-09-25/27, doi:[10.1594/PANGAEA.867861](https://doi.org/10.1594/PANGAEA.867861) (2016).
- 1009.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/010-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871536](https://doi.org/10.1594/PANGAEA.871536) (PANGAEA, 2017).
- 1010.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/068-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871537](https://doi.org/10.1594/PANGAEA.871537) (PANGAEA, 2017).
- 1011.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/089-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871538](https://doi.org/10.1594/PANGAEA.871538) (PANGAEA, 2017).
- 1012.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/100-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871539](https://doi.org/10.1594/PANGAEA.871539) (PANGAEA, 2017).
- 1013.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/120-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871540](https://doi.org/10.1594/PANGAEA.871540) (PANGAEA, 2017).
- 1014.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/134-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871541](https://doi.org/10.1594/PANGAEA.871541) (PANGAEA, 2017).
- 1015.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/135-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871542](https://doi.org/10.1594/PANGAEA.871542) (PANGAEA, 2017).
- 1016.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/158-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871543](https://doi.org/10.1594/PANGAEA.871543) (PANGAEA, 2017).
- 1017.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/169-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871544](https://doi.org/10.1594/PANGAEA.871544) (PANGAEA, 2017).
- 1018.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/179-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.871550*, doi:[10.1594/PANGAEA.871545](https://doi.org/10.1594/PANGAEA.871545) (PANGAEA, 2017).

- 1019.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/185-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.871550>, doi:[10.1594/PANGAEA.871546](https://doi.org/10.1594/PANGAEA.871546) (PANGAEA, 2017).
- 1020.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/225-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.871550>, doi:[10.1594/PANGAEA.871547](https://doi.org/10.1594/PANGAEA.871547) (PANGAEA, 2017).
- 1021.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/229-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.871550>, doi:[10.1594/PANGAEA.871548](https://doi.org/10.1594/PANGAEA.871548) (PANGAEA, 2017).
- 1022.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/232-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.871550>, doi:[10.1594/PANGAEA.871549](https://doi.org/10.1594/PANGAEA.871549) (PANGAEA, 2017).
- 1023.** Purser, A., Hehemann, L., Dreutter, S. & Boetius, A. Seabed photographs taken along OFOS profile PS101/241-1 during POLARSTERN cruise PS101. In *Purser, A et al. (2017): Seabed photographs taken along OFOS profiles during POLARSTERN cruise PS101 (ARK-XXX/3). Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.871550>, doi:[10.1594/PANGAEA.872385](https://doi.org/10.1594/PANGAEA.872385) (PANGAEA, 2017).
- 1024.** Laudien, J., Heran, T., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty Concrete block, Comau Fjord, Patagonia, Chile, at 2017-01, doi:[10.1594/PANGAEA.872407](https://doi.org/10.1594/PANGAEA.872407) (2017).
- 1025.** Laudien, J., Heran, T., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty Waterpipe, Comau Fjord, Patagonia, Chile, at 2017-01, doi:[10.1594/PANGAEA.872408](https://doi.org/10.1594/PANGAEA.872408) (2017).
- 1026.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2017-01, doi:[10.1594/PANGAEA.872409](https://doi.org/10.1594/PANGAEA.872409) (2017).
- 1027.** Laudien, J., Heran, T., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty, Comau Fjord, Patagonia, Chile, at 2017-01 - 2017-02, doi:[10.1594/PANGAEA.872410](https://doi.org/10.1594/PANGAEA.872410) (2017).
- 1028.** Laudien, J., Heran, T., Butschek, F., Häussermann, V. & Försterra, G. Photographs of tiles installed in different angles at Liliguapi, Paso Comau, Chile, at 2017-01, doi:[10.1594/PANGAEA.872411](https://doi.org/10.1594/PANGAEA.872411) (2017).
- 1029.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station X-Huinay North, Comau Fjord, Patagonia, Chile, at 2017-01-31, doi:[10.1594/PANGAEA.873541](https://doi.org/10.1594/PANGAEA.873541) (2017).
- 1030.** Bergmann, M., Taylor, J. & Schewe, I. Seabed photographs taken along OFOS profile PS93/048-8 during POLARSTERN cruise PS93.2, doi:[10.1594/PANGAEA.873995](https://doi.org/10.1594/PANGAEA.873995) (2017).
- 1031.** Bergmann, M., Taylor, J. & Schewe, I. Seabed photographs taken along OFOS profile PS93/050-11 during POLARSTERN cruise PS93.2, doi:[10.1594/PANGAEA.873996](https://doi.org/10.1594/PANGAEA.873996) (2017).
- 1032.** Bergmann, M., Taylor, J. & Schewe, I. Seabed photographs taken along OFOS profile PS93/058-18 during POLARSTERN cruise PS93.2, doi:[10.1594/PANGAEA.873997](https://doi.org/10.1594/PANGAEA.873997) (2017).
- 1033.** Bergmann, M., Taylor, J. & Schewe, I. Seabed photographs taken along OFOS profile PS93/062-1 during POLARSTERN cruise PS93.2, doi:[10.1594/PANGAEA.873998](https://doi.org/10.1594/PANGAEA.873998) (2017).
- 1034.** Bergmann, M. & Schewe, I. Seabed photographs taken along OFOS profile PS99/041-11 during POLARSTERN cruise PS99.2, doi:[10.1594/PANGAEA.873999](https://doi.org/10.1594/PANGAEA.873999) (2017).

- 1035.** Bergmann, M. & Schewe, I. Seabed photographs taken along OFOS profile PS99/042-10 during POLARSTERN cruise PS99.2, doi:[10.1594/PANGAEA.874000](https://doi.org/10.1594/PANGAEA.874000) (2017).
- 1036.** Bergmann, M. & Schewe, I. Seabed photographs taken along OFOS profile PS99/048-14 during POLARSTERN cruise PS99.2, doi:[10.1594/PANGAEA.874001](https://doi.org/10.1594/PANGAEA.874001) (2017).
- 1037.** Bergmann, M. & Schewe, I. Seabed photographs taken along OFOS profile PS99/056-1 during POLARSTERN cruise PS99.2, doi:[10.1594/PANGAEA.874002](https://doi.org/10.1594/PANGAEA.874002) (2017).
- 1038.** Heran, T., Laudien, J., Butschek, F., Häussermann, V. & Försterra, G. Photographs of benthic communities in the area Cahuelmo-Fjord > North, Comau Fjord at 2017-02-24, doi:[10.1594/PANGAEA.874273](https://doi.org/10.1594/PANGAEA.874273) (2017).
- 1039.** Heran, T., Laudien, J., Butschek, F., Häussermann, V. & Försterra, G. Photographs of benthic communities in the area Rio-Tambor, Comau Fjord at 2017-02-14, doi:[10.1594/PANGAEA.874274](https://doi.org/10.1594/PANGAEA.874274) (2017).
- 1040.** Heran, T., Laudien, J., Butschek, F., Häussermann, V. & Försterra, G. Photographs of benthic communities in the area The-sign, Comau Fjord at 2017-02-16, doi:[10.1594/PANGAEA.874275](https://doi.org/10.1594/PANGAEA.874275) (2017).
- 1041.** Heran, T., Laudien, J., Butschek, F., Häussermann, V. & Försterra, G. Photographs of benthic communities in the area X-Telele, Comau Fjord at 2017-02-17, doi:[10.1594/PANGAEA.874276](https://doi.org/10.1594/PANGAEA.874276) (2017).
- 1042.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS78/143-2 during PO-LARSTERN cruise ARK-XXVI/2, doi:[10.1594/PANGAEA.875071](https://doi.org/10.1594/PANGAEA.875071) (2017).
- 1043.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS78/171-1 during PO-LARSTERN cruise ARK-XXVI/2, doi:[10.1594/PANGAEA.875072](https://doi.org/10.1594/PANGAEA.875072) (2017).
- 1044.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS78/182-1 during PO-LARSTERN cruise ARK-XXVI/2, doi:[10.1594/PANGAEA.875073](https://doi.org/10.1594/PANGAEA.875073) (2017).
- 1045.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS78/185-1 during PO-LARSTERN cruise ARK-XXVI/2, doi:[10.1594/PANGAEA.875074](https://doi.org/10.1594/PANGAEA.875074) (2017).
- 1046.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/168-1 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875080](https://doi.org/10.1594/PANGAEA.875080) (2017).
- 1047.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/176-1 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875081](https://doi.org/10.1594/PANGAEA.875081) (2017).
- 1048.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/179-3 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875082](https://doi.org/10.1594/PANGAEA.875082) (2017).
- 1049.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/186-5 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875083](https://doi.org/10.1594/PANGAEA.875083) (2017).
- 1050.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/193-1 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875084](https://doi.org/10.1594/PANGAEA.875084) (2017).
- 1051.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS80/196-1 during PO-LARSTERN cruise ARK-XXVII/2, doi:[10.1594/PANGAEA.875085](https://doi.org/10.1594/PANGAEA.875085) (2017).
- 1052.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile MSM29_440-1 during Maria S. Merian cruise MSM29, doi:[10.1594/PANGAEA.875148](https://doi.org/10.1594/PANGAEA.875148) (2017).
- 1053.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile MSM29_445-1 during Maria S. Merian cruise MSM29, doi:[10.1594/PANGAEA.875149](https://doi.org/10.1594/PANGAEA.875149) (2017).
- 1054.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/106-4 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875175](https://doi.org/10.1594/PANGAEA.875175) (2017).
- 1055.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/107-4 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875176](https://doi.org/10.1594/PANGAEA.875176) (2017).
- 1056.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/118-6 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875177](https://doi.org/10.1594/PANGAEA.875177) (2017).
- 1057.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/122-3 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875178](https://doi.org/10.1594/PANGAEA.875178) (2017).
- 1058.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/137-4 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875179](https://doi.org/10.1594/PANGAEA.875179) (2017).

- 1059.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS72/140-1 during PO-LARSTERN cruise ARK-XXIII/2, doi:[10.1594/PANGAEA.875180](https://doi.org/10.1594/PANGAEA.875180) (2017).
- 1060.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS70/164-1 during PO-LARSTERN cruise ARK-XXII/1c, doi:[10.1594/PANGAEA.875198](https://doi.org/10.1594/PANGAEA.875198) (2017).
- 1061.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS70/170-1 during PO-LARSTERN cruise ARK-XXII/1c, doi:[10.1594/PANGAEA.875199](https://doi.org/10.1594/PANGAEA.875199) (2017).
- 1062.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS70/202-1 during PO-LARSTERN cruise ARK-XXII/1c, doi:[10.1594/PANGAEA.875200](https://doi.org/10.1594/PANGAEA.875200) (2017).
- 1063.** Bergmann, M., Schewe, I. & Soltwedel, T. Seabed photographs taken along OFOS profile PS70/207-1 during PO-LARSTERN cruise ARK-XXII/1c, doi:[10.1594/PANGAEA.875201](https://doi.org/10.1594/PANGAEA.875201) (2017).
- 1064.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty Concrete block, Comau Fjord, Patagonia, Chile, at 2017-05-24, doi:[10.1594/PANGAEA.875713](https://doi.org/10.1594/PANGAEA.875713) (2017).
- 1065.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty-Waterpipe, Comau Fjord, Patagonia, Chile, at 2017-05-24, doi:[10.1594/PANGAEA.875714](https://doi.org/10.1594/PANGAEA.875714) (2017).
- 1066.** Laudien, J., Heran, T., Häussermann, V. & Försterra, G. Photographs of tiles installed in different angles at Liliguapi, Paso Comau, Chile, at 2015-06-20, doi:[10.1594/PANGAEA.876422](https://doi.org/10.1594/PANGAEA.876422) (2017).
- 1067.** Laudien, J., Heran, T., Häussermann, V. & Försterra, G. Photographs of tiles installed in different angles at Liliguapi, Paso Comau, Chile, at 2017-03-13, doi:[10.1594/PANGAEA.876423](https://doi.org/10.1594/PANGAEA.876423) (2017).
- 1068.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2014-02-19, doi:[10.1594/PANGAEA.876511](https://doi.org/10.1594/PANGAEA.876511) (2017).
- 1069.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2014-08-15, doi:[10.1594/PANGAEA.876512](https://doi.org/10.1594/PANGAEA.876512) (2017).
- 1070.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2014-08-26, doi:[10.1594/PANGAEA.876513](https://doi.org/10.1594/PANGAEA.876513) (2017).
- 1071.** Laudien, J., Pörschmann, U., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2015-01-30, doi:[10.1594/PANGAEA.876514](https://doi.org/10.1594/PANGAEA.876514) (2017).
- 1072.** Laudien, J., Pörschmann, U., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2015-06-15, doi:[10.1594/PANGAEA.876515](https://doi.org/10.1594/PANGAEA.876515) (2017).
- 1073.** Laudien, J., Pörschmann, U., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2015-06-18, doi:[10.1594/PANGAEA.876516](https://doi.org/10.1594/PANGAEA.876516) (2017).
- 1074.** Laudien, J., Pörschmann, U., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2015-11-07, doi:[10.1594/PANGAEA.876517](https://doi.org/10.1594/PANGAEA.876517) (2017).
- 1075.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of tiles installed at Huinay Jetty, Comau Fjord, Chile, at 2016-09-07, doi:[10.1594/PANGAEA.876518](https://doi.org/10.1594/PANGAEA.876518) (2017).
- 1076.** Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Adelaide Reef in the Cairns to Cooktown region of the Great Barrier Reef (2017-04). In *Roelfsema, CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017. PANGAEA, https://doi.org/10.1594/PANGAEA.877578*, doi:[10.1594/PANGAEA.877551](https://doi.org/10.1594/PANGAEA.877551) (PANGAEA, 2017).
- 1077.** Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Boulder Reef in the Cairns to Cooktown region of the Great Barrier Reef (2017-01). In *Roelfsema, CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017. PANGAEA, https://doi.org/10.1594/PANGAEA.877578*, doi:[10.1594/PANGAEA.877552](https://doi.org/10.1594/PANGAEA.877552) (PANGAEA, 2017).
- 1078.** Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Chinaman Reef in the Cairns to Cooktown region of the Great Barrier Reef (2017-01). In *Roelfsema, CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017. PANGAEA, https://doi.org/10.1594/PANGAEA.877578*, doi:[10.1594/PANGAEA.877553](https://doi.org/10.1594/PANGAEA.877553) (PANGAEA, 2017).

CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017. PANGAEA, <https://doi.org/10.1594/PANGAEA.877578>, doi:10.1594/PANGAEA.877564 (PANGAEA, 2017).

- 1100.** Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Vicki Harriott Reef in the Cairns to Cooktown region of the Great Barrier Reef (2017-01). In *Roelfsema, CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.877578>, doi:[10.1594/PANGAEA.877575](https://doi.org/10.1594/PANGAEA.877575) (PANGAEA, 2017).
- 1101.** Roelfsema, C. M., Kovacs, E. M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Vicki Harriott Reef in the Cairns to Cooktown region of the Great Barrier Reef (2017-05). In *Roelfsema, CM et al. (2017): Georeferenced photographs of benthic photoquadrats acquired along 160 transects distributed over 23 reefs in the Cairns to Cooktown region of the Great Barrier Reef, January and April/May, 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.877578>, doi:[10.1594/PANGAEA.877576](https://doi.org/10.1594/PANGAEA.877576) (PANGAEA, 2017).
- 1102.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/118-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878000](https://doi.org/10.1594/PANGAEA.878000) (PANGAEA, 2017).
- 1103.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/140-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878001](https://doi.org/10.1594/PANGAEA.878001) (PANGAEA, 2017).
- 1104.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/151-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878002](https://doi.org/10.1594/PANGAEA.878002) (PANGAEA, 2017).
- 1105.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/152-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878003](https://doi.org/10.1594/PANGAEA.878003) (PANGAEA, 2017).
- 1106.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/153-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878004](https://doi.org/10.1594/PANGAEA.878004) (PANGAEA, 2017).
- 1107.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/166-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878005](https://doi.org/10.1594/PANGAEA.878005) (PANGAEA, 2017).
- 1108.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/167-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878006](https://doi.org/10.1594/PANGAEA.878006) (PANGAEA, 2017).
- 1109.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/187-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878007](https://doi.org/10.1594/PANGAEA.878007) (PANGAEA, 2017).
- 1110.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/194-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878008](https://doi.org/10.1594/PANGAEA.878008) (PANGAEA, 2017).
- 1111.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/195-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878009](https://doi.org/10.1594/PANGAEA.878009) (PANGAEA, 2017).
- 1112.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/196-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during*

POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878010](#) (PANGAEA, 2017).

- 1113.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/205-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878011](#)* (PANGAEA, 2017).
- 1114.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/210-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878012](#)* (PANGAEA, 2017).
- 1115.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/211-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878013](#)* (PANGAEA, 2017).
- 1116.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/212-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878014](#)* (PANGAEA, 2017).
- 1117.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/218-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878015](#)* (PANGAEA, 2017).
- 1118.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/220-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878017](#)* (PANGAEA, 2017).
- 1119.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/227-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878018](#)* (PANGAEA, 2017).
- 1120.** Hehemann, L., Purser, A., Schramm, F. & Boetius, A. Seabed photographs taken along TVMUC deployment PS101/242-1 during POLARSTERN cruise PS101. In *Hehemann, L et al. (2017): Multicore video and still images collected during POLARSTERN cruise PS101. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.878045>, doi:[10.1594/PANGAEA.878019](#)* (PANGAEA, 2017).
- 1121.** Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_41-1_AUV05 (Abyss_191) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.879298](#)* (PANGAEA, 2017).
- 1122.** Schoening, T., Köser, K. & Greinert, J. An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. *Sci. Data* **5**, 180181, doi:[10.1038/sdata.2018.181](#) (2018).
- 1123.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty Concrete block, Comau Fjord, Patagonia, Chile, at 2017-08-11, doi:[10.1594/PANGAEA.880043](#) (2017).
- 1124.** Laudien, J., Häussermann, V. & Försterra, G. Photographs of marked cold-water scleractinian corals at time series station Huinay Jetty-Waterpipe, Comau Fjord, Patagonia, Chile, at 2017-08-11, doi:[10.1594/PANGAEA.880044](#) (2017).
- 1125.** Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_25-1_AUV03 (Abyss_189) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881638](#)* (PANGAEA, 2017).
- 1126.** Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_33-1_AUV04 (Abyss_190) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert,*

- Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881844](https://doi.org/10.1594/PANGAEA.881844) (PANGAEA, 2017).
1127. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_113-1_AUV15 (Abyss_201) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881850](https://doi.org/10.1594/PANGAEA.881850) (PANGAEA, 2017).
1128. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_88-1_AUV11 (Abyss_197) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881882](https://doi.org/10.1594/PANGAEA.881882) (PANGAEA, 2017).
1129. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_94-1_AUV12 (Abyss_198) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881886](https://doi.org/10.1594/PANGAEA.881886) (PANGAEA, 2017).
1130. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_107-1_AUV14 (Abyss_200) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881887](https://doi.org/10.1594/PANGAEA.881887) (PANGAEA, 2017).
1131. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_83-1_AUV10 (Abyss_196) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881896](https://doi.org/10.1594/PANGAEA.881896) (PANGAEA, 2017).
1132. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO242/1_102-1_AUV13 (Abyss_199) during SONNE cruise SO242/1. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.881948](https://doi.org/10.1594/PANGAEA.881948) (PANGAEA, 2017).
1133. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_65-1_AUV6 (Abyss_172) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882056](https://doi.org/10.1594/PANGAEA.882056) (PANGAEA, 2017).
1134. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_79-1_AUV7 (Abyss_173) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882057](https://doi.org/10.1594/PANGAEA.882057) (PANGAEA, 2017).
1135. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_98-1_AUV8 (Abyss_174) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882062](https://doi.org/10.1594/PANGAEA.882062) (PANGAEA, 2017).
1136. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_115-1_AUV9 (Abyss_175) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882063](https://doi.org/10.1594/PANGAEA.882063) (PANGAEA, 2017).
1137. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_130-1_AUV10 (Abyss_176) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882068](https://doi.org/10.1594/PANGAEA.882068) (PANGAEA, 2017).
1138. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_166-1_AUV15 (Abyss_181) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis. Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882069](https://doi.org/10.1594/PANGAEA.882069) (PANGAEA, 2017).

1139. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_172-1_AUV16 (Abyss_182) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882073](https://doi.org/10.1594/PANGAEA.882073) (PANGAEA, 2017).
1140. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_188-1_AUV17 (Abyss_183) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882074](https://doi.org/10.1594/PANGAEA.882074) (PANGAEA, 2017).
1141. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_193-1_AUV18 (Abyss_184) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882076](https://doi.org/10.1594/PANGAEA.882076) (PANGAEA, 2017).
1142. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_201-1_AUV19 (Abyss_185) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882077](https://doi.org/10.1594/PANGAEA.882077) (PANGAEA, 2017).
1143. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_19-1_AUV2 (Abyss_168) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882182](https://doi.org/10.1594/PANGAEA.882182) (PANGAEA, 2017).
1144. Greinert, J., Schoening, T., Köser, K. & Rothenbeck, M. Seafloor images and raw context data along AUV track SO239_28-1_AUV3 (Abyss_169) during SONNE cruise SO239. In *Schoening, Timm; Köser, Kevin; Greinert, Jens (2018): An acquisition, curation and management workflow for sustainable, terabyte-scale marine image analysis*. *Scientific Data*, 5, 180181, <https://doi.org/10.1038/sdata.2018.181>, doi:[10.1594/PANGAEA.882183](https://doi.org/10.1594/PANGAEA.882183) (PANGAEA, 2017).
1145. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2013-01-10, doi:[10.1594/PANGAEA.885666](https://doi.org/10.1594/PANGAEA.885666) (2018).
1146. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2013-02-24, doi:[10.1594/PANGAEA.885667](https://doi.org/10.1594/PANGAEA.885667) (2018).
1147. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2014-01-31, doi:[10.1594/PANGAEA.885668](https://doi.org/10.1594/PANGAEA.885668) (2018).
1148. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2015-06-20, doi:[10.1594/PANGAEA.885669](https://doi.org/10.1594/PANGAEA.885669) (2018).
1149. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2015-07-10, doi:[10.1594/PANGAEA.885670](https://doi.org/10.1594/PANGAEA.885670) (2018).
1150. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2016-03-22, doi:[10.1594/PANGAEA.885672](https://doi.org/10.1594/PANGAEA.885672) (2018).
1151. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2016-03-24, doi:[10.1594/PANGAEA.885674](https://doi.org/10.1594/PANGAEA.885674) (2018).
1152. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2016-03-25, doi:[10.1594/PANGAEA.885675](https://doi.org/10.1594/PANGAEA.885675) (2018).
1153. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2017-03-13, doi:[10.1594/PANGAEA.885709](https://doi.org/10.1594/PANGAEA.885709) (2018).
1154. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2010-01-22, doi:[10.1594/PANGAEA.885712](https://doi.org/10.1594/PANGAEA.885712) (2018).
1155. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2010-05-26, doi:[10.1594/PANGAEA.885713](https://doi.org/10.1594/PANGAEA.885713) (2018).
1156. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2010-07-12, doi:[10.1594/PANGAEA.885714](https://doi.org/10.1594/PANGAEA.885714) (2018).
1157. Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2010-11-11, doi:[10.1594/PANGAEA.885715](https://doi.org/10.1594/PANGAEA.885715) (2018).

- 1158.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2011-02-26, doi:[10.1594/PANGAEA.885716](https://doi.org/10.1594/PANGAEA.885716) (2018).
- 1159.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2011-07-08, doi:[10.1594/PANGAEA.885717](https://doi.org/10.1594/PANGAEA.885717) (2018).
- 1160.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2011-12-13, doi:[10.1594/PANGAEA.885718](https://doi.org/10.1594/PANGAEA.885718) (2018).
- 1161.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2012-01-31, doi:[10.1594/PANGAEA.885719](https://doi.org/10.1594/PANGAEA.885719) (2018).
- 1162.** Laudien, J., Försterra, G. & Häussermann, V. Photographs of tiles at time series station Liliguapi, Paso Comau, Patagonia, Chile, at 2012-04-22, doi:[10.1594/PANGAEA.885720](https://doi.org/10.1594/PANGAEA.885720) (2018).
- 1163.** Laudien, J., Villegas, M. J., Sielfeld, W. & Arntz, W. E. Photographs of a foresting experiment in Chipana Bay. In *Villegas, Mario J; Laudien, Jürgen; Sielfeld, Walter; Arntz, Wolf E (2018): Foresting experiment in Chipana Bay, Chile. PANGAEA, https://doi.org/10.1594/PANGAEA.889025*, doi:[10.1594/PANGAEA.889035](https://doi.org/10.1594/PANGAEA.889035) (PANGAEA, 2018).
- 1164.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_139-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890615](https://doi.org/10.1594/PANGAEA.890615) (PANGAEA, 2018).
- 1165.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_143-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890616](https://doi.org/10.1594/PANGAEA.890616) (PANGAEA, 2018).
- 1166.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_155-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890617](https://doi.org/10.1594/PANGAEA.890617) (PANGAEA, 2018).
- 1167.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_160-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890618](https://doi.org/10.1594/PANGAEA.890618) (PANGAEA, 2018).
- 1168.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_164-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890619](https://doi.org/10.1594/PANGAEA.890619) (PANGAEA, 2018).
- 1169.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_171-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890620](https://doi.org/10.1594/PANGAEA.890620) (PANGAEA, 2018).
- 1170.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_177-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890621](https://doi.org/10.1594/PANGAEA.890621) (PANGAEA, 2018).
- 1171.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_184-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890622](https://doi.org/10.1594/PANGAEA.890622) (PANGAEA, 2018).
- 1172.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_189-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.890634*, doi:[10.1594/PANGAEA.890623](https://doi.org/10.1594/PANGAEA.890623) (PANGAEA, 2018).
- 1173.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_195-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL)*

- area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890624](#) (PANGAEA, 2018).*
- 1174.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_197-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890625](#) (PANGAEA, 2018).*
- 1175.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_203-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890626](#) (PANGAEA, 2018).*
- 1176.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_206-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890627](#) (PANGAEA, 2018).*
- 1177.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_212-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890628](#) (PANGAEA, 2018).*
- 1178.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_220-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890629](#) (PANGAEA, 2018).*
- 1179.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_223-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890630](#) (PANGAEA, 2018).*
- 1180.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_227-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890631](#) (PANGAEA, 2018).*
- 1181.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_231-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890632](#) (PANGAEA, 2018).*
- 1182.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_233-1 during SONNE cruise SO242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890633](#) (PANGAEA, 2018).*
- 1183.** Purser, A., Marcon, Y. & Boetius, A. Seabed photographs taken along OFOS profile SO242/2_174-1 during SONNE cruise SO 242/2. In *Purser, A et al. (2018): Seafloor images from the Peru Basin Disturbance and Colonization (DISCOL) area collected during SO242/2. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.890634>, doi:[10.1594/PANGAEA.890964](#) (PANGAEA, 2018).*
- 1184.** Roelfsema, C. M., Grol, M., González-Rivero, M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Curd Reef in the Far North region of the Great Barrier Reef, December, 2017. In *Roelfsema, CM et al. (2018): Georeferenced photographs of benthic photoquadrats acquired along 63 transects distributed over 12 reefs in the Far North region of the Great Barrier Reef, December, 2017. PANGAEA, <https://doi.org/10.1594/PANGAEA.891505>, doi:[10.1594/PANGAEA.891490](#) (PANGAEA, 2018).*
- 1185.** Roelfsema, C. M., Grol, M., González-Rivero, M. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Dugong Reef in the Far North region of the Great Barrier Reef, December, 2017. In *Roelfsema, CM et al. (2018): Georeferenced photographs of benthic photoquadrats acquired along 63*

- 1196.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys from Ellison_Reef in the Cairns to Cooktown management region of the Great Barrier Reef, Januar 2017. In *Roelfsema, CM et al. (2018): Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.892623>, doi:[10.1594/PANGAEA.892604](https://doi.org/10.1594/PANGAEA.892604) (PANGAEA, 2018).
- 1197.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys from Hastings Reef in the Cairns to Cooktown management region of the Great Barrier Reef, May 2017. In *Roelfsema, CM et al. (2018): Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.892623>, doi:[10.1594/PANGAEA.892610](https://doi.org/10.1594/PANGAEA.892610) (PANGAEA, 2018).
- 1198.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys from Lark Reef in the Cairns to Cooktown management region of the Great Barrier Reef, MAY 2017. In *Roelfsema, CM et al. (2018): Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.892623>, doi:[10.1594/PANGAEA.892611](https://doi.org/10.1594/PANGAEA.892611) (PANGAEA, 2018).
- 1199.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys from Tongue Reef in the Cairns to Cooktown management region of the Great Barrier Reef, Januar 2017. In *Roelfsema, CM et al. (2018): Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.892623>, doi:[10.1594/PANGAEA.892619](https://doi.org/10.1594/PANGAEA.892619) (PANGAEA, 2018).
- 1200.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017, doi:[10.1594/PANGAEA.892623](https://doi.org/10.1594/PANGAEA.892623) (2018).
- 1201.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys from Vicki_Harriott_Reef in the Cairns to Cooktown management region of the Great Barrier Reef, Januar 2017. In *Roelfsema, CM et al. (2018): Benthic and substrate cover data derived from field photo-transect surveys for the Cairns to Cooktown management region of the Great Barrier Reef (GBR), January and April/May 2017*. PANGAEA, <https://doi.org/10.1594/PANGAEA.892623>, doi:[10.1594/PANGAEA.892625](https://doi.org/10.1594/PANGAEA.892625) (PANGAEA, 2018).
- 1202.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_14-1 during SONNE cruise SO 261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894725](https://doi.org/10.1594/PANGAEA.894725) (PANGAEA, 2018).
- 1203.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_26-1 during SONNE cruise SO 261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894726](https://doi.org/10.1594/PANGAEA.894726) (PANGAEA, 2018).
- 1204.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_53-1 during SONNE cruise SO261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894729](https://doi.org/10.1594/PANGAEA.894729) (PANGAEA, 2018).
- 1205.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_66-1 during SONNE cruise SO261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894730](https://doi.org/10.1594/PANGAEA.894730) (PANGAEA, 2018).
- 1206.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_78-1 during SONNE cruise SO261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894731](https://doi.org/10.1594/PANGAEA.894731) (PANGAEA, 2018).
- 1207.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_90-1 during SONNE cruise SO261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894734>, doi:[10.1594/PANGAEA.894732](https://doi.org/10.1594/PANGAEA.894732) (PANGAEA, 2018).

- 1208.** Hehemann, L., Purser, A., Hoge, U. & Wenzhöfer, F. Seabed photographs taken along OFOBS profile SO261_109-1 during SONNE cruise SO261. In *Hehemann, L et al. (2018): OFOBS Seafloor images from the margins of the Atacama Trench, collected during RV SONNE cruise SO261*. PANGAEA, [https://doi.org/10.1594/PANGAEA.894733](https://doi.org/10.1594/PANGAEA.894734) (PANGAEA, 2018).
- 1209.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2005-05). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, [https://doi.org/10.1594/PANGAEA.894796](https://doi.org/10.1594/PANGAEA.894801) (PANGAEA, 2018).
- 1210.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2010-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, [https://doi.org/10.1594/PANGAEA.894797](https://doi.org/10.1594/PANGAEA.894801) (PANGAEA, 2018).
- 1211.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2016-09). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, [https://doi.org/10.1594/PANGAEA.894800](https://doi.org/10.1594/PANGAEA.894801) (PANGAEA, 2018).
- 1212.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas, doi:[10.1594/PANGAEA.894801](https://doi.org/10.1594/PANGAEA.894801) (2018).
- 1213.** Bergmann, M. Seabed photographs taken along OFOS profile PS114_33-3 during POLARSTERN cruise PS114, doi:[10.1594/PANGAEA.895102](https://doi.org/10.1594/PANGAEA.895102) (2018).
- 1214.** Bergmann, M. Seabed photographs taken along OFOS profile PS114_30-1 during POLARSTERN cruise PS114, doi:[10.1594/PANGAEA.895103](https://doi.org/10.1594/PANGAEA.895103) (2018).
- 1215.** Bergmann, M. Seabed photographs taken along OFOS profile PS114_44-1 during POLARSTERN cruise PS114, doi:[10.1594/PANGAEA.895104](https://doi.org/10.1594/PANGAEA.895104) (2018).
- 1216.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2012-07). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895121](https://doi.org/10.1594/PANGAEA.895121) (PANGAEA, 2018).
- 1217.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2014-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895124](https://doi.org/10.1594/PANGAEA.895124) (PANGAEA, 2018).
- 1218.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2015-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895147](https://doi.org/10.1594/PANGAEA.895147) (PANGAEA, 2018).
- 1219.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2017-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895154](https://doi.org/10.1594/PANGAEA.895154) (PANGAEA, 2018).
- 1220.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2011-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895157](https://doi.org/10.1594/PANGAEA.895157) (PANGAEA, 2018).
- 1221.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2013-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895160](https://doi.org/10.1594/PANGAEA.895160) (PANGAEA, 2018).
- 1222.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2002-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895556](https://doi.org/10.1594/PANGAEA.895556) (PANGAEA, 2018).

- 1223.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2004-03, 2004-05). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895557](#) (PANGAEA, 2018).
- 1224.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2006-06). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895558](#) (PANGAEA, 2018).
- 1225.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2007-09). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895563](#) (PANGAEA, 2018).
- 1226.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2008-10). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895569](#) (PANGAEA, 2018).
- 1227.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2009-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas*. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.895570](#) (PANGAEA, 2018).
- 1228.** Gerdes, K. Images used for the 3D reconstruction and counting species, ROV dive INDEX2016_16ROV. In *Gerdes, Klaas; Martínez Arbizu, Pedro; Schwarz-Schampera, Ulrich; Schwentner, Martin; Kihara, Terue Cristina (2019): Detailed Mapping of Hydrothermal Vent Fauna: A 3D Reconstruction Approach Based on Video Imagery*. *Frontiers in Marine Science*, **6**, <https://doi.org/10.3389/fmars.2019.00096>, doi:[10.1594/PANGAEA.896157](#) (PANGAEA, 2018).
- 1229.** Gerdes, K., Martínez Arbizu, P., Schwarz-Schampera, U., Schwentner, M. & Kihara, T. C. Detailed Mapping of Hydrothermal Vent Fauna: A 3D Reconstruction Approach Based on Video Imagery. *Front. Mar. Sci.* **6**, 96, doi:[10.3389/fmars.2019.00096](#) (2019).
- 1230.** Bergmann, M. Seabed photographs taken along OFOS profile PS108_5-1 during POLARSTERN cruise PS108, doi:[10.1594/PANGAEA.896545](#) (2018).
- 1231.** Bergmann, M. Seabed photographs taken along OFOS profile PS108_22-1 during POLARSTERN cruise PS108, doi:[10.1594/PANGAEA.896546](#) (2018).
- 1232.** Bergmann, M. Seabed photographs taken along OFOS profile PS108_42-1 during POLARSTERN cruise PS108, doi:[10.1594/PANGAEA.896547](#) (2018).
- 1233.** Bergmann, M. Seabed photographs taken along OFOS profile PS108_51-1 during POLARSTERN cruise PS108, doi:[10.1594/PANGAEA.896548](#) (2018).
- 1234.** Bergmann, M. Seabed photographs taken along OFOS profile PS108_35-1 during POLARSTERN cruise PS108, doi:[10.1594/PANGAEA.896549](#) (2018).
- 1235.** Bergmann, M. Seabed photographs taken along OFOS profile PS107_2-20 during POLARSTERN cruise PS107, doi:[10.1594/PANGAEA.896653](#) (2018).
- 1236.** Bergmann, M. Seabed photographs taken along OFOS profile PS107_6-12 during POLARSTERN cruise PS107, doi:[10.1594/PANGAEA.896654](#) (2018).
- 1237.** Bergmann, M. Seabed photographs taken along OFOS profile PS107_27-1 during POLARSTERN cruise PS107, doi:[10.1594/PANGAEA.896655](#) (2018).
- 1238.** Bergmann, M. Seabed photographs taken along OFOS profile PS107_36-6 during POLARSTERN cruise PS107, doi:[10.1594/PANGAEA.896656](#) (2018).
- 1239.** Bergmann, M. Seabed photographs taken along OFOS profile PS107_43-12 during POLARSTERN cruise PS107, doi:[10.1594/PANGAEA.896657](#) (2018).
- 1240.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7102-3, doi:[10.1594/PANGAEA.896695](#) (2018).

- 1241.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7104-3, doi:[10.1594/PANGAEA.896696](https://doi.org/10.1594/PANGAEA.896696) (2018).
- 1242.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7109-1, doi:[10.1594/PANGAEA.896697](https://doi.org/10.1594/PANGAEA.896697) (2018).
- 1243.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7110-1, doi:[10.1594/PANGAEA.896698](https://doi.org/10.1594/PANGAEA.896698) (2018).
- 1244.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7160-1, doi:[10.1594/PANGAEA.896699](https://doi.org/10.1594/PANGAEA.896699) (2018).
- 1245.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7163-2, doi:[10.1594/PANGAEA.896700](https://doi.org/10.1594/PANGAEA.896700) (2018).
- 1246.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7164-2, doi:[10.1594/PANGAEA.896701](https://doi.org/10.1594/PANGAEA.896701) (2018).
- 1247.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7172-2, doi:[10.1594/PANGAEA.896702](https://doi.org/10.1594/PANGAEA.896702) (2018).
- 1248.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7173-2, doi:[10.1594/PANGAEA.896703](https://doi.org/10.1594/PANGAEA.896703) (2018).
- 1249.** Gutt, J., Teixidó, N. & Arntz, W. E. Sea-bed photographs (benthos) from the shelf in the South-Eastern Pacific off the Chilean coast along profile GeoB7176-2, doi:[10.1594/PANGAEA.896704](https://doi.org/10.1594/PANGAEA.896704) (2018).
- 1250.** Gutt, J. & Buschmann, A. Sea-bed photographs (benthos) from the Patagonian shelf (South America, South-West Atlantic) along profile PS40/106-6, doi:[10.1594/PANGAEA.896724](https://doi.org/10.1594/PANGAEA.896724) (2018).
- 1251.** Gutt, J. & Buschmann, A. Sea-bed photographs (benthos) from the Patagonian shelf (South America, South-West Atlantic) along profile PS40/110-6, doi:[10.1594/PANGAEA.896725](https://doi.org/10.1594/PANGAEA.896725) (2018).
- 1252.** Gutt, J. & Buschmann, A. Sea-bed photographs (benthos) from the Patagonian shelf (South America, South-West Atlantic) along profile PS40/112-1, doi:[10.1594/PANGAEA.896726](https://doi.org/10.1594/PANGAEA.896726) (2018).
- 1253.** Gutt, J. & Buschmann, A. Sea-bed photographs (benthos) from the Patagonian shelf (South America, South-West Atlantic) along profile PS40/113-1, doi:[10.1594/PANGAEA.896727](https://doi.org/10.1594/PANGAEA.896727) (2018).
- 1254.** Gutt, J. & Buschmann, A. Sea-bed photographs (benthos) from the Patagonian shelf (South America, South-West Atlantic) along profile PS40/116-2, doi:[10.1594/PANGAEA.896728](https://doi.org/10.1594/PANGAEA.896728) (2018).
- 1255.** Federwisch, L., Owsianowski, N. & Richter, C. In-situ images of glass sponges (Porifera: Hexactinellida: Rossellidae) extracted from ROV videos recorded during POLARSTERN cruise PS82 (ANT-XXIX/9) in the Weddell Sea. In *Federwisch, Luisa; Janussen, Dorte; Richter, Claudio (2019): Reference images for identification of common Antarctic glass sponges (Porifera: Hexactinellida: Rossellidae) based on macroscopic characteristics. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.897623*, doi:[10.1594/PANGAEA.897590](https://doi.org/10.1594/PANGAEA.897590) (PANGAEA, 2019).
- 1256.** Roelfsema, C. M., Kovacs, E. M., Stetner, D. & Phinn, S. R. Georeferenced photographs of benthic photoquadrats acquired along transects from Heron Reef flat and slope areas (2018-11). In *Roelfsema, CM et al. (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas. PANGAEA, https://doi.org/10.1594/PANGAEA.894801*, doi:[10.1594/PANGAEA.899670](https://doi.org/10.1594/PANGAEA.899670) (PANGAEA, 2019).
- 1257.** Morgan, N. B. & Baco, A. R. Observation of a high abundance aggregation of the deep-sea urchin Chaetodiadema pallidum A. Agassiz and H.L. Clark, 1907 on the Northwestern Hawaiian Island Mokumanamana, doi:[10.1594/PANGAEA.903580](https://doi.org/10.1594/PANGAEA.903580) (2019). Supplement to: Morgan, NB; Baco, AR (2019): Observation of a high abundance aggregation of the deep-sea urchin Chaetodiadema pallidum A. Agassiz and H.L. Clark, 1907 on the Northwestern Hawaiian Island Mokumanamana. Deep Sea Research Part I: Oceanographic Research Papers, <https://doi.org/10.1016/j.dsr.2019.06.013>.
- 1258.** Morgan, N. B. & Baco, A. R. Observation of a high abundance aggregation of the deep-sea urchin Chaetodiadema pallidum A. Agassiz and H.L. Clark, 1907 on the Northwestern Hawaiian Island Mokumanamana. *Deep. Sea Res. Part I: Oceanogr. Res. Pap.* **150**, 103067, doi:[10.1016/j.dsr.2019.06.013](https://doi.org/10.1016/j.dsr.2019.06.013) (2019).
- 1259.** Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys for the Heron Reef flat and slope areas (2008-10). In *Roelfsema, Christiaan M; Kovacs, Eva M; Stetner, Douglas; Phinn, Stuart R (2018): Georeferenced benthic photoquadrats captured annually from*

2002-2017, distributed over Heron Reef flat and slope areas. PANGAEA, <https://doi.org/10.1594/PANGAEA.894801>, doi:[10.1594/PANGAEA.903788](https://doi.org/10.1594/PANGAEA.903788) (PANGAEA, 2019).

1260. Roelfsema, C. M., Kovacs, E. M., Markey, K. & Phinn, S. R. Benthic and substrate cover data derived from field photo-transect surveys for the Heron Reef flat and slope areas (2002-11). In *Roelfsema, Christiaan M; Kovacs, Eva M; Stetner, Douglas; Phinn, Stuart R (2018): Georeferenced benthic photoquadrats captured annually from 2002-2017, distributed over Heron Reef flat and slope areas. PANGAEA, https://doi.org/10.1594/PANGAEA.894801*, doi:[10.1594/PANGAEA.907025](https://doi.org/10.1594/PANGAEA.907025) (PANGAEA, 2019).
1261. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_6-9 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911902](https://doi.org/10.1594/PANGAEA.911902) (PANGAEA, 2020).
1262. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_7-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911903](https://doi.org/10.1594/PANGAEA.911903) (PANGAEA, 2020).
1263. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_11-2 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911910](https://doi.org/10.1594/PANGAEA.911910) (PANGAEA, 2020).
1264. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_8-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911911](https://doi.org/10.1594/PANGAEA.911911) (PANGAEA, 2020).
1265. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_38-13 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911912](https://doi.org/10.1594/PANGAEA.911912) (PANGAEA, 2020).
1266. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_39-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911914](https://doi.org/10.1594/PANGAEA.911914) (PANGAEA, 2020).
1267. Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_77-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, https://doi.org/10.1594/PANGAEA.911904*, doi:[10.1594/PANGAEA.911915](https://doi.org/10.1594/PANGAEA.911915) (PANGAEA, 2020).
1268. Parga Martínez, K. B., Tekman, M. B. & Bergmann, M. Litter trends at three stations of the HAUSGARTEN observatory, doi:[10.1594/PANGAEA.912471](https://doi.org/10.1594/PANGAEA.912471) (2020).
1269. Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/033-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica. PANGAEA, https://doi.org/10.1594/PANGAEA.914197*, doi:[10.1594/PANGAEA.914151](https://doi.org/10.1594/PANGAEA.914151) (PANGAEA, 2020).
1270. Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/040-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica. PANGAEA, https://doi.org/10.1594/PANGAEA.914197*, doi:[10.1594/PANGAEA.914152](https://doi.org/10.1594/PANGAEA.914152) (PANGAEA, 2020).

- 1297.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/350-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914183](https://doi.org/10.1594/PANGAEA.914183) (PANGAEA, 2020).
- 1298.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/359-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914184](https://doi.org/10.1594/PANGAEA.914184) (PANGAEA, 2020).
- 1299.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/360-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914185](https://doi.org/10.1594/PANGAEA.914185) (PANGAEA, 2020).
- 1300.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/154-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914189](https://doi.org/10.1594/PANGAEA.914189) (PANGAEA, 2020).
- 1301.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/305-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914192](https://doi.org/10.1594/PANGAEA.914192) (PANGAEA, 2020).
- 1302.** Pineda-Metz, S. E. A. & Gerdes, D. Seabed images taken at Site PS82/079-1 deployment during POLARSTERN cruise PS82. In *Pineda-Metz, SEA; Gerdes, D (2020): Seabed images taken during POLARSTERN cruise ANT-XXIX-9 (PS82) to the Weddell Sea, Antarctica*. PANGAEA, <https://doi.org/10.1594/PANGAEA.914197>, doi:[10.1594/PANGAEA.914212](https://doi.org/10.1594/PANGAEA.914212) (PANGAEA, 2020).
- 1303.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2010-04-23, doi:[10.1594/PANGAEA.918232](https://doi.org/10.1594/PANGAEA.918232) (2020).
- 1304.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2010-04-28, doi:[10.1594/PANGAEA.918233](https://doi.org/10.1594/PANGAEA.918233) (2020).
- 1305.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2016-07-31, doi:[10.1594/PANGAEA.918327](https://doi.org/10.1594/PANGAEA.918327) (2020).
- 1306.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2019-05-07, doi:[10.1594/PANGAEA.918340](https://doi.org/10.1594/PANGAEA.918340) (2020).
- 1307.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2018-10-18, doi:[10.1594/PANGAEA.918341](https://doi.org/10.1594/PANGAEA.918341) (2020).
- 1308.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2016-10-28, doi:[10.1594/PANGAEA.918382](https://doi.org/10.1594/PANGAEA.918382) (2020).
- 1309.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2016-12-05, doi:[10.1594/PANGAEA.918383](https://doi.org/10.1594/PANGAEA.918383) (2020).
- 1310.** Laudien, J., Försterra, G., Heran, T. & Häussermann, V. Photographs of tiles installed at X-Huinay, Comau Fjord, Chile, at 2018-01-23, doi:[10.1594/PANGAEA.918385](https://doi.org/10.1594/PANGAEA.918385) (2020).
- 1311.** Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_69-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.911904>, doi:[10.1594/PANGAEA.918924](https://doi.org/10.1594/PANGAEA.918924) (PANGAEA, 2020).
- 1312.** Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_12-12 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118*. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA, <https://doi.org/10.1594/PANGAEA.911904>, doi:[10.1594/PANGAEA.918925](https://doi.org/10.1594/PANGAEA.918925) (PANGAEA, 2020).

- 1313.** Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_9-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.911904>, doi:[10.1594/PANGAEA.918926](https://doi.org/10.1594/PANGAEA.918926) (PANGAEA, 2020).
- 1314.** Purser, A., Hehemann, L., Dreutter, S., Dorschel, B. & Nordhausen, A. Seabed photographs taken along OFOBS profile PS118_81-1 during RV POLARSTERN cruise PS118. In *Purser, A et al. (2020): OFOBS Seafloor images from the Antarctic Peninsula and Powell Basin, collected during RV POLARSTERN cruise PS118. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.911904>, doi:[10.1594/PANGAEA.919348](https://doi.org/10.1594/PANGAEA.919348) (PANGAEA, 2020).
- 1315.** Purser, A., Hass, H. C. & Hoge, U. Seabed photographs taken along OFOBS profile HE502_3-1 during HEINCKE cruise HE502. In *Purser, A et al. (2020): Seafloor images collected by the Ocean Floor Observation and Bathymetry System (OFOBS) during HEINCKE cruise HE502, Bremerhaven - Bremerhaven, 2017-12-01 - 2017-12-20. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.919847>, doi:[10.1594/PANGAEA.919826](https://doi.org/10.1594/PANGAEA.919826) (PANGAEA, 2020).
- 1316.** Purser, A., Hass, H. C. & Hoge, U. Seabed photographs taken along OFOBS profile HE502_4-1 during HEINCKE cruise HE502. In *Purser, A et al. (2020): Seafloor images collected by the Ocean Floor Observation and Bathymetry System (OFOBS) during HEINCKE cruise HE502, Bremerhaven - Bremerhaven, 2017-12-01 - 2017-12-20. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.919847>, doi:[10.1594/PANGAEA.919827](https://doi.org/10.1594/PANGAEA.919827) (PANGAEA, 2020).
- 1317.** Purser, A., Hass, H. C. & Hoge, U. Seabed photographs taken along OFOBS profile HE502_6-1 during HEINCKE cruise HE502. In *Purser, A et al. (2020): Seafloor images collected by the Ocean Floor Observation and Bathymetry System (OFOBS) during HEINCKE cruise HE502, Bremerhaven - Bremerhaven, 2017-12-01 - 2017-12-20. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.919847>, doi:[10.1594/PANGAEA.919828](https://doi.org/10.1594/PANGAEA.919828) (PANGAEA, 2020).
- 1318.** Purser, A., Hass, H. C. & Hoge, U. Seabed photographs taken along OFOBS profile HE502_7-1 during HEINCKE cruise HE502. In *Purser, A et al. (2020): Seafloor images collected by the Ocean Floor Observation and Bathymetry System (OFOBS) during HEINCKE cruise HE502, Bremerhaven - Bremerhaven, 2017-12-01 - 2017-12-20. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.919847>, doi:[10.1594/PANGAEA.919836](https://doi.org/10.1594/PANGAEA.919836) (PANGAEA, 2020).
- 1319.** Purser, A., Hass, H. C. & Hoge, U. Seabed photographs taken along OFOBS profile HE502_8-1 during HEINCKE cruise HE502. In *Purser, A et al. (2020): Seafloor images collected by the Ocean Floor Observation and Bathymetry System (OFOBS) during HEINCKE cruise HE502, Bremerhaven - Bremerhaven, 2017-12-01 - 2017-12-20. Alfred Wegener Institute, Helmholtz Centre for Polar and Marine Research, Bremerhaven, PANGAEA*, <https://doi.org/10.1594/PANGAEA.919847>, doi:[10.1594/PANGAEA.919843](https://doi.org/10.1594/PANGAEA.919843) (PANGAEA, 2020).