Automated Essay Scoring in Arabic: A Dataset and Analysis of a BERT-based System

Rayed Ghazawi¹ Edwin Simpson²

July 15, 2024

Abstract Automated Essay Scoring (AES) holds significant promise in the field of education, helping educators to mark larger volumes of essays and provide timely feedback. However, Arabic AES research has been limited by the lack of publicly available essay data. This study introduces AR-AES, an Arabic AES benchmark dataset comprising 2046 undergraduate essays, including gender information, scores, and transparent rubric-based evaluation guidelines, providing comprehensive insights into the scoring process. These essays come from four diverse courses, covering both traditional and online exams. Additionally, we pioneer the use of AraBERT for AES, exploring its performance on different question types. We find encouraging results, particularly for Environmental Chemistry and source-dependent essay questions. For the first time, we examine the scale of errors made by a BERT-based AES system, observing that 96.15% of the errors are within one point of the first human marker's prediction, on a scale of one to five, with 79.49% of predictions matching exactly. In contrast, additional human markers did not exceed 30% exact matches with the first marker, with 62.9% within one mark. These findings highlight the subjectivity inherent in essay grading, and underscore the potential for current AES technology to assist human markers to grade consistently across large classes.

Keywords: Automated Essay Scoring (AES) \cdot Dataset \cdot Arabic \cdot AraBERT

1 Introduction

Essay writing is an important tool for developing and assessing students' cognitive abilities, including critical thinking, communication skills and depth of understanding [11,34]. However, as student numbers grow, marking essays by hand becomes impractical, discouraging the use of essay questions in education [6]. AES systems [32] aim to reduce the time needed to mark essays, by assessing both writing skills and cognitive outputs automatically, and can mitigate scoring biases and inconsistencies arising from teacher subjectivity [7]. Despite extensive research in English [38,25], AES for Arabic, the fourth most widely used Internet language ¹, remains underexplored, with most efforts concentrated on scoring short, one or two-sentence answers [7]. With the abundant youth population in the Arab world, the education system faces challenges due to a shortage of teachers and the inability to provide individualized feedback to students [13]. In addition, the Arabic language differs from English in terms of grammar, structural rules, and the formulation of ideas, which prevents the application of scoring systems designed for English [13]. In this context, the development of an Arabic essay scoring system is an urgent necessity.

Previous research has predominantly leaned on feature engineering in conjunction with shallow models, yielding only moderate performance outcomes [5,17]. In contrast, the potential of pretrained models such as AraBERT [9], AraVec [35], and AraGPT-2 [10], which learn vector representations from extensive text corpora, remains largely untapped within the context of Arabic AES. These models have demonstrated notable efficacy in various domains, encompassing tasks like question-answering, named entity recognition, sentiment analysis, and even the automatic scoring of short answers [29,4]. A major barrier to further research is the lack of publicly available datasets: datasets used in prior studies are either inaccessible or consist only of one or two-sentence answers.

To address these gaps, this study introduces AR-AES dataset, which consists of Arabic essays each marked by two different university teaching professionals. This dataset was collected from undergraduate students across diverse disciplines, covering various topics and writing styles. We include ancillary information, such as the gender of the students (male and female students were taught separately), the specific evaluation criteria (rubrics) employed, and model answers for each question. The dataset comprises a total of 12 questions and 2046 essays, collected through both traditional and online examination methods, and encompasses substantial linguistic diversity, with a total length of 115,454 tokens and 12,440 unique tokens.

This study also pioneers the use of AraBERT in Arabic AES by conducting a series of experiments to assess AraBERT's performance on our dataset at different levels of granularity, from the complete dataset down to individual courses and questions. We also examined AraBERT's performance based on gender, exam type (traditional or online), and essay type (argumentative, narrative, source-dependent). AraBERT excelled when trained on several questions from the same course, achieving a Quadratic Weighted Kappa (QWK) score of 0.971 in Environmental Chemistry. However, its performance was comparatively lower when trained specifically for certain types of question, with the lowest QWK observed for narrative questions.

Our analysis goes beyond previous work on AES, by assessing the proximity of the model's predictions to the grades assigned by the first marker, to gauge the scale of its errors. The predictions matched exactly for 79.49% of answers, with 95% of predictions having no more than one mark difference to the first human mark (out of a total of five marks). In contrast, the question with highest agreement between the first and second human markers had only 30.3% exact

¹ Internet World State ranking, March 2020, www.internetworldstats.com

agreement, with differences greater than one mark for 37.1% of the answers. This suggests that AraBERT-based AES is sufficiently capable to assist human markers and could help detect inconsistencies between individuals in a marking team.

In summary, our study presents a comprehensive approach to Arabic AES, introducing an open-source dataset with clear annotation guidelines and quality control, leveraging AraBERT, and providing a novel investigation of the scale of AraBERT AES errors. We commit to making our code, data, and marking guidelines publicly accessible upon acceptance.

2 Related Works

Several AES datasets have been released in Chinese [18], Indonesian [1], and English, including the ASAP dataset² that has catalysed English AES research [33,37], including a new state-of-the-art BERT-based approach [38]. However, there is no previous publicly available dataset containing Arabic essays and marks, as existing work is limited to short answers [3]. Our study addresses this gap by presenting a comprehensive dataset for Arabic AES.

Arabic AES research encompasses approaches such as linear regression [5], Latent Semantic Analysis [2], Support Vector Machines [7], rule-based systems [6], naïve Bayes [3], and optimization algorithms like eJaya-NN [17]. However, these studies predominantly rely on feature engineering, using surface features that are unable to comprehensively capture the semantic nuances and structural intricacies inherent in essays. These approaches provide only limited consideration for word order, primarily revolving around word-level or grammatical features. More recent pretrained transformer models, such as BERT [15], alleviate these issues but have not previously been harnessed for Arabic AES. Here, we develop the first AES system using AraBERT to analyse the effect of different question types on a modern text classifier. We also go beyond previous analyses of model performance by evaluating the magnitude of errors in the models' predictions, as large errors could have a greater impact on students.

3 Arabic language challenges

NLP systems face several distinct challenges when processing Arabic, which motivate the development of bespoke tools and language resources, including benchmark datasets.

Linguistic Complexity: Arabic exhibits complex sentence structures with many syntactic and stylistic variations, an extensive vocabulary, and the frequent use of rhetorical devices [8]. Arabic, for instance, has many ways to express the concept of "going" depending on who is doing the action, when, and whether the action is done in a habitual or momentary sense. For example, يذهب, (he goes), يذهبان (I will go), كان يذهب (he used to go), and يذهبان (they (two) go).

² www.kaggle.com/c/asap-aes

This complexity can make it hard for an AES system to recognise variations of the same concept.

Complex Morphology: Arabic features intricate morphology, encompassing a wide range of inflection and derivational systems [19]. Words in Arabic can have multiple forms based on factors such as tense, gender, number, and case, and the form of a single letter also varies. For instance, the letter ω ('S'), looks like (ω) at the beginning of a word ($-\omega$) "Cloud"), like ($-\omega$) in the middle as in ($-\omega$, "Hospital"), and like ($-\omega$) at the end as in ($-\omega$, "Sun"). This complexity adds to the difficulty of stemming, tokenization, and lemmatization operations [24]. As another example, the Arabic root word for "write" is $-\infty$, from which we can derive various words like ("writer"), $-\infty$ " ("written"), $-\infty$ ("written"), etc. The challenge for AES systems here lies in recognizing these words as related.

Non-Standard Orthography: Arabic text follows complex rules for letter representation, including ligatures and diacritics that influence pronunciation, word comprehension, and meaning [21,36]. NLP systems face challenges in handling these orthographic differences and the absence of diacritics in unvocalised text. For example, the word معجوب ("loved or popular") could be written as معجوب in casual writing without the ending diacritic.

Lack of Resources: Arabic suffers from limited linguistic resources, such as preprocessing tools for dealing with the language complexities described above, and a lack of available datasets [27,23], which hampers the development of NLP models. A particular need is for bespoke tools to deal with the right-to-left text direction, which creates additional complexities for mixed-language content [12,24]. This study contributes a labelled dataset in Arabic, which will enable further development of Arabic NLP systems.

Ambiguity and Polysemy: Arabic words often possess multiple meanings and interpretations, making it challenging to disambiguate them [16]. For example, the word حل in Arabic can mean "camel" or "sentence" depending on context. Contextual analysis becomes crucial for accurately determining the intended meaning [23,31]. This aspect presents a challenge in various NLP tasks, including named entity recognition, sentiment analysis, and machine translation.

Despite these challenges, substantial advancements have been made in Arabic NLP in recent years, including language models and tools specifically designed for Arabic. This study hopes to contribute to this effort.

4 The AR-AES Dataset

The AR-AES³ dataset is intended for both training and evaluating Arabic AES systems, and covers essays written by both male and female undergraduate students from three different university faculties, with a range of different question types, a mix of traditional face-to-face and online exams, and marks from multiple human markers. As part of the dataset, we include clear and detailed

³ The dataset and appendices can be accessed via the following link: https://osf. io/dp2nh/?view_only=4ac6373c60214ea6952855f81507fec7

marking criteria along with model answers for each question. This diversity will enable researchers to explore the suitability of AES systems for different types of essays, exam types, or student cohorts.

Data Collection: To compile a diverse dataset, we first selected multiple undergraduate courses across various departments at Umm Al-Qura University, as shown in Table 1. Students' writing skills vary depending on their academic disciplines [39], due to differing objectives, domain-specific terminology, and research formulation methodologies. Additionally, factors like gender and academic level contribute to differences in writing [22,26], particularly considering that the genders are taught separately. Therefore, to facilitate testing of AES systems across various subjects and writing styles, we collected essay responses from diverse academic levels, and male and female genders.

Ensuring diversity in question types within the dataset was vital for evaluating the model's performance across various essay categories.

To bolster dataset diversity, we employed both traditional (in-person) and online exams through distance learning. Traditional exams occurred on specific dates within campus halls or laboratories, subjecting students to controlled conditions that minimized opportunities for academic misconduct. Conversely, online exams required students to submit essay responses exclusively via content management platforms. These exams shared time limits with traditional exams but did not mandate physical presence on campus. Online exams can reduce stress levels [20], granting students greater freedom in providing answers and potentially allowing access to course content during the exam. For both kinds of exam, answers were typed and submitted electronically, eliminating the need to convert handwritten answers to digital format. These essays were part of the students' compulsory assessment within the midterm exams for their respective courses, and they volunteered to provide their essays for our dataset.

Course	Faculty	Semester	Exam	No.	Gender	No.	Questi	on Essay Type	Ansv	ver Length	Scor	e Range
			Type	Groups		Students	ID		Max	Min	\mathbf{Min}	Max
				2	Mala	151		All questions	298	2	0	5
Introduction to	Computing	1	Traditional	0	whate	101	Q1	Narrative	298	7	0	5
Info Science	Computing		mannonai	9	Enmals	199	Q_2	Argumentative	164	2	0	5
				4	remaie	128	Q_3	Source Dependent	61	4	0	5
								All questions	512	16	0	10
Management Info	Business	5	Traditional	2	Mala	191	Q4	Narrative	512	29	0	10
Systems	Administration	0	Traditional	2	whate	101	Q_5	Narrative	212	29	0	10
							Q_6	Source Dependent	171	16	0	5
								All questions	422	8	0	5
Environmental	Annial Colones	7	Orling	9	Mala	116	Q7	Narrative	422	25	0	5
Chemistry	Applied Science	· · ·	Online	2	Male	110	Q8	Argumentative	116	9	0	5
							Q9	Source Dependent	92	8	0	5
								All questions	575	11	0	5
Riotoshnology	Applied Science	6	Online	2	Mala	106	Q10	Source Dependent	357	13	0 5	5
Dioteciniology	Applied Science	0	Online	2	wale	100	Q11	Argumentative	538	11	0	5
							Q12	Source Dependent	575	13	1	5

Table 1: Course summary, including the semester in which the exam was taken (out of 8 semesters in an undergraduate degree), the number of groups taught at separate times (No. Groups), and answer lengths (number of tokens).

Rubric-based evaluations	Score
وأشكالها ودورها بالبيانات التعريف على الطالب قدرة	1
The student's ability to define data, its role and forms	1
استخدامها وأوجه ونشأتها بالمعلومات التعريف على الطالب قدرة	1
The student's ability to identify information, its origins, and its uses	1
والمعلومات البيانات بين الفرق استنتاج على الطالب قدرة	2
The student's ability to deduce the difference between data and information	2
صلة ذات واقعية بأمثلة والمعلومات للبيانات شرحه تعزيز على الطالب قدرة	
The student's ability to reinforce their explanation of data and information with	1
relevant examples	
Final Score	5
	<u></u>

Table 2: Example marking criteria set by the course director for Q1.

The Annotation Task: Course directors equipped markers with detailed guidelines for scoring individual criteria and determining the final score. Table 2 shows an example of the criteria employed for assessing Question 1, which prompts students to "Explain in detail the difference between the terms 'data' and 'information', supplementing their answers with examples of each type". For an exhaustive overview of the Scoring Criteria, see Table A.3. This structured approach facilitates the identification of essay strengths and weaknesses. Nonetheless, essay scoring is a subjective process, and different markers could still assign varying scores to the same essay. Relying solely on a single score, as in the ASAP datasets, could therefore limit the accuracy and comprehensiveness of model testing. Hence, to investigate the degree of variation between human markers, and provide a point of comparison for the agreement level between human markers and AES systems, we collected two scores for each essay. For all questions, the first marker is the course provider; second markers were members of the same faculty who were familiar with the course content. In total, a team of 9 faculty members formulated, prepared, and scored the exams.

Quality control: Firstly, to guarantee the quality of essay questions, individual meetings were conducted with faculty members responsible for each course. The course directors were provided with criteria for formulating essay questions, and then the proposed questions were verified by the authors of this paper against these criteria, and revised if they did not meet the criteria. The following criteria were presented as to faculty members for formulating the essay questions:

- 1. Clear Objectives: Each question should have a clear objective aimed at assessing a specific cognitive skill, such as analysis, synthesis, or evaluation. This clarity helps students focus on comprehending the question and providing the required answer directly.
- 2. **Relevance:** Ensure that the question directly relates to the course content and learning objectives.
- 3. Explicit Terminology: During the question formulation process, it is advisable to incorporate explicit terminology relevant to the course content.
- 4. Clarity and Simplicity: Emphasis should be placed on crafting questions that are straightforward, unambiguous, and include a comprehensive outline

of the expectations for the answer. This approach encourages students to provide concise and easily evaluated responses.

- 5. Linguistic and Grammatical Accuracy: When composing questions, meticulous attention should be given to linguistic and grammatical aspects. Ensuring that questions are free of grammatical errors prevents unintended alterations in question meaning.
- 6. Alignment with Learning Outcomes: Align each question with the specific learning outcomes you want to assess.
- 7. **Fairness:** Craft questions that offer all students an equal opportunity to demonstrate their knowledge and skills.
- 8. **Grading Guide:** For each question, a guide should be developed to communicate the correct answer structure and the specific criteria for achieving higher grades, clarifying the grading process.

In addition, special instructions were developed for online exams to prevent cheating. These measures included restricting exam access to one hour on the Blackboard platform and requiring students to have their cameras on throughout the exam. Students were explicitly instructed not to engage in chat conversations or pose questions during the examination. Any inquiries or concerns related to the test were to be addressed only after the examination had concluded.

Dataset Statistics: In total, we collected and labelled 2046 essays, with statistics shown in Table 3. Table 1 shows notable variations in answer lengths, measured in tokens, across different question types, and between online and traditional exam types, with online exam responses generally being longer across most questions. The class distribution is illustrated in Figure B.1.

C N	Questions	Esser Count	Gen	der	Exam t	n type	
Course Name	Count	Essay Count	\mathbf{M}	\mathbf{F}	Traditional	Online	
Introduction to Information Science	3	837	453	384	837		
Management information systems	3	543	543		543		
Environmental chemistry	3	348	348			348	
Biotechnology	3	318	318			318	
Total	12	2046	1662	384	1380	666	
	11 / 1		•	1			

Table 3: The number of collected essay responses for each course.

5 Experimental Setup

The AraBERT model has consistently demonstrated state-of-the-art performance in various Arabic NLP tasks, including the automatic scoring of short answers [29], but its application to AES remains unexplored. Thus, this study's primary goal is to assess AraBERT's performance in AES and its ability to handle longer Arabic texts. Additionally, we aim to investigate whether performance varies depending on factors such as the subject, question type, exam type, or gender.

Data Preprocessing: We removed punctuation, hashtags, URLs, excess letter repetitions, emoticons, superfluous spaces, numbers, and diacritics, and normalized specific Arabic characters to their standard forms (e.g., $\hat{i} - \hat{j} > \hat{i} < \cdot \hat{j} < \hat{j} > \hat{j} < \hat{j} < \hat{j} > \hat{j} < \hat{j} < \hat{j} > \hat{j} < \hat{j} > \hat{j} < \hat{j} < \hat{j} < \hat{j} < \hat{j} > \hat{j} < \hat{j} > \hat{j} < \hat{j} < \hat{j} < \hat{j} > \hat{j} < \hat{j$

Model Design: AraBERT is a variant of BERT that was pretrained on a substantial Arabic text dataset [9] and can be fine-tuned for specific tasks with minimal additional training data, reducing the time and resources needed for model development and deployment. This study used the large AraBERT configuration, featuring 12 encoder blocks, 1024 hidden dimensions, 16 attention heads, 512 sequence length, and 370 million parameters. To leverage AraBERT's pre-trained capabilities, we added a standard classification head on top of it, consisting of a single fully-connected layer. This approach follows the HuggingFace Transformers library conventions, providing a simple yet effective method for fine-tuning. This design choice allows us to efficiently map AraBERT's high-dimensional representations to target classification labels, ensuring both computational feasibility and high accuracy. Notably, this study marks the first application of AraBERT in automatic Arabic essay-scoring tasks.

Model Training: The system aims to assist the course presenter (first annotator), so the model was trained only on the labels provided by that person. To ensure comparability across questions, we normalized all scores in the dataset to the range 0 to 5. Specifically, for questions with scores originally ranging from 0 to 10 (Q4 and Q5), we divided the scores by 2 to align them with the score range used for other essays. We trained the model once on the complete dataset, as well as separately for each course and each question. We also trained the model separately on male and female essay responses for the Introduction to Information Science course (each gender was taught separately by different instructors), and on traditional and online essay responses, to observe differences in model performance that could affect each group differently.

For each of these experiments, we divided the answers randomly into training, validation and test sets (split 70/15/15). We trained using Adam optimiser and the hyperparameters, including batch size, dropout rate (0.2), and the number of training epochs, were tuned on the validation set for each experiment, as detailed in Table A.2⁴. Given the dataset's imbalanced nature, we employed class weights to give equal weight to each class in the dataset by assigning proportionally higher weights to instances from smaller classes. The distribution of classes for each question is illustrated in Figure B.1⁵.

⁴ Appendices: https://osf.io/dp2nh/?view_only=4ac6373c60214ea6952855f81507fec7

Evaluation Metrics: We adopted Quadratic Weighted Kappa (QWK) and F1 score as evaluation metrics. QWK, an extension of Cohen's κ , gauges the level of agreement between the scoring outcomes of two assessors [14]. This metric is commonly employed in AES evaluation because, unlike accuracy and F1 score, κ considers chance agreement, providing a more reliable measure of rating concordance [28]. Moreover, QWK accommodates the ordinal nature of classes, crucial to essay scoring, and employs quadratic weights to reflect class rank order, a nuance unaddressed by accuracy and F1 scores. QWK is computed by:

$$QWK = 1 - \frac{\sum_{i,j} w_{i,j} O_{i,j}}{\sum_{i,j} w_{i,j} n_{i,1} n_{j,2}},$$
(1)

where $w_{i,j} = \frac{(i-j)^2}{(N-1)^2}$ is the weight between mark *i* and mark *j*, *N* is the number of marks available, $O_{i,j}$ is the number of observations where the first assessor gave mark *i* and the second assessor gave mark *j*, and $n_{i,k}$ is the number of times that assessor *k* gave mark *i*.

6 Results

We first evaluated the AraBERT model on the entire dataset to gauge its performance when trained with more data and a variety of questions. Then, we trained and evaluated models using data from each course, individual question, question type, student gender, and exam type, to identify the kind of scenarios where the AES system could be more effective.

The results are shown in Table 4. On the complete dataset, the model achieved a QWK score of 0.884 and an F1 score of 0.78, but this was not the highest score, suggesting that while the larger training set may benefit this combined model, some essay types are more amenable to AES than others. For instance, the model performance in the Environmental Chemistry course exceeded that of the entire dataset, even though this course included responses in Arabic mixed with English terms. Among the different courses, performance was weakest on Management Information Systems, potentially due to the complexity of the material or student responses. The Management Information Systems course had approximately 4469 unique words (in extended answers), while Environmental Chemistry had around 2702 unique words (in restricted answers). This difference suggests that the Management Information Systems course featured more open-ended essays compared to the Environmental Chemistry course, where answers were more source-dependent and controlled, making them easier for the model to evaluate. Within Management Information Systems, two questions were narrative, which tend to be open-ended, possibly contributing to the model's lower performance in this course.

Compared to Biotechnology, performance on the Information Science course was weaker, despite its larger training set. We investigated whether this discrepancy may be attributed to the students' use of informal language, considering that this course is a first-semester offering for first-year undergraduates,

The Experiment	Unique words	F1	QWK
The Entire Dataset	12440	0.78	0.884
Introduction to Information Science	3953	0.61	0.788
Management Information System	4469	0.59	0.779
Environmental chemistry	2702	0.95	0.971
Biotechnology	4241	0.85	0.953
Question 1	1922	0.59	0.887
Question 2	1906	0.47	0.733
Question 3	938	0.82	0.870
Question 4	2331	0.82	0.833
Question 5	1878	0.85	0.841
Question 6	978	0.95	0.942
Question 7	1801	0.33	0.425
Question 8	767	0.88	0.791
Question 9	507	0.91	0.979
Question 10	772	0.77	0.902
Question 11	1787	0.57	0.843
Question 12	2483	0.76	0.838
Female	2723	0.59	0.741
Male	3033	0.53	0.715
Traditional Exam	7506	0.57	0.758
Online Exam	6355	0.72	0.929
Narrative (Q1,Q4,Q5,Q7)	6790	0.45	0.693
Argumentative (Q2,Q8,Q11)	3863	0.64	0.732
Source Dependent (Q3,Q6,Q9,Q10,Q12)	4667	0.73	0.889

Table 4: Comparison of AraBERT models trained on different question subsets.

while the Biotechnology course is taken in the second semester of the third year. We computed the perplexity [30] of students' answers for each course, finding that Introduction to Information Science had a high perplexity score of 14.87 compared to Management Information System (1.77), Environmental Chemistry (1.5), and Biotechnology (1.68). This suggests that the AraBERT model was less suitable for modelling the Introduction to Information Science answers, and that the language differs from that used in other courses.

Overall, the model performed best with source-dependent questions, where language is more constrained, and worst with narrative questions, which were the most open-ended, reflected in the higher number of unique words shown in Table 4. The model also performed better with online, rather than traditional in-person exams. Splitting the Introduction to Information Science questions by gender resulted in superior performance when predicting female students' marks, which may reflect different teaching or learning styles, as male and female students are taught separately by different lecturers.

Magnitude of Errors: It is important to consider the scale of errors that the model makes: if the system predicts marks that are much lower or higher than the human marker, students could be unfairly penalised or rewarded for poorquality work. We therefore assess the deviations between predictions and correct scores using a confusion matrix, as shown in Figure 1. The pattern is similar across courses. The majority of errors involved overestimations, with 10% of cases resulting in a one-mark overestimation. Underestimations were less frequent, occurring in 6% of cases with a one-degree reduction. Exact matches were 12% higher for Environmental Chemistry than Introduction to Information Science. Examining the confusion matrix for each essay type (Figure 2), one-mark overestimates occur noticeably more in narrative essays, while sourcedependent essay predictions match the human marker's grade in 87% of cases.



Figure 1: Distribution of model predictions for course-level grades.



Figure 2: Distribution of Model Predictions for Essay-type Level.

7 Human Agreement

Consistent grading in education and assessment is crucial to maintain fairness and objectivity. Here, we assess the consistency of grades assigned by different human assessors across each question type and compare the level of agreement between human markers to the model's performance. We examine agreement for two courses: Introduction to Information Science and Information Systems Management, for a total of six questions (Q1 to Q6) and show results in Table 5.

The highest agreement among human assessors was observed in Q3 (sourcedependent), where they provided the same grade in 30.3% of cases out of 279 responses. Negative differences were far more frequent than positive, meaning that second markers tended to mark more harshly than the course directors. Conversely, the lowest agreement among human assessors was found in Question 4 (narrative), which has notably more cases of disagreement by 3 or more marks.

When compared with the performance of our models, which were trained with the gold standard marks of the original markers, we see that the disparity in second marker's assessments often exceeds the error rate of the automated system. This suggests that the model may be an effective way to assist a human marker or could help to ensure consistency between multiple markers.

	Correlation	QWK	Question Type	-5	-4	-3	-2	-1	Matching	1	2	3	4	5
Question 1	0.574	0.543	Narrative	0	1.5	4.8	20.4	25.2	23.3	13.3	8.1	3.3	0	0
Question 2	0.639	0.618	Argumentative	0	1.9	6.7	16.7	22.6	25.6	17.8	7.0	1.1	0.7	0
Question 3	0.775	0.690	Source dependent	0	0.4	9.0	25.1	25.1	30.3	7.5	1.9	0.7	0	0
Question 4	0.577	0.174	Narrative	0.6	2.6	12.3	19.5	24.7	20.8	9.1	7.1	1.3	1.9	0
Question 5	0.834	0.252	Narrative	1.3	0	3.9	16.2	24.0	31.8	21.4	7.1	0	0.6	0
Question 6	0.734	0.665	Source dependent	0	0	0	3.3	12.5	27.6	50.7	5.3 <mark>(</mark>	0.7	0	0

Table 5: The extent of agreement and discrepancy between the scores of the two human assessors is compared, in addition to the correlation, and QWK.

8 Conclusions and Future work

In this paper, we introduced AR-AES, the first publicly-available Arabic AES dataset, consisting of 2046 undergraduate essays with model answers, marking criteria, and scores from multiple markers. We also developed and evaluated an AES system using AraBERT, and demonstrated promising performance, particularly on source-dependent essays in domains such as Environmental Chemistry. Our analysis showed that agreement between our model and gold standard marks is higher than agreement among human markers, suggesting a role for AES in ensuring consistency as well as increasing marking efficiency.

There are numerous avenues for future work, such as exploring the adaptation of state-of-the-art techniques from the English AES field to the domain of Arabic AES, such as the multi-scale approach of [38]. In addition to model exploration, future research should also focus on integrating AES systems into the essay grading process effectively, and addressing students' and teachers' concerns about automated systems. This includes designing a process for identifying and rectifying errors, and ensuring that human teachers retain control while being assisted in grading a large set of essays. This area holds significant potential for enhancing the efficiency and accuracy of essay scoring, particularly in universities with limited teaching resources. We also see value in expanding our dataset with essays from a wider range of courses and educational institutions, thereby enhancing the robustness and versatility of our model, and investigating other aspects of student diversity beyond subject and gender. Our approach may also provide a template for AES data collection in other languages.

Acknowledgements

We would like to thank all students and lecturers at Umm Al-Qura University who have kindly participated in this study. Experiments in this paper were carried out using the computational facilities of the Advanced Com- puting Research Centre, University of Bristol (http://www.bristol.ac.uk/acrc/).

References

- Aini, Q., Julianto, A.E., Purbohadi, D.: Development of a scoring application for indonesian language essay questions pp. 6–10 (2018)
- [2] Al-Shalabi, E.F.: An Automated System for Essay Scoring of Online Exams in Arabic based on Stemming Techniques and Levenshtein Edit Operations. International Journal of Computer Science Issues 13(5), 45–50 (9 2016)
- [3] Al-Shargabi, B., Alzyadat, R., Hamad, F.: AEGD: ARABIC ESSAY GRADING DATASET FOR MACHINE LEARNING A Cultural E-Government Readiness Model View project A comparative study for Arabic text classification algorithms based on stop words elimination View project (2021)
- [4] Alduailej, A., Alothaim, A.: AraXLNet: pre-trained language model for sentiment analysis of Arabic. Journal of Big Data 9(1) (12 2022)
- [5] Alghamdi, M., Alkanhal, M., Al-Badrashiny, M., Al-Qabbany, A., Areshey, A., Alharbi, A.: A hybrid automatic scoring system for Arabic essays. AI Communications 27(2), 103–111 (2014). https://doi.org/10.3233/AIC-130586
- [6] Alqahtani, A., Alsaif, A.: Automatic Evaluation for Arabic Essays: A Rule-Based System (2019)
- [7] Alqahtani, A., Alsaif, A.: Automated Arabic essay evaluation. In: Proceedings of the 17th International Conference on Natural Language Processing (ICON). pp. 181–190. NLP Association of India (NLPAI), Indian Institute of Technology Patna, Patna, India (Dec 2020), https://aclanthology. org/2020.icon-main.24
- [8] Alwakid, G., Osman, T., Hughes-Roberts, T.: Challenges in sentiment analysis for Arabic social networks. In: Procedia Computer Science. vol. 117, pp. 89–100. Elsevier B.V. (2017). https://doi.org/10.1016/j.procs.2017.10.097
- [9] Antoun, W., Baly, F., Hajj, H.: AraBERT: Transformer-based Model for Arabic Language Understanding (2 2020), http://arxiv.org/abs/2003. 00104
- [10] Antoun, W., Baly, F., Hajj, H.: Aragpt2: Pre-trained transformer for arabic language generation. arXiv preprint arXiv:2012.15520 (2020)

- [11] Ashburn, R.: An experiment in the essay-type question. The Journal of Experimental Education 7(1), 1–3 (1938)
- [12] Awwad, A.M., Schindler, C., Luhana, K.K., Ali, Z., Spieler, B.: Improving pocket paint usability via material design compliance and internationalization & localization support on application level. In: Proceedings of the 19th International Conference on Human-Computer Interaction with Mobile Devices and Services, MobileHCI 2017. Association for Computing Machinery, Inc (9 2017)
- [13] Azmi, A.M., Al-Jouie, M.F., Hussain, M.: AAEE Automated evaluation of students' essays in Arabic language. Information Processing and Management 56(5), 1736–1752 (9 2019). https://doi.org/10.1016/j.ipm.2019.05.008
- [14] Cohen, J.: Weighted kappa: nominal scale agreement provision for scaled disagreement or partial credit. Psychological bulletin 70(4), 213 (1968)
- [15] Devlin, J., Chang, M.W., Lee, K., Toutanova, K.: BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding (10 2018)
- [16] Elkateb, S., Black, W., Rodríguez, H., Alkhalifa, M., Vossen, P., Pease, A., Fellbaum, C.: Building a WordNet for Arabic (2006)
- [17] Gaheen, M.M., ElEraky, R.M., Ewees, A.A.: Automated students Arabic essay scoring using trained neural network by e-jaya optimization to support personalized system of instruction. Education and Information Technologies 26(1), 1165–1181 (1 2021). https://doi.org/10.1007/s10639-020-10300-6
- [18] Gong, J., Hu, X., Song, W., Fu, R., Sheng, Z., Zhu, B., Wang, S., ¶£, ., Liu, T.: IFlyEA: A Chinese Essay Assessment System with Automated Rating, Review Generation, and Recommendation pp. 240–248 (2021)
- [19] Hamdi, A., Shaban, K., Zainal, A.: A review on challenging issues in Arabic sentiment analysis 12(9), 471–481 (2016). https://doi.org/10.3844/jcssp.2016.471.481
- [20] Ilgaz, H., Adanır, G.A.: Providing online exams for online learners: Does it really matter for them? Education and Information Technologies 25, 1255–1269 (3 2020)
- [21] Isleem, M.: Developing attitudes toward learning Arabic as a foreign language among american university and college students (2014)
- [22] Johnson, M.J.: Gender differences in writing self-beliefs of elementary school students (1999)
- [23] Kaddoura, S., D. Ahmed, R., Jude Hemanth, D.: A comprehensive review on Arabic word sense disambiguation for natural language processing applications 12(4) (7 2022). https://doi.org/10.1002/widm.1447
- [24] Kanan, T., Sadaqa, O., Aldajeh, A., Alshwabka, H., AlZu'bi, S., Elbes, M., Hawashin, B., Alia, M.A., others: A Review of Natural Language Processing and Machine Learning Tools Used to Analyze Arabic Social Media (2019)
- [25] Ke, Z., Ng, V.: Automated essay scoring: A survey of the state of the art. In: IJCAI. vol. 19, pp. 6300–6308 (2019)
- [26] Lea, M.R., Street, B.V.: Student writing in higher education: An academic literacies approach. Studies in Higher Education 23, 157–172 (1998)
- [27] Mahmoud, A., Zrigui, M.: Sentence embedding and convolutional neural network for semantic textual similarity detection in arabic language. Arabian Journal for Science and Engineering 44, 9263–9274 (2019)

- [28] Mathias, S., Bhattacharyya, P.: Can neural networks automatically score essay traits? In: Proceedings of the Fifteenth Workshop on Innovative Use of NLP for Building Educational Applications. pp. 85–91. Association for Computational Linguistics, Seattle, WA, USA \rightarrow Online (Jul 2020)
- [29] Meccawy, M., Bayazed, A.A., Al-Abdullah, B., Algamdi, H.: Automatic essay scoring for Arabic short answer questions using text mining techniques. International Journal of Advanced Computer Science and Applications 14(6) (2023)
- [30] Miaschi, A., Brunato, D., Dell'orletta, F., Venturi, G.: What Makes My Model Perplexed? A Linguistic Investigation on Neural Language Models Perplexity pp. 40–47 (2021), www.italianlp.it
- [31] Omar, A., Aldawsari, M.: Lexical Ambiguity in Arabic Information Retrieval: The Case of Six Web-Based Search Engines. International Journal of English Linguistics 10(3), 219 (4 2020). https://doi.org/10.5539/ijel.v10n3p219
- [32] Page, E.B.: The Imminence of... Grading Essays by Computer 47(5), 238– 243 (1966), https://www.jstor.org/stable/20371545
- [33] Phandi, P., Chai, K.M.A., Ng, H.T.: Flexible Domain Adaptation for Automated Essay Scoring Using Correlated Linear Regression pp. 17–21 (2015)
- [34] Smith, D., Campbell, J., Brooker, R.: The impact of students' approaches to essay writing on the quality of their essays. Assessment & Evaluation in Higher Education 24(3), 327–338 (1999)
- [35] Soliman, A.B., Eissa, K., El-Beltagy, S.R.: Aravec: A set of Arabic word embedding models for use in arabic nlp. Procedia Computer Science 117, 256–265 (2017)
- [36] Soudi, A., Neumann, G., Bosch, A.v.d.: Arabic Computational Morphology: Knowledge-Basedand Empirical Methods. Computational Linguistics 34(3), 459–462 (9 2008). https://doi.org/10.1162/coli.2008.34.3.459
- [37] Taghipour, K., Tou Ng, H.: A Neural Approach to Automated Essay Scoring pp. 1882-1891 (2016), https://www.kaggle.com/c/asap-aes
- [38] Wang, Y., Wang, C., Li, R., Lin, H.: On the use of bert for automated essay scoring: Joint learning of multi-scale essay representation (5 2022)
- [39] Zhu, W.: Faculty views on the importance of writing, the nature of academic writing, and teaching and responding to writing in the disciplines. Journal of Second Language Writing 13, 29–48 (5 2004). https://doi.org/10.1016/j.jslw.2004.04.004

Appendix A. Tables

Course Name	Ques ID	tion The Questions	The Questions in Arabic
۵	1	Explain in detail the difference between the terms	اشرح بشكل مفصل الفرق بين كلا من مصطلحي
on to Science		data and information and reinforce your answers with examples for each type?	البيانات والمعلومات مع تعزيز إجاباتك بأمثلة لكلً نوع؟
ucti ion	2	Explain in detail the role of the increase in subspe-	أشرح باستفاضة دور زيادة التخصصات الدقيقة
Introd format		cialties and the increase in topics influencing the in- formation revolution (explosion)?	وتزايد الموضوعات في التأثير على ثورة انفجار المعلومات؟
Inl	3	Through what you learned in the course, mention the comprehensive definition of the term informa- tion science?	من خلال ما تعلمته ضمن المقرر الدراسي أذكري التعريف الشامل لمصطلح علم المعلومات؟
gement on systems	4	The administrative levels' tasks, roles, and duties differ in management, so explain in detail the dif- ference between the roles and tasks of the different administrative levels while strengthening your an- swer with examples?	تختلف مهام وأدوار وواجبات المستويات الإدارية في الإدارة لذلك أشرح بشكل مفصل الاختلاف بين أدوار ومهام المستويات الإدارية المختلفة مع تعزيز احالتك رأمناه؟
ana	5	Mention three main benefits of cloud computing	أذكم ثلاثة من الفوائد الرئيسية للحوسية السحابية من
M inforr		from a business management perspective with an explanation?	منظور إدارة الأعمال مع الشرح؟
	6	Through what you have learned in the course, men- tion the comprehensive definition of the term infor- mation technology and reinforce your answer with examples?	من خلال ما تعلمته ضمن المقرر الدراسي أذكري التعريف الشامل لمصطلح علم المعلومات؟
ental ry	7	Talk about the layers of the atmosphere, mentioning the height and temperature of each layer?	تحدث عن طبقات الغلاف الجوي مع ذكر ارتفاع كل طبقة ودرجة الحرارة فبها؟
ironme nemist	8	What do you think about the importance of the ozone layer?	ما رأيك في أهمية طبقة الأوزون؟
Env cł	9	What is the scientific definition of environmental chemistry?	ما هو التعريف العلمي لكيمياء البيئة؟
gy	10	Define the term biotechnology?	عرف مصطلح التقنية الحيوية؟
chnolc	11	Discuss whether eating genetically modified fruits is healthy or not?	ناقش تناول الفواكه المعدلة الوراثية صحي أم لا؟
Biote	12	Mention five of the applications of biotechnology in the medical field with explanation?	عدد خمسة من تطبيقات التقنية الحيوية في المجال الطبي مع الشرح؟

Table A.1: List of Questions Used in Each Course to Collect Essay Answers.

Experiment Type	The Dataset	Batch Size (Gradient Step	s N. Essays	Training Siz	e Val Size	Test Size E	arly Stol
he Entire Dataset		~	4	2046	1432.2	306.9	306.9	24
	Introduction to Information Science	22	4	837	585.9	125.55	125.55	49
C	Management Information System	6	4	543	380.1	81.45	81.45	15
Courses	Environmental Chemistry	12	4	348	243.6	52.2	52.2	33
	Biotechnology	×	4	318	222.6	47.7	47.7	23
	Q1	12	9	279	195.3	41.85	41.85	10
	Q2	12	4	279	195.3	41.85	41.85	43
	Q3	128	2	279	195.3	41.85	41.85	13
	Q4	×	4	181	126.7	27.15	27.15	47
	Q5	28	4	181	126.7	27.15	27.15	44
Outotions	Q6	42	4	181	126.7	27.15	27.15	10
Auestions	Q7	12	4	116	81.2	17.4	17.4	10
	Q8	×	7	116	81.2	17.4	17.4	27
	Q9	×	2	116	81.2	17.4	17.4	44
	Q10	16	7	106	74.2	15.9	15.9	60
	Q11	×	×	106	74.2	15.9	15.9	42
	Q12	×	×	106	74.2	15.9	15.9	47
100 P	Female	16	2	384	268.8	57.6	57.6	25
Tennen	Male	64	2	453	317.1	67.95	67.95	10
From Trmo	Traditional Exam	×	4	1380	966	207	207	22
add t meyer	Online Exam	×	×	666	466.2	99.9	99.9	14
	Narrative (Q1, Q4, Q5)	16	2	757	529.9	113.55	113.55	18
Question Type	Argumentative (Q2, Q8, Q11)	16	2	501	350.7	75.15	75.15	24
	Source Dependent (Q3, Q6, Q9, Q10, Q12)	∞	×	788	551.6	118.2	118.2	18

N	The Question	Potentia Mark	ıl	Rubric-base	d evaluations	
1	Explain in detail the differ- ence between both the terms data and information and support your answers with examples of each type?	5	(1 degree) The student's ability to introduce data, their role and shapes	(1 degree) The student's ability to introduce information, its upbringing and its use.	(2 degrees) The student's ability to conclude the difference between data and infor- mation	(1 degree) The student's ability to enhance his explanation of data and information with realistic, related ex-
2	Explain at length the role of increasing micro-disciplines and increasing topics in in- fluencing the information ex- plosion revolution?	5	(2 degrees) The student's ability to explain the reasons for the increasing specializa- tions and the subject.	(2 degrees) The student's ability to the role and influence of increasing specialization in the information revo- lution.	(1 degree) The student's ability to link the reasons for the emergence of modern sci- ence with the explosion of information	amples
3	Through what you learned in the course, mention the com- prehensive definition of the term information science?	5	(2.5) The student's ability to define the faces and role of the Information Sci- ence Department.	(2.5) The student's ability to introduce the tasks of information science spe- cialists since the estab- lishment of information to the delivery to the beneficiary.		
4	Explain the distinctions in roles and responsibilities among administrative levels in detail and provide illus- trative examples.	10	(3 degrees) The student's ability to identify different man- agement levels	(4 degrees) The student's ability to explain the difference be- tween the tasks and du- ties of each administra- tive level	(3 degrees) The student's ability to learn about the hierar- chical sequence of the tasks and roles of differ- ent management levels	
5	Mention three of the main benefits of cloud computing from a business perspective with an explanation?	10	(4 degrees) The student's ability to mention the three bene- fits	(3 degrees) The student's ability to explain each benefit ex- tensively	(3 degrees) The student's ability to explain the benefits of cloud computing in busi- ness administration	
6	Through what you learned in the course, mention the com- prehensive definition of the term information science?	5	(3 degrees) The student's ability to provide a comprehensive definition of the term in- formation technology	(2 degrees) The student's ability to mention examples of in- formation technology op- erations.		
7	Talk about the layers of the atmosphere, mentioning the height and temperature of each layer.	5	(1 degree) The student's ability to mention the names of the five layers correctly	(2 degrees) The student's ability to explain each layer exten- sively	(1 degree) The student's ability to conclude the difference between the role of each layer (temperature and height)	(1 degree) The student's ability to arrange the layers ac- cording to their proxim- ity to the ground
8	What do you think about the importance of the ozone layer?	5	(2 degrees) The student's ability to mention the role of the ozone layer in protecting the land	(2 degrees) The student's ability to explain the classes that have a role in protecting the earth.	(1 degree) The student's ability to know the basic role of the ozone layer	
9	What is the scientific defini- tion of environmental chem- istry?	5	(2 degrees) The student's ability to perform the term scien- tifically	(2 degrees) The student's ability to determine the aspects of environmental chemistry	(1 degree) The student's ability to mention the importance of environmental chem- istry for human and life	
10	Define the term biotechnol- ogy?	5	(2.5 degrees) The student's ability to provide a comprehensive definition of the term biotechnology	(2.5 degrees) The student's ability to mention examples of biotechnology.		
11	Discuss eating genetically modified fruits healthy or not?	5	(2 degrees) The student's ability to explain the components of the genetically modi- fied fruits.	(2 degrees) The student's ability to explain the benefits and negatives of genetically modified fruits.	(1 degree) The student's ability to list the reasons that make genetically modi- fied fruits acceptable.	
12	Five applications of biotech- nology in the medical field with explanation?	5	(3 degrees) The student's ability to mention five vital tech- nology applications in the field of medicine	(2 degrees) The student's ability to mention a simple expla- nation of each type.		

Table A.3: Scoring Criteria for Determining the Final Score, Set by Course Directors

Appendix B. Figures



Figure B.1: Showing Class Distribution Across the Twelve Questions, with Scores Ranging from 0 to 5