## Appendix A.

## **Census of Agriculture Methodology**

The purpose of a census is to enumerate all objects with a defined characteristic. For the census of agriculture, that goal is to account for "any place from which \$1,000 or more of agricultural products were produced and sold, or normally would have been sold, during the census year." To do this, NASS creates a Census Mail List (CML) of agricultural operations that potentially meet the farm definition, collects agricultural information from those operations, reviews the data, corrects or completes the requested information, and combines the data to provide information on the characteristics of farm operations and farm producers at the national, State, and county levels. In this appendix, these census processes are described.

#### THE CENSUS POPULATION

#### The Census Mail List

The National Agricultural Statistics Service (NASS) maintains a list of farmers and ranchers from which the CML is compiled. The goal is to build as complete a list as possible of agricultural places that meet the farm definition. The CML compilation begins with the list used to define sampling populations for NASS surveys conducted for the agricultural estimates program. Each record on the list includes name, address, telephone number, and email plus additional information that is used to efficiently administer the census of agriculture and agricultural estimates programs.

NASS builds and improves the list on an ongoing basis by obtaining outside source lists. Sources include State and federal government lists, producer association lists, seed grower lists, pesticide applicator lists, veterinarian lists, marketing association lists, and a variety of other agriculture-related lists. NASS also obtains special commodity lists to address specific list deficiencies. These outside source lists are matched to the NASS list using record linkage programs. Most names on newly acquired sources are already on the NASS list. Records not on the NASS list are treated as potential farms until NASS can confirm their existence as a qualifying farm. Staff in NASS regional and field offices routinely contact these potential farms to determine whether they meet the farm definition. For the 2022 Census of Agriculture, NASS made a concerted effort to work with community-based organizations not only to improve list coverage for

minorities but also to increase census awareness and participation.

List building activities for developing the 2022 CML started in 2019 by updating list information from respondents to the 2017 Census of Agriculture. Between 2017 and 2022, NASS conducted a series of National Agricultural Classification Surveys (NACS) on over 2.1 million records, which included nonrespondents from the 2017 census and newly added records from outside list sources. The NACS report forms collected information that was used to determine whether an operation met the farm definition. If the definition was met, the operation was added to the NASS list and subsequently to the CML. Addressees that were nonrespondents to a NACS were also added to the CML and identified with a special status code.

Measures were taken to improve name and address quality. Additional record linkage programs were run to detect and remove duplicate records both within each State and across States. List addresses were processed through software programs that utilize the United States Postal Service's National Change of Address System and the Locatable Address Conversion System to improve mail delivery. Records on the list with missing or invalid phone numbers were matched against a nationally available telephone database to obtain as many phone numbers as possible. To reduce costs, operations with characteristics that indicated they were unlikely to be farms, according to the farm definition, were removed from the list.

The official CML for the 2022 Census of Agriculture was established on September 3, 2022. The list contained 2,879,343 records. Of these, 2,079,333 records were thought to meet the NASS farm definition and 800,010 were potential farm records, which included NACS nonrespondents, other records added to the CML by the NASS regional field offices after the record linkage process, and late adds to the CML that were not included in any previous NACS or State screening survey.

#### Not on the Mail List (NML)

Extensive efforts are directed toward developing a CML that includes all farms in the U.S. However, some farms are not on the list, and some agricultural operations on the list are not farms. NASS uses its June Area Survey (JAS) to

quantify the number and types of farms not on the CML. The records in the JAS that are not on the CML are said to be in the Not-on-the-Mail List (NML) domain. If a JAS record in the NML domain is determined to be a farm during the census, it is an NML farm. The NML farms are used to measure coverage associated with the grown crops, farm numbers, and inventories of cattle. Sampled segments in the JAS are personally enumerated. Each operation identified within a segment boundary is known as a tract.

The 2022 JAS sample was increased to improve the farm counts for operations that produced specialty commodities or had socially disadvantaged or minority producers. The total JAS sample consisted of 14,015 segments of which 4,933 were additional ACES segments. This set of additional segments is referred to as the Agricultural Coverage Evaluation Survey (ACES) segments. The ACES segments were selected using a multivariate sampling design that targeted specific items at the U.S. level. The 2022 JAS consisted of sample segments from all States, with the exception of Alaska where NASS does not maintain an area frame.

During the JAS/ACES enumeration process, each tract is identified as either agricultural or non-agricultural. Each JAS/ACES agricultural tract is identified as a farm or nonfarm in June based on the farm definition of \$1,000 of sales or potential sales of agricultural products. Non-agricultural tracts are further classified into categories: with farm potential, with unknown farm potential, or with no farm potential. The names and addresses collected in the 2022 JAS/ACES were matched to the CML. Those from the 2022 JAS/ACES that did not match were determined to be in the NML domain and sent a yellow census report form so that they could be differentiated from the green report form sent to those addressees on the CML. Instructions on the census report form directed any respondent who received duplicate forms to complete the CML form and to mail all duplicate forms back together. Those who returned a CML and an NML form had been misclassified as NML and were removed from the NML domain.

The initial NML mailout consisted of 41,273 records. A total of 40,775 NML records were analyzed, of which 1,913 records were confirmed to be NML and in-scope.

The farm/nonfarm status of each NML domain operation was determined based on the reported data in the census form. An operation in the NML domain that was determined to be a farm is referred to as an NML farm. Characteristics of NML farms and their producers provided a measure of the undercoverage of farms present in the CML.

The percentage of farms not represented on the CML

varied by State. In general, NML farms tended to be small in acreage, production, and sales of agricultural products. Farm operations were missing from the CML for various reasons, including the possibility that the operation started after development of the CML, the operation was so small that it did not appear in any agriculture-related source list, or the operation was misclassified as a nonfarm prior to census mailout. The CML was used with the NML in a capture-recapture framework to represent all farming operations across all States in the JAS sample.

## DATA COLLECTION OUTREACH AND PROMOTIONAL EFFORTS

NASS planned and executed a multi-phase strategic communications campaign for the 2022 Census of Agriculture, to increase the level of awareness and response among all U.S. agricultural producers.

- Phase 1 ran from April 2021 June 2022. It raised awareness about the census and list building, encouraged producers to sign up in response to NASS mailings and at community, association, and other stakeholder meetings where NASS partners reached out.
- Phase 2 ran from July 2022 October 2022. It notified farm producers and agricultural organizations that the census would be mailed in November and encouraged communications regarding the census.
- Phase 3 ran from November 2022 May 2023. It focused on census data collection with messaging urging response to remind producers that it was not too late to respond.
- Phase 4 ran from August 2023 February 2024. It thanked producers for their participation and NASS partners for their support and informed everyone of the February 2024 data release plan.

The communications campaign focused on these primary areas: partnership building, local-level outreach, public relations, media relations, paid media, social media and some paid advertising. Some external support was provided by a private communications agency (i.e. primarily assisted with design and paid advertising).

The unifying force behind the 2022 communications campaign was the theme "Your Voice. Your Future. Your Opportunity." This was accompanied by supporting messages and artwork that created a consistent look and feel for all census communications. All messages and materials served the purpose of inspiring action: Sign Up to Be Counted - Show the Value of Your Work - *Grow Your* 

Farm Future - Shape Farm Policy/Programs - Respond to the Census of Agriculture - Be counted - The Census of Agriculture is Your Voice, Your Future, Your Opportunity.

#### Partnership and Local-Level Outreach

At the national level, NASS officials met with leaders from dozens of agricultural organizations, State Departments of Agriculture, and other USDA agencies to successfully secure their support in promoting the census among their constituencies. Stakeholders partnered with NASS to promote the 2022 Census of Agriculture through publications (e.g. newsletters), special mailings, speeches, social media, websites, and other communications. In addition, through grassroots-level outreach and efforts, NASS partnered with a number of community-based organizations to reach minority and limited-resource farmers and ranchers. National-level outreach was encouraged and mirrored at the regional, State, and local levels. Among the highlights of these partnership efforts was the production of multiple television and radio public service announcements featuring the U.S. Secretary of secretaries, Agriculture, State directors, and commissioners of agriculture and leaders from community-based organizations.

## **Coverage of American Indian and Alaska Native Farm Producers**

To maximize coverage of American Indian and Alaska Native agricultural producers, special procedures were followed in the census. A concerted effort was made to get individual reports from every American Indian and Alaska Native farm or ranch producer in the country. If this was not possible within some reservations, a single reservationlevel census report was obtained from knowledgeable reservation officials. These reports covered agricultural activity on the entire reservation. NASS staff reviewed these data and removed duplication with any data reported by American Indian or Alaska Native producers who responded on an individual census report form. Additionally, NASS obtained, from knowledgeable reservation officials, the count of American Indian and Alaska Native producers (on reservations) who were not counted through individual census report forms, but whose agricultural activity was included in the reservation-level report form.

Table D, American Indian and Alaska Native Producers: 2022 provides the number of producers (1) reported as American Indian or Alaska Native in the race category, either as a single race or in combination with other races, on the individual census report forms (for up to four per farm) and (2) identified as American Indian or Alaska Native producers farming on reservations by

reservation officials. The count from the individual report forms is summarized in the "Individually reported" column. It includes up to four producers on or off reservations. The "Other" column provides counts of producers on reservations as reported by a reservation or tribal official. The "Total" column is simply a sum of the "Individually reported" and the "Other" columns. Tables in other parts of the publication count the reservation-level reports as single farms.

#### **Public Relations**

In the public relations arena, NASS worked with internal and external, national, regional, and local stakeholders to equip them with communications tools and resources to deliver the census communications message to their audiences. NASS utilized its Intranet, the Partner Tools section on the census webpage, and a regularly scheduled, newsletter-type email update to deliver materials to staff across its 12 regions, other USDA agencies and external stakeholders. The materials included but were not limited to: customizable news releases, public announcement scripts, and a PowerPoint template; Secretary of Agriculture video public service announcements, and drop-in advertisements; informational, instructional, and testimonial videos; website buttons and banners; brochures in multiple languages; social media posts; flyers; posters; FAQ sheets, talking points, and more. In addition, at the national level, NASS issued six news releases during data collection (three more were produced before data collection to inform and prepare producers) citing department and agency spokespeople, published half a dozen timely and relevant pieces to the USDA blog highlighting the census, and conducted three social media campaigns. These public relations efforts at the national and local-levels helped ensure that NASS' message about the census was continually in the media, including print and online publications, a variety of social media, radio, and some television programs. Media outlets included both those specializing in agriculture and more general outlets.

#### Paid Media

With a very limited budget, NASS was able to apply a small portion of funds toward paid advertising. For the 2022 Census of Agriculture, NASS strategically advertised in regional print publications, online, and with national agriculture news services (i.e., TV, radio) to bolster reach both in general and within geographically specific, previously under-represented populations and lower response areas.

#### **DATA COLLECTION**

#### **Method of Enumeration**

Data collection was accomplished primarily by mail, Computer-Assisted Self Interview (CASI) on the Internet, and personal enumeration for special classes of records in operations. Personal the census enumeration (interviewing) involved the use of both Computer-Assisted Telephone Interview (CATI) and Computer-Assisted Personal Interview (CAPI) data collection instruments. Enumerators at the five NASS Data Collection Centers conducted CATI data collection. In addition, enumerators under contract with NASS through the National Association of State Departments of Agriculture (NASDA) conducted phone and personal interviews with respondents. For the 2022 Census of Agriculture, NASS implemented a pre-notification strategy to increase awareness, improve overall responses, and encourage respondents to report early to avoid continued correspondence. All records with an e-mail address received an e-mail message marketing the improved web form and announcing the census mail packets were coming.

### **Report Forms**

Four versions of report forms were used for the 2022 Census of Agriculture:

- General form (22 A100)
- Hawaii form (22 A101)
- American Indian form (22 A300)
- Farm Status form (22 A400)

The general form facilitated reporting crops and livestock most commonly grown and raised in the U.S. The short form expedited reporting specific crops or livestock for pre-identified farms and ranches in the U.S. The Hawaii form targeted crops and livestock specifically grown or raised on farms and ranches in Hawaii. The American Indian form focused on crops and livestock for farms and ranches on reservations in Arizona, New Mexico, and Utah. All report forms allowed respondents to write in specific commodities that were not prelisted on their report form.

## **Report Form Mailings**

Census data collection began on November 22, 2022. Nearly all producers on the CML received a letter inviting them to report online. They received a unique survey code and instructions for completing their census online. The letter encouraged producers to report online early to avoid receiving mail and phone follow-up. Approximately 3

million mail packets were mailed in December 2022. Each packet contained a cover letter, instruction sheet, a labeled report form, and a return envelope. The Census Bureau's National Processing Center (NPC) in Jeffersonville, IN was contracted to perform mail packet preparation, initial mailout, and two follow-up mailings to nonrespondents.

The initial mailout was followed by a thank-you reminder correspondence in January 2023. This pressure-sealed envelope reminded respondents of the approaching deadline and that they could report online. First follow-up mail packets were mailed in mid-February 2023 to approximately 1.5 million nonrespondents. Second follow-up mail packets were mailed in mid-March 2023 to approximately 1 million nonrespondents. A final mailing went to approximately 800,000 non-respondents. This mailing included a drastically reduced four-page questionnaire designed to primarily determine if the operation was a farm or not in business.

#### Nonresponse Follow-up

Operating concurrently with NPC's mail data collection efforts, NASS Data Collection Centers targeted selected groups of census nonrespondents for telephone enumeration. NASS regional field offices targeted selected groups of census nonrespondents for in-person enumeration. These efforts were referred to as:

- Must Case Follow-up
- American Indian Producer Follow-up
- National Nonresponse Follow-up
- Not on Mail List (NML) Follow-up

Must Case Follow-up. Must cases are known large or unique operations, the absence of which could have significantly affected the accuracy of census results. For the 2022 Census of Agriculture, 125,697 records were categorized as Must cases. Each active Must operation was accounted for by mail receipt, phone interview, or personal enumeration; if an operation was no longer in business, its nonfarm status was documented. Call centers conducted CATI calling of nonrespondent Must cases from March 2023 through May 2023, after the initial and first follow-up mailings. Following the CATI calling, the remaining nonresponse Must cases were assigned to regional field offices for personal enumeration. Because of the potential importance of Must cases, they were all accounted for and therefore not eligible for nonresponse weighting adjustment.

American Indian Producer Follow-up. The American Indian report form (22-A300) was mailed to all operations in Arizona, New Mexico and Utah thought to have an American Indian producer. It was included in the initial

mailout, but due to poor mail response, a personal enumeration data collection strategy was utilized with no additional mail follow-up. A concerted effort was made to get individual reports from every American Indian farm producer in the country. If this was not possible within a reservation, a single reservation-level census report was obtained from knowledgeable reservation officials. These reports covered agricultural activity on the entire reservation. NASS staff reviewed these data and removed any duplicate data reported by American Indian producers from that reservation who responded on an individual census report form. Additionally, NASS obtained, from knowledgeable reservation officials, the count of American Indian farm producers (on the reservations) who were not counted through individual census report forms, but whose agricultural activity was included in the reservation-level report form.

National Nonresponse Follow-up (Excludes Must Records). In April 2023, a group of records that were not part of other nonresponse data collection efforts were identified for additional phone contacts. In total, 82,237 records with specified demographics and/or eligibility for Census Special Studies (follow-ons) were made available for nonresponse Computer-Assisted Telephone Interviews (CATI).

Not-on-the-Mail List (NML) Follow-up. To account for farming operations not on the CML, NASS used its 2022 JAS sample from the NASS area frame, augmented with the ACES segments. Because the NASS area frame covers all land in the U.S. with the exception of Alaska, it includes all farms. As previously described, NASS conducted a record linkage operation between the CML records and the records from the 2022 JAS/ACES. Those 2022 JAS records that did not match records on the CML were designated as "Not-on-the-Mail List" (NML) records. These records were mailed a yellow census form so that it could be differentiated from the green forms mailed to CML records. The NML records were mailed at the same time as the census mailing and received the same follow-up procedures as the census mailing through the first followup in mid-February 2023. Beginning in March 2023, CATI was used for nonresponse follow-up for NML nonrespondents.

#### REPORT FORM PROCESSING

#### **Data Capture**

The Census Bureau's National Processing Center (NPC) in Jeffersonville, IN was contracted to process returned mail packets. NASS staff on site at the NPC provided technical guidance and monitored NPC processing activities. All report forms returned to the NPC were immediately

checked in, using bar codes printed on the mailing label, and removed from follow-up report form mailings. All forms with any data were scanned and an image was made of each page of a report form. Optical Mark Recognition (OMR) was used to capture categorical responses and to identify the other answer zones in which some type of mark was present.

Data entry operators keyed data from the scanned images using OMR results that highlighted the areas of the report forms with respondent entries. The keyer evaluated the contents and captured pertinent responses. Ten percent of the captured data were keyed a second time for quality control. If differences existed between the first keyed value and the second, an adjudicator handled resolution. The decision of the adjudicator was used to grade the performance of the keyers, who were required to maintain a certain accuracy level.

The images and the captured data were transferred to NASS's centralized network and became available to NASS analysts on a flow basis. The images were available for use in all stages of review.

## **Editing Data**

Captured data were processed through a computer formatting program that verified that records were valid – that the record ID number was on the list of census records, that the reported counties of operation and production were valid, and other related criteria. Rejected records were referred to analysts for correction. Accepted records were sent to a complex computer batch edit process. Each execution of the computer edit in batch mode consisted of records from only one State and flowed as the data were received from NPC, the NASS Computer-Assisted Self Interview (CASI), or the Computer-Assisted Telephone Interview (CATI) applications.

The computer edit determined whether a reporting operation met the qualifying criteria to be counted as a farm (in-scope). The edit examined each in-scope record for reasonableness and completeness and determined whether to accept the recorded value for each data item or take corrective action. Such corrective actions included removing erroneously reported values, replacing an unreasonable value with one consistent with other reported data, or providing a value for an item omitted by the respondent. To the extent possible, the computer edit determined a replacement value. Strategies determining replacement values are discussed in the next section. Operations failing to meet the qualifying criteria for being classified as a farm were categorized as out-ofscope for the census. Records that NASS had reason to believe might have been erroneously classified as out-ofscope (indications of recent and/or significant agricultural activity reported on NASS surveys, for example) were referred to analysts for verification.

The edit systematically checked reported data section-by-section with the overall objective of achieving an internally consistent and complete report. NASS subject-matter experts had previously defined the criteria for acceptable data. Problems that could not be resolved within the edit were referred to an analyst for intervention. Prior to the census mail-out, NASS established a group of analysts in a Census Editing Unit in the National Operations Center in St. Louis, MO who examined the scanned images, consulted additional sources of information, and determined an appropriate action. Regional field office analysts also participated using an interactive version of the edit program to submit corrected data and immediately re-edit the record to ensure a satisfactory solution.

## **Farm Status Form Editing**

From the CML, 883,732 records were selected to receive a Farm Status form as a final follow-up form; this form was derived from the full census report form by selecting a subset of the questions on the full form. Since these questions were also asked on the general form, the edit was able to treat the Farm Status form responses as though they were incomplete general forms, as described in the previous paragraphs.

## **Imputing Data**

The edit determined the best value to impute for reported responses that were deemed unreasonable and for required responses that were absent. If an item could not be calculated directly from other current responses, the edit determined whether acreage, production, or inventory items had been reported for that farm on a recent NASS crop or livestock survey. For producers who had not changed in five years, demographics such as race and gender were taken from the previous census. Administrative data from the Farm Service Agency were used for a few items, such as Conservation Reserve Program acreage. When deterministic edit logic and previously-reported data sources were unable to provide a current value, data from a reporting farm of similar type, size, and location were considered. In cases where automated imputation was unable to provide a consistent report, the record was referred to an analyst for resolution.

Separate system processes were established to efficiently provide data from a similar farm to the edit when donor imputation was required. The farm characteristics used to define similarity between a recipient record and its donor record were determined dynamically by the edit logic. Euclidean distance was used for similarity computations, with each contributing similarity characteristic scaled appropriately. The most similar farm based on this criterion (the "nearest neighbor") was identified and returned to the edit for use as a donor. The calculated distance between the centroids of the principal counties of production of the donor and recipient was always included as one of the measures of similarity.

To provide donors to the automated edit, a pool of successfully edited records was maintained for each section of the report form. These donor pools began with 2017 census data, reconfigured to emulate 2022 data and then edited using 2022 logic. Data from the 2020 Census Content Test were similarly remapped and edited before being added to the original donor pools. As 2022 records were successfully processed, they were added to the donor pools, which maintained the most recent data for each farm. Donor pools were updated approximately every other week, as determined by edit processing schedules. After several updates, all initial data records were dropped, leaving only 2022 records in the donor pools. After each update, donor pool records were grouped into strata containing farms in the same State of similar type and size, using a data-driven algorithm to define strata. Certain American Indian farms were treated as a separate group, effectively having their own donor pool.

In response to each donor request issued by the edit, a dedicated system process would search the appropriate stratum and respond with the most similar donor, while giving preference to more recent donors. In relatively rare instances where it was unable to provide a donor, the donor selection process issued an appropriate failure message to the edit. Imputation failures occurred for several different reasons. The requirement that an imputed value be positive could have ruled out all available donors, as could have the necessity for the donor record to satisfy a particular constraint - say, that the donor record has cattle, but no milk cows. In general, an imputation failure occurred if there were no satisfactory donors in the same profile as the report being edited. Records with imputation failures were either held until more records were available in the donor pool or referred to an analyst. In addition, when such a failure occurred in finding a donor for expenditure data, donor pool averages were provided in lieu of an individual donor, wherever possible. This "failover" utility was first introduced for the 2012 census imputation process, and significantly reduced the number of imputation failures among the expenditure and labor variables. During the early stages of editing, records requiring imputation for production (and hence yields) of field crops or hay, land values, or certain expenditure variables, were set aside or "parked." These records were edited when the donor pools contained only 2022 records, ensuring that 2022 data were used in the imputations for the variables.

After receiving a donor's data, the edit substituted the values into the edited record. In many cases, the donor record's data value was scaled using another data field specified in the edit logic. In such cases, the size of the auxiliary field's value in the edited record, relative to its value in the donor record, was used to appropriately scale the donor record's value for the field to be imputed. The imputed data were then validated by the same edit logic to which reported data were subject. Since imputation was conducted independently for each occurrence, reports requiring multiple imputations may have drawn from multiple donors.

As was done for the 2017 Census, for records reporting three or more persons as producers, a different imputation process was used for certain items (specifically the items in question 3) in the Personal Characteristics Section. Records with one or two persons reported as producers had these data edited and imputed using the decision logic table edit and donor pool imputation process. Records with three or more persons reported as producers, and for which it was determined that these data were inconsistent or missing, had these data imputed using a fully conditional specification method. During the edit for records reporting three or more producers, the items needing imputation were marked, and the record was flagged. At the end of the data collection period, the data for these records (both the items needing to be imputed and the other variables needed by the model) were pulled and run through the imputation program. The resulting imputed values were loaded back to the records, and the records were made available for review.

#### **Data Analysis**

The complex edit ensured the full internal consistency of the record. Successfully completing the edit did not provide insight as to whether the report was reasonable compared to other reports in the county. Analysts were provided an additional set of tools, in the form of listings and graphs, to review record-level data across farms. These examinations revealed extreme outliers, large and small, or unique data distribution patterns that were possibly a result of reporting, recording, or handling errors. Potential problems were investigated and, when necessary, corrections were made, and the record interactively edited again.

When NASS summarizes data from the census of agriculture, each individual report is typically assigned to a single "principal" county. The principal county is the county in which the majority of an operation's agricultural

products are produced, as reported by the producer. For large operations that have significant production in multiple counties, their reports may be broken up into multiple source counties to more accurately summarize the data. Similarly, for large farms operating in more than one State, separate report forms are completed by State in order to assign the proper portion of the farm's total agricultural production to each State in which the farm operates.

## ACCOUNTING FOR UNDERCOVERAGE, NONRESPONSE, AND MISCLASSIFICATION

Although much effort has been expended making the CML as complete and accurate as possible, it does not include all U.S. farm operations, resulting in list undercoverage. Additionally, some farm operations on the CML did not respond to the census, despite numerous contact attempts. Finally, although each operation was classified as a farm or a nonfarm based on their census responses, some were misclassified; that is, some nonfarms were classified as farms and some farms were classified as nonfarms. NASS's goal is to produce agricultural census totals for publication at the county level that are fully adjusted for these factors: list undercoverage, nonresponse, and misclassification.

In 2017, NASS used a series of models based on a subset of the responding census and all the JAS records in a captureframework separately adjust recapture to undercoverage, nonresponse, and misclassification. For the 2022 Census of Agriculture, the capture-recapture methodology was extended to model the probability of capture with a single model, thereby allowing the utilization of all census responses and JAS records in the adjustments. To implement capture-recapture methods, two independent samples are required. The 2022 Census of Agriculture (based on the CML) and the 2022 JAS (based on the area frame) were those two samples. Historically, NASS has been careful to maintain the independence of the CML and the area frame. Thus, the Census of Agriculture and the JAS were assumed to be independent after accounting for heterogeneity in the capture probabilities based on characteristics of records.

For a farm to be identified as a farm, and thus captured by the census, it must be on the CML, respond to the census report form, and be classified as a farm on the form. Thus, the capture probability  $\pi_C$  is of interest:

 $\pi_{\rm C} = \pi({\rm CML, Responded, Farm on Census|Farm})$ 

Two types of classification error can occur. First, a farm can be misclassified as a nonfarm. This type of misclassification is accounted for in determining the probability of capture  $\pi_C$ . The second type of classification error results when a response to the census is classified as a farm operation when it does not meet the definition of a farm. That is, some farms on the CML may be misclassified from their census report response and may be nonfarms. To account for the misclassification of nonfarms as farms, the probability of a farm on the census being classified correctly must be estimated; that is,

 $\pi_{CCFC} = \pi(Farm \mid Farm \text{ on Census})$ 

where *CCFC* represents Correct Census Farm Classification. To adjust for undercoverage, nonresponse, and misclassification, each CML record classified as a farm based on its response to the census report form was given a weight of the ratio of the estimated probability of correct classification of a farm on the census and the estimated probability of capture  $(\hat{\pi}_{CCFC}/\hat{\pi}_{C})$  where the hat symbol (^) denotes an estimate). To estimate the number of farms with a given set of characteristics, the weights of CML records responding as farms on the census and having that set of characteristics were summed.

This estimator is referred to as the capture-recapture estimator (CR):

$$CR = \sum_{i \in F} \frac{\hat{\pi}_{CCFC,i}}{\hat{\pi}_{C.i}}$$

where F is the set of all CML records classified as farms based on their responses to the census report form.

To estimate these probabilities  $(\hat{\pi}_c \text{ and } \hat{\pi}_{cCFC})$ , the records in the 2022 JAS sample were matched to the 2022 CML using probabilistic record linkage allowing the records only on the CML, JAS, and on both the CML and JAS to be identified. All CML records and JAS tracts were used to estimate the capture-recapture probabilities jointly.

## **Resolving Farm Status**

The farm status based on census responses to either the CML or NML census data collection and the response on the JAS agreed in most cases; these records are referred to as having resolved farm status. However, in other cases, a record was identified as a farm (nonfarm) on the JAS and as a nonfarm (farm) on the CML or the NML. Such records are said to have conflicting or unresolved farm status. An operation identified as a farm is referred to as in-scope; an operation identified as a nonfarm is referred to as out-of-scope. From the set of matched records, two groups with conflicting farm status were identified: 1) in-scope JAS records that were out-of-scope on the census and 2) census in-scope and JAS out-of-scope records. The records with conflicting farm status were sent to NASS regional field offices for review. In each case, efforts were made to

determine whether (1) the status had changed between June and December when the census was conducted, (2) the JAS farm status was correct, (3) the census farm status was correct, (4) the records were incorrectly matched, or (5) the farm status could not be resolved.

The probability that an operation is a farm was estimated for census and JAS by using a conditional logistic model. Only those records identified as a farm based on either their JAS response or their Census response were used to develop the model for estimating the probability a record is associated with a farm. Operations with matching farm status were considered as certain if the farm status agreed between the JAS and the CML. If the status between the JAS and CML was conflicting, then the operation was treated as uncertain during the modeling stages. Characteristics of the operations were considered as potential covariates in the model. Variable selection was conducted using a stepwise algorithm to maximize the conditional likelihood. The probability of being a farm is estimated for each record classified as a farm based on their JAS or census response. The estimated probability is used as a weight in all subsequent modeling.

## **Capture Probabilities**

Recall that, for a farm to be identified as a farm, and thus captured, by the census, it must be on the CML, respond to either the census or JAS report form and, based on that response, be classified as a farm. Therefore, the probability of capture  $\pi_C$  may be written as

 $\pi_C = \pi(\text{CML}, \text{Responded}, \text{Farm on Census}|\text{Farm})$ =  $\pi(\text{CML}|\text{Farm})\pi(\text{Responded}|\text{CML}, \text{Farm})\pi(\text{Farm on Census}|\text{CML}, \text{Responded}, \text{Farm})$ 

Terms in the probability of capturing a farm depend on characteristics of the farm. These terms, as well as the corresponding terms associated with a farm being captured by the JAS, were jointly estimated from a single model. Using all Census and JAS data, model variables were selected by applying a stepwise variable selection algorithm and expert opinion. Estimation was based on a conditional weighted likelihood. The events of a farm being included in the CML, the JAS or both were included in the likelihood. The event of a farm not being included in either the JAS or the CML was excluded from the likelihood but was accounted for through the model's capture-recapture properties. Although the probability of capture is estimated for both CML and JAS records, only CML records with a census response are given a census weight; records with only a JAS response are not given a census weight or used further to produce census estimates.

Because Alaska is not included in the JAS and thus has no area frame, the Alaskan agricultural operations were not

included in the capture-recapture process. No adjustments were made for undercoverage or misclassification. To account for nonresponse, the CML records were divided into three groups: (1) the Must records, (2) the Criteria Records, and (3) the remaining CML records. The must records received a weight of one, thereby receiving no adjustment for nonresponse. The probability of response for each of the other two groups was the proportion of responders within the group. Each record within the group was then given a weight equal to the reciprocal of the probability of response.

### **Misclassification**

An operation is misclassified if: (1) it meets the definition of a farm but is classified as a nonfarm on the census or (2) it does not meet the definition of a farm but is classified as a farm on the census. The first type of misclassification is accounted for when modeling the probability of capture. An adjustment is still needed for the misclassification of nonfarms as farms. As with farm status and capture, the probability of this misclassification depends on an operation's characteristics. Thus, a conditional logistic model was developed. Given that a farm on the CML was classified as a farm in the census, the probability of its being a farm was modeled based on its characteristics.

#### **CALIBRATION**

Each operation identified as being in-scope on the CML was given a weight equal to the probability of misclassifying a nonfarm as a farm on the census divided by the probability of capture. This weight accounted for undercoverage, nonresponse, and both types of misclassification.

The record weighting processes were initially applied at the State level to produce adjusted estimates of farm numbers, land in farms, and for 64 different categories of characteristics of the farm operation or the farm producer-value of agricultural sales (10); age (2); female; race (3); Hispanic origin; 4 sales categories for each of 10 major commodities (40); and farm type groups (7). The Statelevel number of farms and land in farms were two additional adjusted estimates, resulting in 66 categories. To reduce the intercensal variation at the State level, the State targets were smoothed by averaging the 2022 estimates from capture-recapture and the published 2017 State estimates.

These State estimates were general purpose in that they did not provide any control over expected levels of commodity production of the individual farm operation. As a result of this limitation, the procedures could have over-adjusted or under-adjusted for commodity production. To address this, a second set of variables, known as commodity targets, was added to the calibration algorithm. These targets were commodity totals from administrative sources or from NASS surveys of nonfarm populations (e.g., USDA Farm Service Agency program data, Agricultural Marketing Service market orders, livestock slaughter data, cotton ginning data). The introduction of these commodity coverage targets strengthened the overall adjustment procedure by ensuring that major commodity totals remained within reasonable bounds of established benchmarks.

Each State was calibrated separately. The calibration algorithm addressed commodity coverage. The algorithm was controlled by the 65 State farm operation coverage targets and the State commodity coverage targets. Because calibration targets are estimates subject to uncertainty, NASS allowed some tolerance in the determination of the adjusted weights. Rather than forcing the total for each calibration variable computed using the adjusted weights to equal a specific amount, NASS allowed the estimated total to fall within a tolerance range.

To ensure that all subdomains for which NASS publishes summed to their grand total, integer weights were produced by a discrete calibration algorithm. This eliminated the need for rounding individual cell values and ensured that marginal totals always added correctly to the grand total. If a weight was initially not in the interval [1,6], it was trimmed so that it was in that interval. That is, adjusted weights less than 1 were set to 1, and those greater than 6 were set to 6. The remaining non-integer weights were then rounded sequentially to reduce the distance of the estimated totals from the targets.

Calibration adjustments began with the computation of a priority index for each record. The priority index was the absolute value of the gradient of the relative error associated with increasing or decreasing a record's weight by one. The record with the highest priority index was then selected as a candidate to increase or decrease its weight by one to reduce the cumulative distance from the targets as measured by the relative error. If the new value produced an improvement and satisfied the range restrictions, the weight was updated and new priorities were assigned; otherwise, the record with the next highest priority index was processed. This process was iteratively performed until convergence was attained. Because census data collection was assumed to be complete for very large and unique farms, their weights were set to 1 during the calibration adjustment process. For all other farms, the final census record weights were forced to be an integer number in the interval [1, 6]. The calibration process considered all targets simultaneously through the priority index. Although calibration was seldom able to adjust weights so that all State targets were met, all targets were brought collectively as close to the targets as possible.

The proportions of selected census data items that were due to coverage, response, and classification adjustments are displayed in Tables A and C.

#### **DISCLOSURE REVIEW**

After tabulation and review of the aggregates, a comprehensive disclosure review was conducted. NASS is obligated to withhold, under Title 7, U.S. Code, any total that would reveal an individual's information or allow it to be closely estimated by the public. Farm counts are not considered sensitive and are not subject to disclosure controls. Cell suppression was used to protect the cells that were determined to be sensitive to a disclosure of information.

Based on agency standards, data cells were determined to be sensitive to a disclosure of information if they failed either of two rules. The threshold rule failed if the data cell contained less than three operations. For example, if only one farmer produced turkeys in a county, NASS could not publish the county total for turkey inventory without disclosing that individual's information. The dominance rule failed if the distribution of the data within the cell allowed a data user to estimate any respondent's data too closely. For example, if there are many farmers producing turkeys in a county and some of them were large enough to dominate the cell total, NASS could not publish the county total for turkey inventory without risking disclosing an individual respondent's data. In both ofthese situations, the data were suppressed and a "(D)" was placed in the cell in the census publication table. These data cells are referred to as primary suppressions.

Since most items were summed to marginal totals, primary suppressions within these summation relationships were protected by ensuring that there were additional suppressions within the linear relationship that provided adequate protection for the primary. A detailed computer routine selected additional data cells for suppression to ensure all primary suppressions were properly protected. These data cells are referred to as complementary suppressions. These cells are not themselves sensitive to a disclosure of information but were suppressed to protect other primary suppressions. A "(D)" was also placed in the cell of the census publication table to indicate a complementary suppression. A data user cannot determine whether a cell with a (D) represents a primary or a complementary suppression.

Regional field office analysts reviewed all complementary suppressions to ensure no cells had been withheld that were vital to the data users. In instances where complementary suppressions were deemed critically important to a State or county, analysts requested an override, and a different complementary cell was chosen.

#### **CENSUS QUALITY**

The purpose of the census of agriculture is to account for "any place from which \$1,000 or more of agricultural products were produced and sold, or normally would have been sold, during the census year." To accomplish this, NASS develops a CML that contains identifying information for operations that have an indication of meeting the census definition, develops procedures to collect agricultural information from those records, establishes criteria for analyst review of the data, creates computer routines to correct or complete the requested information, and provides census estimates of the characteristics of farms and farm producers with associated measures of uncertainty.

It is not likely that either the CML includes all operations that meet the definition of a farm or that all those that do meet the definition of a farm respond to the census inquiry. The goal is to publish data with a high level of quality. The quality of a census may be measured in many ways. One of the first indicators used is a measure of the response to the census data collection as it has generally been thought that a high response rate indicates more complete coverage of the population of interest. This is a valid assumption if the enumeration list, the CML here, has complete coverage of the population of interest. In the case of the census of agriculture, the definition requiring advance knowledge of sales makes achieving a high level of coverage difficult. To ensure that the census of agriculture is as complete as possible, records are included that might not meet the census definition of a farm – in fact, almost 50 percent more records than the anticipated number of qualifying farm operations were included in the 2022 CML. A second indicator of quality then is the coverage of the farm population by the CML. Other indicators of quality relate to the accuracy and completeness of the data, and the validity of the procedures used in processing the data.

In some cases, NASS was able to produce measures of quality – such as the response rate to the data collection, the coverage of the census mail list, and the variability of the final adjusted estimates. In other cases, measures were not produced but descriptions of procedures that NASS used to reduce errors from the procedures were subsequently provided.

#### **Census Response Rate**

The response rate is one indicator of the quality of a data

collection. It is generally assumed that if a response rate is close to a full participation level of 100 percent, the potential for nonresponse bias is small, although this has been questioned in the literature. The response rate for the 2022 Census of Agriculture CML was 61.0 percent, as compared with the 2017 Census of Agriculture's response rate of 71.8 percent and 74.6 percent for the 2012 Census of Agriculture.

The 2022 Census of Agriculture's response rate used the fourth response rate formula (RR4) from the American Association of Public Opinion Research's Response Rate Standard Definitions manual:

$$RR4 = \frac{C_{adj}}{C_{adj} + R + NC + O + Replicated + e(U)} (100)$$

where

 $C_{adj}$  = number of fully and partially completed records, excluding replicated records

R = number of explicit refusals

NC = number of non-contacted operations known to be eligible

O = number of other types of nonrespondents *Replicated* = number of replicated records U = number of operations of unknown eligibility e(U) = estimated number of operations of unknown eligibility assumed to be eligible

Records were classified into the above variables based on the combination of their active status (AS) codes, in-scope status, and replication status. Active status refers to the eligibility status of records for selection on the CML. All replicated records were considered a form of nonresponse and were classified into other nonrespondents; in-scope status was considered immaterial.

Certain active status classifications indicated records of unknown agricultural status. These classifications included records to be removed from the CML but had data from outside sources indicating agricultural activity, new records from outside data sources, nonrespondents and refusals to the NACS, records for regional office handling only, and records with Farm Service Agency or Conservation Reserve Program data on operations that are not owned by the principal producer. These records were stratified (grouped) based on their probabilities of being inscope had they responded. The estimated number of inscope nonrespondents was calculated for the hth stratum (group) by the following formula:

$$e(U_h) = \left(\frac{C_{in-scope,h}}{C_h}\right) U_h$$

where

 $e(U_h)$  = estimated number of operations of unknown eligibility assumed to be eligible in the hth group  $C_{in\text{-}scope,h}$  = the number of completed and in-scope census records in the hth group

 $C_h$  = the number of completed census records in the hth group

 $U_h$  = number of operations of unknown eligibility in the hth group

## **Census Coverage**

As a side-product of the statistical adjustment used to account for undercoverage, nonresponse of farms on the CML, and misclassification of responses to the census, the proportion of the adjustments due to each of those factors can be derived. The percentage of final census estimates due to adjustments for undercoverage, nonresponse, and misclassification as well as the total percent adjustment for selected items are displayed in Tables A and C.

#### MEASURED ERRORS IN THE CENSUS PROCESS

NASS uses statistical procedures in compiling the CML, in its data collection procedures, in data editing and processing, and in compiling the final data. Additionally, it uses statistical procedures to both measure errors in the various processes when adjusting for those errors in the final data. One example is the statistical process used to account for undercoverage, nonresponse of farms on the CML, and misclassification of responses to the census. The basis of the undercoverage adjustment is the capturerecapture procedure that uses the area sample enumeration from the JAS. The largest contributors to error in the census estimates are due to the adjustments for undercoverage, misclassification, nonresponse, integer calibration.

## Variability in Census Estimates due to Statistical **Adjustment**

In conducting the 2022 Census of Agriculture, efforts were initiated to measure error associated with the adjustments for farm operations that were not on the CML; for farm operations that were on the CML but did not respond to the census report form; for farms and nonfarms that were misclassified as nonfarms and farms, respectively; and for integer calibration. These error measurements were developed from the standard error of the estimates at the national, State, and county levels and were expressed as coefficients of variation (CVs) at the national and State levels and as generalized coefficients of variation (GCVs) at the county levels.

The standard error of an estimate is an estimate of the

standard deviation of the sampling distribution of the estimator. In each case, standard errors were computed using an approach based on a delete-a-group jackknife methodology. To conduct the jackknifing, k = 10 mutually exclusive and exhaustive groups of records were formed. The groups were selected using a stratified random design so that each group reflected capture status by the CML and the JAS. Based on estimated weights for records in each group, a delete-a-group jackknife estimator of the variance would account for the uncertainty associated with modeling the capture-recapture probabilities and the uncertainty due to integer calibration. Therefore, the weights within each jackknife group were computed using the group-specific models and calibrated to match groupspecific targets. For a given data item *i*, such as the number of farms, the estimate was computed at the specified geographical level, such as nation, State, or county, using the weights obtained for group *j*. Estimates of the variance and standard error associated with the estimator  $T_i$  are then, respectively.

$$\sigma_i^2 = \frac{k-1}{k} \sum_{j=1}^k \left( T_i^{(j)} - \sum_{l=1}^k \frac{T_i^{(l)}}{k} \right)^2; \quad SE(T_i) = \sqrt{\sigma_i^2}$$

Ten (10) calibration-adjusted jackknife groups were used to provide standard errors for 2022 State and national estimates (i.e., k=10). For the estimate of the number of farms with a given set of characteristics, only the CML records with those characteristics were used to obtain the overall estimate as well as the estimates from each calibrated jackknife group.

Note that the calibrated jackknife groups were only constructed once, and different subsets of the records were used to compute estimates and standard errors for the data items.

The CV is a measure of the relative amount of error associated with the sample estimate:

$$CV_i = \frac{SE(T_i)}{T_i} 100\%$$

where  $SE(T_i)$  is the standard error of the capture-recapture estimate for data item i. This relative measure allows the reliability of a range of estimates to be compared. For example, the standard error is often larger for large population estimates than for small population estimates, but the large population estimates may have a smaller CV, indicating a more reliable estimate. For county-level estimates, a generalized coefficient of variation (GCV) was determined for each estimate within a State. A generalized variance function relates a function of the variance of an estimator to a function of the estimator.

Within a State, the standard error of an estimate for a data item was often found to be linearly related to the estimate of that item with an intercept of zero. Based on this modeled relationship, the GCV is the slope of the line relating the standard error to the estimate, multiplied times 100 to represent the GCV as a percentage.

The standard error is the product of the CV (or GCV for county estimates) and the estimate divided by 100. As an example, if the GCV for a State is 25 percent and a county's estimate is 4, then the standard error is 25(4)/100 = 1. The standard error of an estimated data item from the census provides a measure of the uncertainty associated with that estimated data item due to the possible outcomes of the census collection, including incompleteness of the CML, nonresponse to the census, misclassification either as a farm or as a nonfarm, and the integer calibration. With 95 percent confidence, an estimate is within two standard errors of the true value being estimated. For this example, with 95 percent confidence, the estimate of 4 is within 2(1) = 2 of the true county value.

Note: The standard errors and consequently, the CVs tend to be substantially smaller than those reported for the 2017 Census of Agriculture. For 2017, the model of the probability of capture incorporated information from the approximately 40,000 respondents to the 2017 JAS and the census records matching a JAS record. In contrast, the models for the 2022 Census of Agriculture relied on information from the approximately 1 million responding CML records and the 2022 JAS, some of which were on both the CML and the JAS. The large increase in the number of records used in the modeling process led to a major decrease in the measures of uncertainty (standard errors and CVs).

Table B presents the fully adjusted estimates with the coefficient of variation for selected items.

# NONMEASURED ERRORS IN THE CENSUS PROCESS

As noted in the previous section, errors can be introduced from adjustments for coverage, nonresponse, and misclassification and from integer calibration. These errors are measurable. However, nonsampling errors are imbedded in the census process that cannot be directly measured as part of the design of the census but must be contained to ensure an accurate count. Extensive efforts were made to compile a complete and accurate mail list for the census, to elicit response to the census, to design an understandable report form with clear instructions, to minimize processing errors through the use of quality control measures, to reduce matching error associated with the capture-recapture estimation process, and to minimize

error associated with identification of a respondent as a farm operation (referred to as classification error). The weight adjustment and tabulation processes recognize the presence of nonsampling errors; however, it is assumed that these errors are small and that, in total, the net effect is zero. In other words, the positive errors cancel the negative errors.

## **Respondent and Enumerator Error**

Incorrect or incomplete responses to the census report form or to the questions posed by an enumerator can introduce error into the census data. Steps were taken in the design and execution of the Census of Agriculture to reduce errors from respondent reporting. Poor instructions and ambiguous definitions lead to misreporting. Respondents may not remember accurately, may estimate responses, or may record an item in the wrong cell. To reduce reporting and recording errors, the report form was tested prior to the census using industry-accepted cognitive testing procedures. Detailed instructions for completing the report form were provided to each respondent. Questions were phrased as clearly as possible based on previous tests of the report form. Computer-assisted telephone interviewing software included immediate integrity checks of recorded responses so suspect data could be verified or corrected. In addition, each respondent's answers were checked for completeness and consistency by the complex edit and imputation system.

## **Processing Error**

Processing of each census report form was another potential source of nonsampling error. All mail returns that included multiple reports, respondent remarks, or that were marked out of business and report forms with no reported data were sent to an analyst for verification and appropriate action. Integrity checks were performed by the imaging system and data transfer functions. Standard quality control procedures were in place that required that randomly selected batches of data keyed from image be reentered by a different operator to verify the work and evaluate key entry operators. All systems and programs were thoroughly tested before going on-line and were monitored throughout the processing period.

Developing accurate processing methods is complicated by the complex structure of agriculture. Among the complexities are the many places to be included, the variety of arrangements under which farms are operated, the continuing changes in the relationship of producers to the farm operated, the expiration of leases and the initiation or renewal of leases, the problem of obtaining a complete list of agriculture operations, the difficulty of contacting and identifying some types of contractor/contractee relationships, the producer's absence from the farm during the data collection period, and the producer's opinion that part or all of the operation does not qualify and should not be included in the census. During data collection and processing of the census, all operations underwent a number of quality control checks to ensure results were as accurate as possible.

## **Item Nonresponse**

All item nonresponse actions provide another opportunity to introduce measurement errors. Regardless of whether previously reported data, administrative data, the nearest neighbor algorithm, the fully conditional specification method, or manual imputation is used to complete a nonresponse item, some risk exists that the imputed value does not equal the actual value. Previously reported and administrative data were used only when they related to the census reference period. A new nearest neighbor was randomly selected for each incident to eliminate the chance of a consistent bias.

## **Record Matching Error**

The process of building and expanding the CML involves finding new list sources and checking for names not on the list. An automated processing system compared each new name to the existing CML names and "linked" like records for the purpose of preventing duplication. New names with strong links to a CML name were discarded and those with no links were added as potential farms. Names with weak links, possible matches, were reviewed by staff to determine whether the new name should be added. Despite this thorough review, some new names may have been erroneously added or deleted. Additions could contribute to duplication (overcoverage) whereas deletions could contribute to undercoverage. As a result, some names received more than one report form, and some farm producers did not receive a report form. Respondents were instructed to complete one form and return all forms so the duplication could be removed.

Another chance for error came when comparing June Area Survey tract producer names to the CML. Area producers whose names were not found on the CML were part of the measure of list incompleteness, or NML. Mistakes in determining overlap status resulted in overcounts (including a tract whose producer was on the CML) or undercounts (excluding a tract whose producer was not on the CML). All tracts determined to not be on the list were triple checked to eliminate, or at least minimize, any error. NML tract producers were mailed a report form printed in a different color. To identify duplication, all respondents who received multiple report forms were instructed to complete the CML version and return all forms so

duplication could be removed.

Records in the 2022 JAS were matched to the 2022 census using probabilistic record linkage. The records of operations with differing farm status were sent out to be reviewed by NASS regional field offices. If farm status could not be resolved, the probability of an operation being a farm was imputed using a missing data model. The uncertainty associated with this estimate apart from model uncertainty was accounted for, but errors not found through this process were not.

Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2022 [For meaning of abbreviations and symbols, see introductory text.]

ltem	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Farms		1,577 1,069,522	46.9 37.2	13.4 3.7	15.8 8.3	17.6 25.2
Farms by size: 1 to 9 acres	arms 1,625	192	59.5	25.9	24.4	9.3
	cres 8,274	938 660	59.5 54.1	27.2 20.8	21.9 19.3	10.4 13.9
	cres 225,215	17,122 161	53.1 48.4	19.9 16.6	18.5 16.0	14.7 15.9
	cres 152,153	9,416 110	48.4 46.4	16.5 15.5	16.0 15.5	15.9 15.3
	cres 257,975	9,582 179	46.4 44.2	15.6 14.8	15.4 15.0	15.4 15.4 14.4
	cres 362,699	19,924 180	44.1 43.1	14.8 9.7	14.9 13.4	14.3 20.0
	cres 357,833	28,066 105	43.0 40.4	9.7 9.3	13.4 14.3	19.9 16.8
	cres 325,866	20,712 76	40.3 40.9	9.3 5.5	14.3 15.3	16.8 20.1
	cres 287,076	18,233 131	41.0 39.0	5.4 5.9	15.4 13.8	20.2 19.4
	icres 1,113,294	41,524 288	38.7 40.8	5.9 2.5	13.5 10.7	19.3 27.6
	cres 1,381,491	224,516 282	41.3 51.2	2.4 4.0	10.9 17.7	28.0 29.4
	cres 1.720.396	411,273 221	51.4 32.8	4.0 1.8	17.3 2.3	30.1 28.7
	cres 4,059,225	647,929	25.9	1.2	2.8	21.9
Irrigated land use: Harvested croplandf	arms 2,499	524	46.1	7.5	13.2	25.4
	cres 1,914,648	464,271 25	27.2 54.7	1.1 9.2	6.5 21.9	19.6 23.6
8	7,238	960	58.0	4.7	8.2	45.2
Market value of agricultural products sold\$  Farms by value of sales:	,000 8,247,775	674	28.0	1.8	3.3	23.0
Less than \$1,000f	arms 10,668 ,000 827	996 (Z)	51.6 63.4	29.3 42.5	11.3 12.1	11.0 8.8
\$1,000 to \$2,499f		287 (Z)	52.2 51.6	15.1 15.0	20.1 19.6	17.0 17.0
\$2,500 to \$4,999f		256	50.7 50.4	15.9 16.2	18.5 18.1	16.3 16.1
\$5,000 to \$9,999f		476	49.7 49.6	19.1 19.1	15.1 14.9	15.5 15.7
\$10,000 to \$19,999f	arms 2,996 ,000 42,386	351 5	35.8 35.9	7.2 7.1	15.7 15.8	12.9 13.0
\$20,000 to \$24,999f	arms 851 ,000 18,812	74	36.1 36.0	6.8 6.7	17.1 16.8	12.2 12.4
\$25,000 to \$39,999f		136	40.8 40.8	5.9 5.9	16.5 16.7	18.4 18.3
\$40,000 to \$49,999f		41	44.3 44.1	3.8 3.9	20.1 19.5	20.4 20.7
\$50,000 to \$99,999f		179 12	46.7 46.6	5.2 5.1	17.4 16.6	24.2 24.9
\$100,000 to \$249,999f	arms 754	129	35.9	3.5 3.3	19.1	13.4
\$250,000 to \$499,999f	arms 565	19 120	36.3 52.0	1.0	19.5 9.6	13.5 41.4
\$500,000 to \$999,999f	,000 205,056 arms 730 ,000 513,008	43 220 158	52.5 56.6 55.9	0.9 1.3 1.3	9.4 19.8 19.5	42.2 35.5 35.1
\$1,000,000 or moref		209 551	30.9 24.6	2.9 1.5	2.9 1.9	25.2 21.2
Farms by legal status for tax purposes:						
Familý or individualf	oroo E 602 00E	1,459 381,099	47.7 42.7	15.0 6.6	15.9 10.4	16.8 25.7
	arms 2,539 cres 3,389,241	301 615,966	40.7 28.2	5.8 1.6	15.8 6.5	19.1 20.1
Corporation: Family heldf		140	40.6	6.2	13.2	21.1
Other than family heldf		108,772 60	35.7 45.6	2.2 4.8	6.1 15.6	27.3 25.1
Other - estate or trust, prison farm, grazing association,	cres 202,279	60,996	36.7	1.5	7.1	28.1
American Indian Reservation, etc	arms 339 icres 157,018	50 21,396	47.5 44.0	5.8 1.4	16.0 3.0	25.7 39.5
Tenure: Full owners	arms 22,822	1 104	47.3	15.7	16.1	15.5
	cres 4,529,219	1,181 357,973	41.9	7.5	16.1 10.6	23.8
8	cres 4,222,922	413 488,269	44.4 33.8	7.2 2.0	16.1 8.5	21.1 23.2
Tenantsf	arms 1,881 icres 1,499,356	262 293,687	49.8 32.9	9.4 1.9	12.0 4.0	28.4 27.0
Producers characteristics by- <sup>1</sup> (see text) Sex of operator: Male		1,496	47.1	13.0	16.8	17.3
Femalef	ocres 9,800,308 arms 16,321	1,004,646 967	37.1 47.5	3.6 17.8	8.6 17.8	24.9 11.9
	icres 4,218,273	581,220	35.9	8.5	10.5	17.0
Primary occupation: Farmingf	arms 20,858	1,114	45.9	11.4	20.3	14.2
Other	arms 31,167	1,688	48.6	14.6	20.6	13.5

See footnote(s) at end of table. --continued

Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2022 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

[For meaning of abbreviations and symbols, see introductory text.]			Adimeterant	Dancout of total	Danaget of total	Percent of total
Item	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	adjustment from misclassification
Producers characteristics by- ¹ (see text) - Con.						
Hispanic, Latino, or Spanish originfarms acres	459	88	54.0	34.5	18.9	0.6
	103,208	36,739	40.9	16.6	23.9	0.4
Race: American Indian or Alaska Native	83	20	31.3	20.4	9.0	1.8
Asianacres acres acres	24,691	(H)	14.3	7.3	4.6	2.4
	124	18	25.8	14.6	4.3	6.9
	17,152	1,827	14.2	6.4	2.1	5.7
Black or African American	4,312	432	60.1	32.5	16.7	10.9
	741,466	134,841	62.3	12.8	7.5	42.0
Native Hawaiian or Other Pacific Islander	25	4	48.0	31.9	14.5	1.6
acres White	2,368	916	50.3	34.9	14.5	0.9
	26,888	1,449	44.9	12.3	15.3	17.3
More than one race reported	9,528,829	1,050,453	35.5	3.5	8.0	24.0
	247	50	42.9	31.1	11.0	0.8
	65,459	14,244	49.2	37.3	10.6	1.3
Military service:  Never served or only on active duty for training in the Reserves or National Guard (see text)	47,128	2,308	47.5	13.1	20.6	13.8
	4,897	358	48.2	16.1	18.7	13.5
All producers by age group <sup>1</sup> : Under 25 yearsfarms	725	126	62.6	13.9	42.9	5.8
25 to 34 years farms 35 to 44 years farms	2,900	281	61.5	16.5	29.9	15.1
	5,864	457	53.4	11.5	27.5	14.4
45 to 54 years	8,013	505	47.9	11.8	22.1	14.0
	12,465	714	47.6	13.6	16.8	17.2
65 to 74 years farms 75 years and over farms	13,890	800	44.2	15.3	16.8	12.1
	8,168	406	42.4	14.5	17.0	10.9
Net cash farm income of operations: Farms with gains of- <sup>2</sup> Less than \$1,000farms	903	67	40.2	13.6	16.0	10.6
\$1,000 to \$4,999 farms	436	(Z)	38.0	14.4	10.4	13.3
	2,137	198	38.3	12.4	12.2	13.7
\$1,000	5,811	1	37.9	11.5	12.4	13.9
\$5,000 to \$9,999	1,352	111	36.5	6.7	17.2	12.7
\$1,000	9,811	1	36.0	6.3	17.9	11.8
\$10,000 to \$24,999	1,789	178	39.1	6.9	15.8	16.4
\$1,000 \$25,000 to \$49,999	28,906 1,204 42,823	3 118 4	39.3 40.6 41.1	6.8 5.5 5.2	15.4 13.5	17.1 21.5 22.1
\$1,000 \$50,000 or more	3,877 3,075,917	360 255	38.2 29.8	3.2 3.2 2.1	13.8 9.5 3.3	25.5 24.4
Farms with losses of- Less than \$1,000	1,093	67	45.0 45.1	14.9	15.5	14.5
\$1,000 to \$4,999 \$1,000 \$1,000 to \$4,999	559 4,869 14,421	(Z) 354	50.6 51.1	13.9 21.5 21.7	16.8 14.5 14.9	14.4 14.6 14.5
\$5,000 to \$9,999	4,598 33,342	237	52.2 52.2	21.7 21.7 21.5	17.0 17.0	13.6 13.6
\$10,000 to \$24,999	5,887	438	53.5	18.0	18.5	17.1
	94,417	7	53.6	17.9	18.8	16.9
\$25,000 to \$49,999	2,082	101	51.2	14.6	19.6	17.0
	71,571	3	51.1	14.0	19.5	17.6
\$50,000 or more	1,499	113	49.8	6.6	19.0	24.1
	206,563	21	46.5	4.5	15.9	26.2
Livestock and poultry: Cattle and calves inventoryfarms	13,631	675	41.1	20.9	12.6	7.6
Beef cows inventory number	832,542 12,508 435,176	23,106 610	34.7 40.7	11.7 20.3	14.7 12.7	8.3 7.7
number Milk cows inventoryfarms number	435,176	12,972	36.5	12.4	16.3	7.9
	45	2	46.7	25.5	18.9	2.2
	6,848	1,115	26.7	11.1	12.7	2.9
Hog and pigs inventory	709 177,541	1,113 64 14,848	59.5 8.6	17.2 5.6	27.8 1.3	14.5 1.7
Layers inventory farms number	3,003	627	54.9	15.5	23.5	15.9
	4,673,149	515,006	17.3	2.0	4.8	10.6
Broilers sold	1,057	205	36.0	5.0	11.9	19.0
	668,652,465	91,301,895	31.9	4.4	3.5	24.0
Aquaculture soldfarms \$1,000	162	7	4.9	0.7	0.6	3.6
	261,458	(Z)	0.7	(Z)	(Z)	0.7
Selected crops harvested: Corn for grain farms	1,495	278	40.3	1.8	9.9	28.5
Durum wheat for grain	592,934	164,675 -	24.7	1.1	6.2	17.4
Other spring wheat for grain		-	-	-	-	=
Winter wheat for grain	355	83	43.1	1.5	17.0	24.6
	84,949	18,437	36.3	1.4	9.4	25.5
Sorghum for grain	33 2,564	16,437 4 395	33.3 23.4	1.4 1.4 1.5	2.7 1.2	29.3 29.7
Soybeans for beans	2,926	452	46.8	2.1	16.4	28.3
	2,404,021	472,228	32.1	1.2	7.6	23.3
Rice farms acres	188	80	29.3	0.5	4.1	24.7
	88,106	25,403	15.9	0.4	0.3	15.2
Cottonfarms acres	788	132	41.6	1.5	9.8	30.3
	550,543	94,082	29.0	1.1	2.2	25.7

See footnote(s) at end of table. --continued

Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2022 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

Item	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Selected crops harvested: - Con.						
Peanuts	36	8	5.6	0.3	(Z)	5.3
	14,260	1,380	1.8	0.1	(Z)	1.7
Barley farms acres	14,200	1,300	-	0.1	(2)	-
Oats farms acres	9	4	44.4	31.1	0.1	13.3
	2,580	797	50.4	36.0	(Z)	14.4
Forage - land used for all hay and haylage,	9.945	977	40.8	17.0	10.3	12.6
grass silage, and greenchop	583,634	52,938	39.0	10.9	10.8	13.6 17.3
Land in vegetables (see text)	1,302	587	56.1	9.0	28.6	18.5
	36,777	7,342	27.7	3.5	8.2	16.0
Potatoesfarms acres	152	77	57.2	11.8	25.5	19.9
	104	34	49.6	9.9	25.1	14.6
Tomatoes in the openfarms	535	287	57.0	10.9	30.9	15.2
Sweet corn (see text)farms	308	148	48.9	10.8	28.2	9.9
	349	166	54.4	8.4	23.9	22.1
acres Lettucefarms	684	191	33.8	4.5	14.9	14.4
	112	57	56.3	8.0	30.5	17.7
Land in orchards (see text)	57	30	44.0	7.5	27.6	8.9
	897	322	52.8	17.7	13.9	21.3
Applesfarms	8,534	3,137	30.2	12.6	3.8	13.8
	190	73	58.4	16.4	23.6	18.4
Grapes (including muscadine) (see text) farms		51 69	53.0 54.3	13.2 14.4	14.9 19.8	24.8 20.1
Orangesfarms	527	76	21.7	9.3	3.3	9.1
	45	14	60.0	20.6	10.8	28.6
acres Almondsfarms	8	3 (L)	56.0 (Z) (D)	23.4 (Z) (D)	10.3 (Z) (D)	22.2 (Z) (D)
acres  Land in berries	(D) 572 1,397	(L) (D) 280 642	(D) 52.1 32.6	(D) 19.5 15.8	(D) 12.0 5.3	(D) 20.6 11.6

<sup>&</sup>lt;sup>1</sup> Data were collected for a maximum of four producers per farm.
<sup>2</sup> Farms with total production expenses equal to market value of agricultural products sold, government payments, and farm-related income are included as farms with gains of less than \$1,000.

# Table B. **Reliability Estimates of State Totals: 2022** [For meaning of abbreviations and symbols, see introductory text.]

Item		Total	Coefficient of variation (percent)	Item	Total	Coefficient of variation (percent)
Farms		31,290 10,251,497	5.0 10.4	Producers characteristics by- ¹ (see text) - Con.		
Farms by size:	40100	10,201,407	10.4	Hispanic, Latino, or Spanish originfarms	459	19.3
1 to 9 acres		1,625	11.8	acres	103,208	35.6
10 to 49 acres	acres farms	8,274 8,124	11.3 8.1	Race:		
50 to 69 acres	acres farms	225,215 2,620	7.6 6.1	American Indian or Alaska Nativefarms	83	23.7
70 to 99 acres	acres	152,153	6.2 3.5	acres Asian farms	24,691	(H) 14.6
	acres	3,115 257,975	3.7	acres	124 17,152	10.6
100 to 139 acres	acres	3,137 362,699	5.7 5.5	Black or African Americanfarms acres	4,312 741,466	10.0 18.2
140 to 179 acres	farms acres	2,274 357,833	7.9 7.8	Native Hawaiian or Other Pacific Islander farms	25	16.1
180 to 219 acres	farms	1,649	6.3	acres	2,368	38.7
220 to 259 acres	acres farms	325,866 1,205	6.4 6.3	White farms acres	26,888 9,528,829	5.4 11.0
260 to 499 acres	acres	287,076 3,155	6.4 4.1	More than one race reportedfarms acres	247 65,459	20.0 21.8
	acres	1,113,294	3.7		00,400	21.0
500 to 999 acres	acres	2,006 1,381,491	14.4 16.3	Military service: Never served or only on active duty for training		
1,000 to 1,999 acres	farms acres	1,240 1,720,396	22.7 23.9	in the Reserves or National Guard (see text) producers Active duty now or in the past (see text) producers	47,128 4,897	4.9 7.3
2,000 acres or more	farms	1,140	19.4 16.0		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	acres	4,059,225	16.0	All producers by age group <sup>1</sup> : Under 25 years farms	725	17.4
Irrigated land use: Harvested cropland	farms	2,499	21.0	25 to 34 years	2,900 5,864	9.7 7.8
Pastureland and other land	acres	1,914,648	24.2 12.4	45 to 54 years farms 55 to 64 years farms	8,013	6.3
Pastureland and other land	acres	201 7,238	13.3	65 to 74 years farms	12,465 13,890	5.7 5.8
Market value of agricultural products sold	\$1,000	8,247,775	8.2	75 years and overfarms	8,168	5.0
Farms by value of sales:	, ,			Net cash farm income of operations: Farms with gains of- <sup>2</sup>		
Less than \$1,000		10,668	9.3	Less than \$1,000 farms	903	7.4
\$1,000 to \$2,499	\$1,000 farms	827 2,680	16.0 10.7	\$1,000 to \$4,999farms	436 2,137	7.6 9.3
\$2,500 to \$4,999	\$1,000 farms	4,376 2.906	10.7 8.8	\$1,000 \$5,000 to \$9,999	5,811 1.352	9.5
φ2,300 to φ4,999	\$1,000	10,381	8.8	\$1,000	9,811	8.2 8.9
\$5,000 to \$9,999	\$1,000	3,500 24,776	13.6 13.9	\$10,000 to \$24,999	1,789 28,906	9.9 9.9
\$10,000 to \$19,999	\$1,000	2,996 42,386	11.7 11.4	\$25,000 to \$49,999	1,204 42,823	9.8 9.6
\$20,000 to \$24,999	farms	851	8.6	\$50,000 or more farms	3,877	9.3
\$25,000 to \$39,999	\$1,000 farms	18,812 1,565	8.8 8.7	\$1,000	3,075,917	8.3
\$40,000 to \$49,999	\$1,000 farms	49,057 601	8.8 6.9	Farms with losses of- Less than \$1,000 farms	1,093	6.1
\$50,000 to \$99,999	\$1 000	26,522 1,284	6.9 14.0	\$1,000 \$1,000 to \$4,999	559 4.869	7.4 7.3
	\$1,000	87,760	13.2	¶ \$1,000	14,421	7.1
\$100,000 to \$249,999	\$1.000	754 115,277	17.1 16.2	\$5,000 to \$9,999	4,598 33,342	5.2 5.2
\$250,000 to \$499,999	farms \$1,000	565 205,056	21.3 21.1	\$10,000 to \$24,999	5,887 94,417	7.4 7.4
\$500,000 to \$999,999	farms	730	30.2	\$25,000 to \$49,999farms	2,082	4.8
\$1,000,000 or more	\$1,000 farms	513,008 2,190	30.7 9.5	\$1,000 \$50,000 or more farms	71,571 1,499	4.9 7.5
	\$1,000	7,149,535	7.7	\$1,000	206,563	10.0
Farms by legal status for tax purposes: Family or individual	forms	26,892	E 1	Livestock and poultry:	13,631	5.0
	acres	5,683,995	5.4 6.7	Cattle and calves inventory farms number	832,542	2.8
Partnership	farms acres	2,539 3,389,241	11.9 18.2	Beef cows inventoryfarms number	12,508 435,176	4.9 3.0
Corporation: Family held		1,149	12.2	Milk cows inventoryfarms	45 6,848	4.2 16.3
•	acres	818,964	13.3	Hog and pigs inventoryfarms	709	9.1
Other than family held	tarms acres	371 202,279	16.3 30.2	number Layers inventory farms	177,541 3,003	8.4 20.9
Other - estate or trust, prison farm, grazing association, American Indian Reservation, etc	farms	339	14.7	number Broilers sold	4,673,149 1,057	11.0 19.4
American indian reservation, etc	acres	157,018	13.6	number	668,652,465	13.7
Tenure:				Aquaculture sold	162 261,458	4.6 0.1
Full owners	farms	22,822 4,529,219	5.2 7.9	Selected crops harvested:		
Part owners	farms	6,587	6.3	Corn for grainfarms	1,495	18.6
Tenants		4,222,922 1,881	11.6 13.9	acres Durum wheat for grainfarms	592,934	27.8
	acres	1,499,356	19.6	acres Other spring wheat for grainfarms	_	-
Producers characteristics by- 1 (see text)				acres	255	- 22.2
Sex of operator: Male		29,024	5.2	Winter wheat for grain	355 84,949	23.2 21.7
Female	acres farms	9,800,308 16,321	10.3 5.9	Sorghum for grain	33 2,564	11.1 15.4
	acres	4,218,273	13.8	Soybeans for beans	2,926 2,404,021	15.5 19.6
Primary occupation:	,			Ricefarms	188	42.7
Farming Other	farms farms	20,858 31,167	5.3 5.4	acres	88,106	28.8
				л		L

See footnote(s) at end of table. --continued

## Table B. Reliability Estimates of State Totals: 2022 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

ltem	Total	Coefficient of variation (percent)	Item	Total	Coefficient of variation (percent)
Selected crops harvested: - Con.  Cotton	788	16.7	Selected crops harvested: - Con. Land in vegetables (see text) - Con.		
acres Peanuts farms	550,543 36	17.1 22.8	Sweet corn (see text)	349 684	47.6 28.0
acres Barleyfarms	14,260	9.7	Lettuce farms acres	112 57	50.9 53.4
Oats farms	9	42.2		897 8,534	35.9 36.8
acres	2,580	30.9	acres	190 157 210	38.4 32.7
Forage - land used for all hay and haylage, grass silage, and greenchopfarms	9,945 583,634	9.8 9.1		527 45	32.8 14.5 31.3
Land in vegetables (see text)	1,302 36,777	45.1 20.0	Oranges farms acres Almonds farms	8	31.2
Potatoes	152 104	50.7 32.5	Aillioitus acres Land in berries farms	(D)	(D) 49.0
Tomatoes in the open farms acres	535 308	53.7 48.1	acres	1,397	45.9

Data were collected for a maximum of four producers per farm.
Farms with total production expenses equal to market value of agricultural products sold, government payments, and farm-related income are included as farms with gains of less than \$1,000.

Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2022 [For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
ALL FARMS (NUMBER)						
State Total						
Mississippi	31,290	1,577	46.9	13.4	15.8	17.6
Counties						
Adams	180	19	53.3	21.0	12.2	20.2
Alcorn	357 407	37 40	44.3 42.5	12.5 18.8	13.6 13.8	18.2 9.9
Attala	412	56	48.8	10.7	12.8	25.3
Benton Bolivar	261 394	32 92	52.5 47.2	8.9 3.2	16.7 11.0	26.8 33.0
Calhoun	531 382	47 21	36.7 48.7	9.7 8.9	16.4 14.0	10.6 25.8
Carroll	424	49	37.5	5.3	21.8	10.4
Choctaw	200	23	40.0	17.5	12.7	9.8
Claiborne	172 279	41 21	48.3 49.8	22.5 12.9	13.1 23.2	12.7 13.7
Clay	370	25	47.8	10.2	16.8	20.8
Coahoma	210 444	36 35	42.9 48.9	10.1 17.6	10.5 14.8	22.3 16.5
Covington	422	38	47.4	13.7	15.6	18.0
DeSoto Forrest	372 302	38 19 25	53.0 54.3	9.0 19.0	19.5 19.5	24.4 15.8
Franklin George	216 472	26 55	59.3 50.4	17.0 14.2	17.2 22.8	25.0 13.4
•						
Greene	408 249	46 16	54.7 43.8	15.8 12.9	20.0 17.7	18.9 13.1
Hancock	248 318	16 37	50.4 53.8	16.5 25.3	21.9 19.7	12.0 8.8
Harrison	847	108	54.0	21.0	13.2	19.8
Holmes	483 214	64 36	48.0 43.5	17.6 3.0	11.1 5.8	19.3 34.7
Issaquena	103	22	35.9	0.9	6.1	29.0
Itawamba	335 393	34 43	44.5 53.4	13.7 26.8	16.9 17.7	13.9 9.0
Jasper	353	29	48.4	22.9	14.0	11.6
Jefferson	174	20	46.6	16.8	9.3	20.4
Jefferson Davis	316 779	35 45	49.1 49.4	10.0 19.0	14.0 15.4	25.1 15.0
Kemper	376	45 42	54.5	20.7	21.8	12.1
Lafayette	378 385	46 38	47.1 48.1	13.5 20.0	21.0 16.9	12.6 11.2
Lawrence	283 283	46 22	56.2 48.8	18.1 24.1	12.9 15.2	25.2 9.5
Leake	481	61	45.7	16.0	16.2	13.5
Lee	392	27	41.3	12.6	17.8	11.0
Lincoln	242 597	50 58	37.6 50.3	3.4 16.4	13.3 20.8	20.9 13.0
Lowndes	333	45 58	45.0	14.9	13.2	17.0
Madison	510 391	58 42	50.6 50.1	21.3 16.9	13.9 12.7	15.4 20.5
Marshall	498 520	45	49.8	11.7	10.9	27.3
Monroe Montgomery	290	32 25 55	46.2 48.3	14.4 9.3	17.2 17.6	14.6 21.4
Neshoba	522	55	43.5	15.8	14.9	12.7
Newton	501	44	46.5 41.3	16.9 6.5	18.8 8.4	10.8 26.3
NoxubeeOktibbeha	458 375	24 42 38	48.8	13.4	24.8	10.6
Panola Pearl River	572 665	38 65	44.8 49.2	14.8 22.2	15.1 16.5	14.9 10.4
Perry	278	34	49.6	20.8	17.1	11.8
Pike Pontotoc	474 647	36 69	49.2 39.7	15.4 11.0	14.8 12.5	19.0 16.2
Prentiss	439 224	34 36	45.6 37.1	10.9 6.4	17.1 3.9	17.5 26.7
Rankin	579 587	64 79	50.3 47.0	16.5 19.0	22.2 15.4	11.6 12.6
Sharkey Simpson	112 437	36 42	34.8 48.1	10.1 14.3	12.2 14.8	12.5 18.9
Smith	487	21	42.3	15.3	17.5	9.5
Stone Sunflower Sunflower	280 301	20 65	48.9 37.9	17.2 4.8	17.0 11.0	14.7 22.1
Tallahatchie	415	61	39.5	11.8	18.7	9.0
TateTippah	503 460	56 29	48.1 45.7	15.1 11.9	16.8 19.3	16.2 14.4
Tishomingo	183	24	32.8	9.9	6.9	16.0
Tunica	92	19	33.7	2.4	18.2	13.2
Union	525 484	49 38	39.8 45.0	10.3 20.9	8.3 10.4	21.1 13.8
Warren	224 287	20 74	47.8 52.3	4.5 6.5	16.6 8.5	26.7 37.2
Washington	461	38	45.8	9.6	19.6	16.6
Webster	264 163	38 29	41.7 50.3	10.1 16.0	19.8 11.8	11.8 22.5
Winston	448	40	49.1	21.8	11.5	15.8
Yalobusha	339	45	46.6	16.0	13.8	16.8
Yazoo	518	55	42.1	9.6	14.0	18.5

--continued

Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2022 (continued) [For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
LAND IN FARMS (ACRES)						
State Total						
Mississippi	10,251,497	1,069,522	37.2	3.7	8.3	25.2
Counties	-, -, -	,,,,,,		-		
	50.040	00.040	40.0	4.4	4.5	40.0
Adams	58,846 85,454	20,010 13,395	49.8 37.0	4.4 10.5	4.5 13.1	40.9 13.4
Amite	80,958	6,816	39.8	15.2	14.8	9.7
Attala	145,490 93,844	19,249 19,275	46.1 45.5	8.8 4.1	11.9 13.6	25.4 27.9
Bolivar	454,619 180,673	92,027	31.4 34.3	0.5	10.7 11.1	20.3 19.3
Calhoun	127,775	26,735 14,037	42.0	3.9 4.8	7.9	29.2
Choctaw	163,560 40,712	35,218 3,647	33.1 29.0	3.0 9.5	7.8 8.3	22.3 11.1
		· ·				
Claiborne	67,446 59,638	24,250 11,038	40.8 39.0	12.3 5.5	14.1 12.3	14.4 21.3
Clay	157,471	41,243	51.0	2.8	17.6	30.5
Coahoma	281,591 103,863	66,540 18,373	28.1 47.3	5.0 12.6	3.0 18.8	20.1 15.9
Covington	71,060 135,985	7,895 24,920	33.5 47.7	2.5 1.6	3.8 11.4	27.3 34.7
DeSotoForrest	30,551	4,453	43.9	12.0	11.1	20.9
Franklin	55,232 66,898	6,848 8,399	55.8 30.5	5.9 4.9	20.3 9.3	29.6 16.3
		·				
Greene	59,945 93,914	10,042 26,441	39.1 45.8	11.6 13.7	13.9 18.7	13.6 13.3
Hancock	23,946	7,757	38.2	14.5	11.9	11.8
Harrison	14,463 224,068	1,147 53,194	43.1 40.7	17.7 4.4	18.2 4.2	7.2 32.2
Holmes	278,596 192,073	72,002 56,328	41.1 35.6	14.7 1.1	8.5 2.7	17.9 31.7
Issaquena	132,550	25,007	19.2	0.5	3.0	15.7
Itawamba	89,001 27,669	19,608 9,225	46.2 44.2	7.2 23.0	30.7 14.4	8.3 6.8
Jasper	60,775 61,569	5,735 21,845	34.3 52.6	13.1 17.0	10.4 14.0	10.8 21.7
Jefferson Davis	53,739	7,132	50.1	5.4	9.7	35.0
JonesKemper	97,409 137,623	4,529 22,169	35.6 50.5	9.0 11.3	8.0 21.3	18.6 17.8
Lafayette	110,895 52,915	26,030 3,880	44.6 41.3	13.2 11.6	22.5 13.1	8.9 16.6
Lauderdale	67,105	17,721	48.6	6.9	7.5	34.2
Lawrence	52,696 85,196	14,942 18,860	50.7 40.8	20.4 10.1	22.5 18.3	7.8 12.4
		· ·				
Leflore	97,272 300,354	17,336 111,820	24.5 26.7	6.7 0.8	7.1 4.3	10.7 21.5
Lincoln	79,786 105,787	6,718 15,701	41.2 25.7	12.7 5.4	14.5 6.5	14.0 13.8
Madison	197,702	29,485	43.5	15.0	10.0	18.5
Marion	55,155 189,255	5,654 34,064	42.1 38.7	14.8 3.7	10.5 3.9	16.9 31.1
Monroe	162,823	35,009	38.5	9.1	11.4	18.0
Montgomery Neshoba	105,955 89,971	29,007 13,209	48.1 32.7	5.6 10.6	20.0 12.1	22.5 9.9
	91,201	22,117	38.5	10.8	10.8	16.9
Newton	214,860	45,420	40.3	3.3	8.3	28.7
OktibbehaPanola	100,927 177,462	10,871 24,277	44.5 31.0	12.5 10.4	10.5 11.4	21.5 9.2
Pearl River	104,384	8,136	45.7	18.1	15.4	12.2
Perry	44,071 57,529	9,401 7,265	40.4 46.4	17.4 6.1	13.0 13.5	10.0 26.7
Pontotoc	142,364	38,930	38.2	2.6	2.7	32.9
Prentiss	127,115 182,110	35,389 62,626	47.8 28.9	7.9 6.2	18.9 2.3	21.0 20.4
Rankin	99,015	17,882	42.4	8.4	23.2	10.8
Scott	115,648	15,891	48.6	6.1	13.3	29.2
Simpson	177,028 97,311	61,129 11,835	29.5 42.4	9.2 3.6	12.5 4.3	7.8 34.4
Smith	83,160	5,015	37.9	13.5	14.6	9.7
Stone Sunflower	36,502 381,831	4,049 134.025	36.9 23.5	9.4 1.6	15.1 5.9	12.5 16.1
Tallahatchie	269,948	72,826	26.1	3.3	5.0	17.8
Tate	144,720 94,687	15,514 15,238	43.1 37.4	3.4 5.9	5.1 20.2	34.6 11.3
	32,282	9,496	27.1	4.5	5.2	17.4
Tishomingo Tunica	200,871	37,997	20.1	0.4	0.6	19.1
Union	129,221 68,536	29,925 15,901	43.6 33.8	3.2 13.4	6.9 10.0	33.5 10.5
Warren	131,145	25,664	41.0	1.6	8.6	30.8
Washington	422,919 84,815	85,794 10,063	31.0 47.4	1.2 3.9	1.6 26.5	28.2 17.1
Webster	46,190	11,171	26.7	7.0	11.2	8.5
Wilkinson	121,506 89,088	22,478 30,058	49.6 43.5	7.4 9.4	15.6 7.3	26.5 26.8
		13,915				
Yazoo	91,270 329,908	65,755	39.1 38.3	7.2 2.5	11.6 3.1	20.3 32.8
	1	l				

--continued

Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2022 (continued) [For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
SALES (\$1,000)						
State Total						
Mississippi	8,247,775	674	28.0	1.8	3.3	23.0
Counties	2,2,					
		_				
Adams	7,393 28,561	2 1 <u>2</u>	38.7 40.5	1.3 1.6	0.2 15.4	37.3 23.6
Amite	62,560	7	22.2	9.1	7.2	5.9
Attala Benton	20,043 17,206	12 4	17.0 36.3	2.6 1.4	4.8 15.8	9.6 19.1
Bolivar	346,986 97,227	75 18	31.0 31.7	0.5 2.1	11.2 4.5	19.3 25.1
Carroll	31,118	8	53.2	2.2	10.2	40.7
Chickasaw	108,404 5,683	14 (Z)	37.6 9.2	6.0 5.1	10.5 2.3	21.0 1.9
Claiborne	7,497	5	1.8	0.3	0.3	1.3
Clarke	78,837	15	33.4	3.4	9.1	20.9
Clay Coahoma	49,816 206.998	15 64	30.4 22.3	2.5 4.2	2.5 2.4	25.3 15.7
Copiah	92,527	19	15.8	2.9	1.6	11.3
Covington DeSoto	266,004 51,920	46 12	18.3 35.7	2.4 3.6	1.3 14.7	14.6 17.4
ForrestFranklin	16,577 1,989	2	23.3 38.3	10.1 6.9	8.8 16.9	4.3 14.5
George	18,886	(Z) 11	13.3	4.5	3.5	5.3
Greene	116,769	8	45.6	6.7	8.5	30.4
Grenada	17,034 9,712	3 2	38.5 22.0	13.7 8.6	8.6 6.8	16.1 6.7
Harrison	5,104	1	45.9	12.4	27.2	6.2
Hinds	66,868 104,409	20 29 32	29.9 37.6	1.1 11.6	1.4 8.3	27.4 17.7
Humphreyslssaquena	147,428 63,317	32 15	25.9 14.7	1.6 1.0	1.7 3.6	22.5 10.1
Itawamba	17,453	9	53.8	2.0	44.4	7.4
Jackson	9,913	2	20.1	13.3	5.2	1.7
Jasper	216,792 37,676	46 17	33.5 30.5	5.1 3.2	7.0 3.4	21.4 23.9
Jefferson Davis	86,601	31	47.1	6.4	12.4	28.3
Jones Kemper	316,942 35,115	62 18	33.9 39.3	3.5 3.0	3.4 18.2	27.0 18.1
Lafayette	11,374	5	25.0	5.7	14.6	4.7
Lamar Lauderdale	41,441 5,937	16 1	23.2 58.6	7.3 8.6	6.2 9.4	9.7 40.6
Lawrence Leake	170,227 421,352	45 74	44.0 17.4	8.7 6.1	5.5 2.1	29.9 9.2
	37.467	16	11.7	3.8	2.1	5.8
Leflore	296,792	106	17.5	0.1	0.3	17.1
Lincoln Lowndes	115,807 55,216	63	44.8 21.6	7.7 1.9	5.7 1.6	31.5 18.1
Madison	38,373	23 32	34.8	12.1	10.3	12.4
Marion Marshall	138,764 29,730	6	39.2 25.9	8.1 1.1	8.0 1.3	23.1 23.6
Monroe	41,295 21,138	12 9	24.1 38.2	5.0 5.0	7.5 22.6	11.6 10.5
Neshoba	256,864	96	25.4	4.4	4.3	16.7
Newton	176,640	70	29.2	10.0	7.5	11.7
NoxubeeOktibbeha	202,362 21,290	25 2 8	29.4 33.9	2.0 7.9	3.2 11.8	24.1 14.2
Panola	51,342	8	22.0	7.0	8.2	6.8
Pearl River Perry	26,793 17,992	3 7	37.1 16.1	18.4 5.9	7.7 6.5	11.0 3.8
Pike Pontotoc	73,245 34,936	21 13	8.1 34.5	1.8 0.7	1.1 0.8	5.2 32.9
Prentiss	31,570	14	52.8	5.2	24.9	22.7
Quitman	84,764	40	8.7	3.8	0.5	4.3
Rankin Scott	185,364 340,085	24 38	34.8 29.2	8.7 2.7	10.0 2.8	16.1 23.6
Sharkey	126,861	43	24.2	9.3	8.0	7.0
Simpson	295,992 281,961	56 53	26.3 34.1	6.0 3.8	2.8 3.3	17.4 26.9
Stone Sunflower	17,772 349,288	2 96	13.4 17.9	7.1 1.4	3.4 2.4	2.9 14.0
Tallahatchie	165,393	44	17.8	1.9	0.7	15.1
Tate Tippah	37,107 16,303	6 2	36.2 20.1	1.3 2.1	3.5 6.1	31.4 11.9
		[ ]				
Tishomingo Tunica	3,496 151,840	33	27.3 18.4	5.6 0.6	7.5 0.5	14.2 17.3
Union	24,166 119,245	10 33	55.0 38.5	1.5 4.2	7.8 3.6	45.7 30.7
Warren	33,967	16	46.7	1.5	14.9	30.3
Washington Wayne	323,849 316,566	66 42	26.9 25.2	1.6 3.8	1.3 4.5	23.9 16.9
Webster	18,978	10	29.2	4.5	16.6	8.0
Wilkinson	7,448 88,942	43	47.5 26.2	10.3 6.8	8.1 4.2	29.1 15.3
Yalobusha	25,812	10	35.0	6.5	8.5	19.9
Yazoo	147,264	34	35.9	1.1	0.8	34.0

Table D. American Indian or Alaska Native Producers: 2022

[For meaning of abbreviations and symbols, see introductory text.]

	American Indi	an or Alaska Native far	m producers		American Indian or Alaska Native farm p		m producers
Geographic area	Total	Individually reported <sup>1</sup>	Other <sup>2</sup>	Geographic area	Total	Individually reported 1	Other <sup>2</sup>
State Total				Counties - Con.			
Mississippi	295	295		Lee	3	3	
Counties				Leflore	4 3	4 3	
Alcorn	3	3		Lowndes	3	3	
Benton Calhoun	8 1	8 1		- Marion	12	12	
Carroll Chickasaw	1 3	1 3		- Monroe - Montgomery	13	13	
ChoctawClaiborne	1 5	1 5		Neshoba	6	6	
Clarke	2	2	:	Newton	10	10	
Coahoma	5	5		Oktibbeha Panola	5	5	
Copiah	6	6		Pearl River	14	14	
Covington DeSoto	3	3		Pike Pontotoc	2	2	
FranklinGeorge	2 2	2 2		- Rankin	1	1	
Greene	2	2		Simpson	2	2	
Hancock Harrison	5 7	5 7		- Stone Tallahatchie	6	6	
Hinds	11	11		Tate	8 9	8 9	
Humphreyslssaquena	1 1	1 1		- Tishomingo - Tunica	1	1	
Itawamba Jackson	2 7	2 7		Union	1 8	1 8	
Jasper Jefferson Davis	5	5		- Warren	3 4	3 4	
JonesLafayette	3	3		- Wayne	8	8	
LamarLauderdale	1 2	1		- Webster	4	4	
	2	2	•	Yalobusha	2	2	
Lawrence	7 5	7 5		- Yazoo	4	4	

<sup>&</sup>lt;sup>1</sup> Data were collected for a maximum of four producers per farm.
<sup>2</sup> Data represent American Indian or Alaska Native farm or ranch producers on reservations who did not report individually. Data obtained by reservation officials.