



PUBLIC NOTICE

In-Situ Groundwater Remediation Project New Paint Facility Sacramento Railyards, Sacramento County

State Water Resources
Control Board
E. Joaquin Esquivel,
Chair

Central Valley Regional
Water Quality Control
Board

Mark Bradford, *Chair*

Contact:

Kyle Cockerham
(916) 464-4811

Central Valley Regional
Water Quality Control
Board
[Kyle.Cockerham@
waterboards.ca.gov](mailto:Kyle.Cockerham@waterboards.ca.gov)


This serves as notice that Central Valley Regional Water Quality Control Board (Central Valley Water Board) has prepared a Notice of Applicability for coverage under Order R5-2015-0012, *Waste Discharge Requirements General Order for In-Situ Groundwater Remediation and Discharge of Treated Groundwater to Land* (General Order). Central Valley Water Board is providing the opportunity for the public to comment on the proposed cleanup activities at the property known as the New Paint Facility within the Sacramento Railyards at 501 Jibboom Street, Sacramento (Site).

PUBLIC COMMENT PERIOD: 26 July 2024 – 25 August 2024

PROJECT DESCRIPTION:

The Sacramento Railyards began operations in 1863. Most industrial activities were moved elsewhere in the early 1990s. The New Paint Facility is one of several study areas across a former locomotive maintenance and rebuilding facility. The approximate location of the proposed work is shown on the map on the following page.

Groundwater investigations have revealed five predominant chemicals of concern in the New Paint Facility area that are currently detected above their remedial goals which include 1,4-Dioxane; cis-1,2-dichloroethene (DCE); vinyl chloride; 1,1-dichloroethane (DCA); and benzene. To support a future full-scale remedy for groundwater at the New Paint Facility, a pilot study has been proposed to evaluate the feasibility and effectiveness of ozone and air sparging to expedite the long-term treatment remedy. Three potential phases of the pilot testing, including 1) Ozone/Air Sparging, 2) Hydrogen Peroxide Injection with Ozone, and 3) Groundwater Recirculation.



WHERE DO I GET MORE INFORMATION?

Reports and analytical results regarding this Site can be reviewed by accessing the State Water Resources Control Board [GeoTracker website for global id T10000001832](https://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000001832) (https://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000001832).

The case file for the Site is available for review at the Central Valley Water Board office in Rancho Cordova. To make an appointment for a file review, please call (916) 464-3291.

HOW CAN I PARTICIPATE?

Any interested individual can learn more about the case by contacting Kyle Cockerham with the Central Valley Water Board. Written comments regarding concerns or issues on the proposed project at the New Paint Facility should be submitted to Kyle Cockerham at the Central Valley Water Board by **25 August 2024**.

Kyle Cockerham
 Central Valley Regional Water Quality Control Board
 11020 Sun Center Drive, Suite 200
 Rancho Cordova, CA 95670
 (916) 464-4811
Kyle.Cockerham@waterboards.ca.gov

NOTICE TO THE HEARING IMPAIRED:

TDD users can obtain information about the Site by using the California State Relay Service (800) 735-2929 to reach the Public Participation Specialist. Ask them to contact the Central Valley Water Board at (916) 464-3291 regarding the proposed Notice of Applicability and Draft Monitoring and Reporting Program.