

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260

Public Notice No. 7-24-08
March 28, 2024

NOTICE OF OPPORTUNITY FOR PUBLIC COMMENT

**PROPOSED SITE CLEAN UP CASE CLOSURE
PURSUANT TO
LOW-THREAT CLOSURE POLICY**

FOR

**ARCO LINE 90, ESSEX (WARD VALLEY), SAN BERNARDINO
COUNTY, GLOBAL ID NUMBER T10000006013**

NOTICE IS HEREBY GIVEN THAT the California Regional Water Quality Control Board, Colorado River Basin Region (Regional Water Board) will accept written comments on the proposed Site Clean Up (SCP) pipeline case closure for ARCO LINE 90, ESSEX, located in Essex, GeoTracker Global Id No. T10000006013.

This SCP site is being proposed for case closure pursuant to the State Water Resources Control Board's (State Water Board) *Water Quality Control Policy for Low-Threat UST Case Closure* (Low-Threat Closure Policy or Policy), adopted via Resolution No. 2012-0016 on August 17, 2012. In adopting this Policy, the State Water Board determined that certain cases are appropriate for closure if they pose a low threat to human health, safety, and the environment. Low threat is established under the Policy by demonstrating the UST/SCP case meets the general and media-specific criteria established in the Policy, satisfies the requirements of Health and Safety Code section 25296.10, and is consistent with State Water Board Resolution 92-49's requirement that cleanup goals and objectives be achieved within a reasonable time.

Regional Water Board Site Cleanup staff has completed review of the case identified above, determined that the case meets the general and media-specific closure criteria of the Policy as well as complies with Health and Safety Code section 25296.10 and State Water Board Resolution 92-49, and will make a recommendation to the Regional Water Board's Executive Officer for case closure. This recommendation is based upon the facts and circumstances of this particular SCP case. The SCP case record that is the basis for determining compliance with the Policy is available on the State Water Board's GeoTracker database at:

https://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000006013

Pursuant to the Policy, the Regional Water Board is providing notice of the proposed SCP case closure to: the responsible party, environmental consultant on record, municipal and county water districts, water replenishment districts, special act districts with groundwater management authority, local water purveyor, agencies authorized to issue building permits for land affected by the petroleum release, owners and occupants of the property impacted by the petroleum release, and owners and occupants of all parcels adjacent to

the impacted property, as applicable. This Notice will also be posted on the Regional Water Board's website.

DOCUMENT AVAILABILITY

A draft Case Closure Summary has been prepared for the above SCP that forms the basis for SCP Cleanup staff's recommendation for case closure to the Regional Water Board's Executive Officer. The document is available for view or download on the GeoTracker database at the link identified above. Copies of the draft Case Closure Summary are also available upon request to Ms. Theresa Illare at theresa.illare@waterboards.ca.gov or (760) 776-8971.

SUBMISSION OF WRITTEN COMMENTS

The Regional Water Board will accept written comments regarding the proposed case closure during a sixty (60) day public comment period, which begins **March 28, 2024** and ends **May 31, 2024**. Persons wishing to submit written comments on the proposed case closure are requested to do so by **5:00 pm on May 31, 2024**, to be given sufficient consideration.

Interested persons are encouraged to submit their comments electronically. Comments can be submitted to Ms. Theresa Illare via e-mail: theresa.illare@waterboards.ca.gov (**if less than 10 megabytes in total size**), or by fax at (760) 341-6820 with the subject "**Comment Letter – ARCO LINE 90 Site.**" Written comments may also be mailed to:

California Regional Water Quality Control Board
Colorado River Basin Region
Attn: Ms. Theresa Illare
73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260

Please direct any questions regarding this Notice to Ms. Theresa Illare at (760) 776-8971 or theresa.illare@waterboards.ca.gov.